

Marset

Working Catalogue



marset 2



Table





23 Bicoca



31 Chispa



41 Dipping Light



64 FollowMe



77 LED-Ginger

Wall





19 Aura



43 Dipping Light



53 Discocó



69 Funiculí



70 Funiculí Fabric



80 LED-Ginger



114 Ledtube











118 Mercer

127 N. Ocho

128 Plaff-on!

142 Roc

149 Scantling



163 Tam Tam

Ceiling











17 Atlas

52 Discocó

59 Djembé

80 LED-Ginger

121 Mercer





128 Plaff-on!

156 Soho



marset 6





Discover more at marset.com



Code





Finish CCT

Matt Gold 22K

Materials Structure: Aluminum

Dimmable: Yes Integrated dimmer: No

Diffuser: Methacrylate Dimming protocols: See power options

Canopy: Aluminum / Steel supply on pg 11.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 19.2W 2200K CRI90 2116Im Luminaire Ambrosia 22K: (Power supply not included) 1885Im

Light source Ambrosia 27K: LED SMD 24Vdc 19.2W 2700K CRI90 2028lm Luminaire Ambrosia 27K: (Power supply not included) 1891lm


Light source Ambrosia 30K: LED SMD 24Vdc 19.2W 3000K CRI90 2256lm Luminaire Ambrosia 30K: (Power supply not included) 1927lm

Weight: Net 5.3 lb – Gross 6.6 lb Package: $11.4 \times 3.9 \times 53.1$ " - 4.4 lb – Vol - 1.4 ft^3

3.1 x 3.1 x 50.4 " - 2.2 lb – Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately. Canopy not included. Supplied with 10.8 ft wire.

LED included



Dimmable




(1) The height can be increased by means of the 15.7 or 23.6 " poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed









Materials Dimmable: Yes Structure: Aluminum Integrated dimmer: No

Diffuser: Methacrylate Dimming protocols: See power options

Canopy: Aluminum / Steel supply on pg 11.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm Luminaire Ambrosia 27K: (Power supply not included) 2833lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm Luminaire Ambrosia 30K: (Power supply not included) 2886lm Weight: Net 6.8 lb - Gross 7.9 lb


Package: 11.4 x 3.9 x 53.2 " - 4.4 lb - Vol - 1.4 ft3

3.1 x 3.1 x 74 " - 3.5 lb - Vol - 0.4 ft3

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 9.8 ft wire.

LED included





Dimmable

(1) The height can be increased by means of the 15.7 or 23.6 " poles (max. 3 units.) They can be combined...

Wire installation: Hardwired / Recessed

Ambrosia 210



Code	Finish	CCT
A704-103-15-22K	Matt Gold	22K
A704-103-15-27K	Matt Gold	27K
A704-103-15-30K	Matt Gold	30K
A704-103-16-22K	Black	22K
A704-103-16-27K	Black	27K
A704-103-16-30K	Black	30K

Materials Dimmable: Yes Structure: Aluminum Integrated dimmer: No

Diffuser: Methacrylate Dimming protocols: See power options

Canopy: Aluminum / Steel supply on pg 11.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm Luminaire Ambrosia 30K: (Power supply not included) 2865lm


Weight: Net 6.8 lb - Gross 7.9 lb

Package: 11.4 x 3.9 x 53.1" - 4.4 lb - Vol - 1.4 ft3

3.1 x 3.1 x 26.7 " - 1.3 lb - Vol - 0.14 ft3

3.1 x 3.1 x 50.4 " - 2.2 lb - Vol - 0.35 ft3


Product notes: 24V remote power supply to be ordered separately. Canopy not included. Supplied with 12.8 ft wire.





(1) The height can be increased by means of the 15.7 or 23.6 $^{\circ}$ poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed





Ambrosia 315

(NEW)

Code	Finish	CCT
A704-104-15-22K	Matt Gold	22K
A704-104-15-27K	Matt Gold	27K
A704-104-15-30K	Matt Gold	30K
A704-104-16-22K	Black	22K
A704-104-16-27K	Black	27K
A704-104-16-30K	Black	30K

Dimmable: Yes Materials Structure: Aluminum Integrated dimmer: No

Diffuser: Methacrylate Dimming protocols: See power options

Canopy: Aluminum / Steel supply on pg 11.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4563lm Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5076lm Luminaire Ambrosia 30K: (Power supply not included) 4314lm Weight: Net 11.2 lb - Gross 12.9 lb


Package: 11.4 x 3.9 x 88.6 " - 7.7 lb - Vol - 2.3 ft3

3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³ 3.1 x 3.1 x 74 " - 3.5 lb - Vol - 0.4 ft3

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 12.1 ft wire.

LED included



Dimmable

(1) The height can be increased by means of the 15.7 or 23.6 " (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Black

Height extension pole 16

Code Finish A704-005-15 Matt Gold

Materials Structure: Metal

A704-005-16

Product type: Accessory



Ambrosia 315 + 2 Pole 60



Height extension pole 24

Code Finish A704-006-15 Matt Gold A704-006-16 Black

Materials Structure: Metal

Product type: Accessory





Canopy Ambrosia 60W / 0-10V

Code A666-213-15 A666-213-16 Finish Matt Gold Black

Materials Structure: Metal Dimmable: Yes Integrated dimmer: No

Product type: Ceiling

Luminaire: 120 - 277 VAC 0-10V

Product notes:

One canopy can feed one or two fixtures. (For more info check the spec sheet.)

Dimming protocols: 0-10V

Dimmable

.







Outlet Box Cover Plate

Code

Finish

A666-219-15 Matt Gold A666-219-16 Black

Code


Description


Power supply 60W - 24V 968-230

Product type: Ceiling 120 - 277 VAC 0-10V

Porduct notes: The installation and location of the remote LED driver must be in accordance with the specific regulations of each country and will be the exclusive responsibility of the installation company.

Materials Structure: Metal









Code	Finish	CCT
A704-115-15-22K	Matt Gold	22K
A704-115-15-27K	Matt Gold	27K
A704-115-15-30K	Matt Gold	30K
A704-115-16-22K	Black	22K
A704-115-16-27K	Black	27K
A704-115-16-30K	Black	30K

Materials Dimmable: Yes Structure: Aluminum Integrated dimmer: No

Dimming protocols: It depends on the Diffuser: Methacrylate

Canopy: Aluminum / Steel purchased power supply.

Product type: Wall


Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 1.3 lb - Gross 2.8 lb Package: 24 x 5.3 x 5.7 " - 1.5 lb - Vol - 0,4 ft3 3.1 x 3.1 x 26.7 " - 1.3 lb - Vol - 0.14 ft3

Product notes: 24V remote power supply to be ordered separately. LED included







Wire installation: Hardwired / Recessed

Ambrosia A 60 right NEW

Code	Finish	CCT
A704-116-15-22K	Matt Gold	22K
A704-116-15-27K	Matt Gold	27K
A704-116-15-30K	Matt Gold	30K
A704-116-16-22K	Black	22K
A704-116-16-27K	Black	27K
A704-116-16-30K	Black	30K

Materials Dimmable: Yes Structure: Aluminum Integrated dimmer: No

Dimming protocols: It depends on the Diffuser: Methacrylate

Canopy: Aluminum / Steel purchased power supply.

Product type: Wall


Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 1.3 lb - Gross 2.8 lb Package: 24 x 5.3 x 5.7 " - 1.5 lb - Vol - 0,4 ft3 3.1 x 3.1 x 26.7 " - 1.3 lb - Vol - 0.14 ft3

Product notes: 24V remote power supply to be ordered separately. LED included





Dimmable

Under approval process. For latest certification status check the spec sheet.

Wire installation: Hardwired / Recessed

Ambrosia A 90 left (NEW)

Code	Finish	CCT
A704-117-15-22K	Matt Gold	22K
A704-117-15-27K	Matt Gold	27K
A704-117-15-30K	Matt Gold	30K
A704-117-16-22K	Black	22K
A704-117-16-27K	Black	27K
A704-117-16-30K	Black	30K

Materials Dimmable: Yes Structure: Aluminum Integrated dimmer: No

Diffuser: Methacrylate Dimming protocols: It depends on the

Canopy: Aluminum / Steel purchased power supply.

Product type: Wall

Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 2.6 lb – Gross 3.2 lb Package: $24 \times 5.3 \times 5.7$ " - 1.5 lb – Vol - 0,4 ft³ $3.1 \times 3.1 \times 38.5$ " - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately. LED included



Wire installation: Hardwired / Recessed

Ambrosia A 90 right NEW

Code	Finish	CCT
A704-118-15-22K	Matt Gold	22K
A704-118-15-27K	Matt Gold	27K
A704-118-15-30K	Matt Gold	30K
A704-118-16-22K	Black	22K
A704-118-16-27K	Black	27K
A704-118-16-30K	Black	30K

Materials Dimmable: Yes
Structure: Aluminum Integrated dimmer: No

Diffuser: Methacrylate Dimming protocols: It depends on the

Canopy: Aluminum / Steel purchased power supply.

Product type: Wall


Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm Luminaire Ambrosia 30K: (Power supply not included)


Weight: Net 2.6 lb – Gross 3.2 lb Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³ 3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately. LED included



Wire installation: Hardwired / Recessed





marset

Ambrosia, 2021

Ambrosia A 210 NEW

CCT Code Finish A704-121-15-22K Matt Gold 22K A704-121-15-27K Matt Gold 27K A704-121-15-30K Matt Gold 30K A704-121-16-22K Black 22K A704-121-16-27K Black 27K A704-121-16-30K Black 30K

Materials Dimmable: Yes
Structure: Aluminum Integrated dimmer: No

Diffuser: Methacrylate Dimming protocols: It depends on the

Canopy: Aluminum / Steel purchased power supply.

Product type: Wall


Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm Luminaire Ambrosia 30K: (Power supply not included) 2865lm

 $\begin{tabular}{ll} Weight: Net 6.2 lb - Gross 7.9 lb \\ Package: 59.8 x 5.3 x 6.5 " - 4.4 lb - Vol - 1 ft^3 \\ 3.1 x 3.1 x 26.7 " - 1.3 lb - Vol - 0.14 ft^3 \\ 3.1 x 3.1 x 50.4 " - 2.2 lb - Vol - 0.35 ft^3 \\ \end{tabular}$

Product notes: 24V remote power supply to be ordered separately. LED included







Wire installation: Hardwired / Recessed

Disk accessory (NEW)

Materials Structure: Metal

Product type: Accessory Accessory used to hide the driver behind the canopy. Two units are required for Ambrosia A 210, one for each canopy.






Power supply Dimmable

Code Description

968-230 Power supply 60W - 24V

120 - 277 VAC 0-10V Product type: Power supply



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.





Atlas

Code

Finish

A34-010

○ Translucent ﴾


Materials Shade: Polycarbonate

Canopy: White polyamide Structure: Stainless steel

Product type: Wall / Ceiling Light source: E26 LED PAR30S 13W 36º 2700K Weight: Net 0.7 lb – Gross 1.2 lb

Package: 7 x 8.3 x 9.5 " - 1.2 lb - Vol - 0.28 ft3

Lamping not included





Wire installation: Hardwired Canopy color: White Cord color: Transparent




Atlas Susp.

Code Finish O Translucent

Materials Shade: Polycarbonate Canopy: White polyamide

Product type: Pendant Light source: E26 LED PAR30S 13W 36º 2700K Weight: Net 0.7 lb – Gross 1.2 lb Package: 7 x 8.3 x 9.5 " - 1.2 lb – Vol - 0.28 ft³ Lamping not included





Cable length: 9.8 ft Wire installation: Hardwired Cord color: Transparent Canopy color: White

Base Atlas 2

Code Finish A34-037 O White

Materials

Structure: White polyamide



Canopy color: White







Aura

Code Finish

A676-008 ○ Transparent ﴾ A676-009 Opal A676-010 Smoked ৯ A676-012 Copper

Materials Shade: Blown Glass

Structure: Polycarbonate Dissipater: Aluminum

Product type: Wall

Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm Luminaire: 90 - 264 VAC 8.7W 448lm

Weight: Net 1.1 lb – Gross 2.2 lb Package: 10.2 x 10.2 x 7.8 " - 2.2 lb – Vol - 0.56 ft³

Product notes: Suitable for damp locations

Not suitable for ceiling mount

Structure in black, except for the opal version, with structure in white.

LED included







Dimmable: No

3.91"

Wire installation: Hardwired



Aura Plus

Code Finish A676-019 ○ Translucent A676-020 Opal A676-021 ● Smoked ﴾ Copper A676-022

Materials Shade: Blown Glass Dimmable: No

Structure: Polycarbonate Dissipater: Aluminum

Product type: Wall / Ceiling

Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm Luminaire: 90 - 264 VAC 8.7W 470lm


Weight: Net 1.96 lb - Gross 2.64 lb

Package: 13 x 13 x 8.6 " - 2.64 lb - Vol - 0.74 ft³

Product notes: Suitable for damp locations

Structure in black, except for the opal version, with structure in white.

LED included





Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
A676-105	Aura	Transparent	Glass
A676-104	Aura	Opal	Glass
A676-102	Aura	Smoked	Glass
A676-103	Aura	Copper	Glass
A676-111	Aura Plus	Transparent	Glass
A676-110	Aura Plus	Opal	Glass
A676-108	Aura Plus	Smoked	Glass
A676-109	Aura Plus	Copper	Glass

Babila demonstrates that, when it comes to a design, the material can be as important as the shape. This outdoor wall sconce is of polished stainless steel, a circular object that produces a panoramic effect, reflecting its surroundings. It is not

designed to be an architectural element, but rather a simple and beautiful design that draws attention, whether on or off, as it allows us to catch a glimpse of the daily life occurring around it.





Babila 18

Code Finish Dimming A706-005 ELV Polished stainless steel A706-006-35 White (RAL 9010) ELV A706-006-47 ELV Brown (RAL 8019) 0-10V A706-017 Polished stainless steel A706-010-35 White (RAL 9010) 0-10V A706-010-47 0-10V Brown (RAL 8019) AC LED on/off A706-019 Polished stainless steel A706-020-35 AC LED on/off White (RAL 9010) A706-020-47 AC LED on/off Brown (RAL 8019)

Materials Diffuser: Polished stainless steel AISI 316 or lacquered aluminum Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10V (120-277V)

Product type: Wall / Ceiling


Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm

Luminaire: 120 VAC ELV 8.7W 225lm 120-277 VAC 0-10V 8.7W 225lm

120 VAC AC LED on/off 8W 225lm Weight: Net 1.8 lb – Gross 2.6 lb

Package: 11.4 x 12 x 4.9 " - 2.6 lb - Vol - 0.35 ft3

LED included



Dimmable

Suitable for wet locations



Wire installation: Hardwired



Code Finish Dimming A706-007 Polished stainless steel ELV A706-008-35 White (RAL 9010) ELV ELV A706-011 0-10V Polished stainless steel A706-018-35 White (RAL 9010) 0-10V A706-009-47 Brown (RAL 8019) 0-10V AC LED on/off A706-021 Polished stainless steel AC LED on/off A706-022-35 White (RAL 9010) A076-022-47 Brown (RAL 8019) AC LED on/off

Diffuser: Polished stainless steel AISI 316 or lacquered aluminum


Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10V (120-277V)

Product type: Wall / Ceiling

Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm Luminaire: 120 VAC ELV 8.7W 185lm

120-277 VAC 0-10V 8.7W 185lm 120 VAC AC LED on/off 8W 185lm Weight: Net 3 lb - Gross 4.6 lb

Package: 15.4 x 15.7 x 4.9 " - 4.6 lb Vol - 0.7 ft3 LED included






Suitable for wet locations



Wire installation: Hardwired







The Bicoca is born with the optimism of brightening life and accompanying the good times, wherever you go. This colorful, lightweight portable lamp projects an intimate light that adds warmth to all your personal spaces.

Made of polycarbonate, Bicoca begins with an overlay of basic geometric figures, with a tiltable shade to direct the light. Two accessories increase the applicability and versatility of the lamp.





Discover more at marset.com

DESIGN PLUS
powered by: light+building


Bicoca

Materials Shade: Polycarbonate Body: Polycarbonate Diffuser: Opal polycarbonate Dimmable: Yes Integrated dimmer: Yes Dimmer Type: 3-step dimmer


Product type: Table / Portable Light source: LED SMD 1A 3.5W 2700K CRI90 398Im Luminaire: in 5 Vdc 1.5A 241Im Weight: Net 1.01 lb – Gross 2.2 lb Package: Ø6.29 x 11.81 " – 2.2 lb Vol – 0.21 ft³ (1U)

20 x 11.8 x 13.4 " – 15 lb Vol –1.8 ft³ (6U) Product notes: Sold in multiples of 6.

Charging cable included (USB to USB-C). Power adapter not included. LED included



Dimmer



Switch location: Body Charging time 10 h Battery life time: 5 hours in peak power 10 hours in half power 20 hours in a quarter power



Magnet accessory

Code Finish A680-008 Inox

Materials

Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.04 lb
Package: 4.72 x 6.89 x 0.39 " - 0.04 lb – Vol - 0.035 ft³





Armrest accessory + magnet

Code Finish A680-007 Grey

Materials
Structure: Fabric with metal counterweight

Product type: Accessory Weight: Net 2 lb – Gross 2.2 lb

Package: 6.3 x 5.5 x 3.5 " - 2.2 lb - Vol - 0.07 ft³





Spare parts

Code Product
R680-014 Bicoca
R968-002-USA Bicoca
R961-057 Bicoca

Spare part Battery Black power adapter Usb type C cable black At first glance, the Bohemia appears to be made of blown glass. However, the lamp's large size ruled out that material. Instead, the designer settled on polycarbonate to create an exciting, organic, translucent profile that integrates two volumes into

a single shape. The design allows for a large shade in different colors with a white interior for pristine reflection.





Discover more at marset.com



Bohemia 84

Code	Finish
A698-010	Green
A698-011	Violet
A698-012	Amber

Materials

Shade: Rotomoulded Polycarbonate Diffuser: Opal methacrylate

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Pendant


Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm Luminaire: 120 VAC ELV 26W 1619Im

120 - 277 VAC 0-10V 26W 1619Im

Weight: Net 28 lb - Gross 44 lb

Package: 37 x 37 x 20 " - 44 lb Vol - 17.6 ft3

LED included



Cable length: 8.2 ft Wire installation: Hardwired Cord color: Black Canopy color: Black




Bohemia 84 E26

Code Finish

Materials

Shade: Rotomoulded Polycarbonate

Product type: Pendant Light source: E26 LED GLOBE 20W Weight: Net 28 lb – Gross 39 lb Package: 37 x 37 x 20 " – 39 lb Vol – 17.6 ft³ Lamping not included



Cable length: 8.2 ft Wire installation: Hardwired Cord color: Black Canopy color: Black





A technologically innovative design that brings back the sense of touch. Moving the Bolita dims or boosts the light, an interplay that captivates with its beautiful visual effect. Bolita seeks out that user interaction.

The idea of Florian and Sebastian at the kaschkasch studio was to design a lamp in which the dimming process was mechanical and not electronic.





Discover more at marset.com

Silver Delta ADI Awards 2020

Bolita

Code Finish O White (RAL 9011)

Materials Dimmable: Yes
Base: Steel Integrated dimmer: Yes

Diffuser: Opal blown glass Dimming protocols: Analog, dimmed via

Œ.

glass movement.

Product type: Table

Light Source: LED SMD 24Vdc 6.5W 2700K CRI90 579lm

Luminaire: 120 VAC 8.7W 157lm


Weight: Net 0.9 lb – Gross 3.3 lb


Package: 9 x 7 x 5 " – 3.3 lb Vol – 0.18 ft³ (1u)

15 x 16.7 x 17.7 " – 11 lb Vol – 1 ft³ (4u)

Product note: Sold in multiples of 4.

LED included







Code R695-001 Product Bolita Finish

Spare part Glass



The beauty exuded by the Cala stems from its simple, synthetic and essential form: a shade that embraces the light without containing it, letting it escape to yield very warm lighting.

With a structure made of oak or black lacquered metal, the Cala is an iconic Marset design defined by that most valuable of pairings: form and function.





Cala P165

Code

Finish A645-020 Oak - Pearl White 🐎

Materials

Shade: White polyester PET, textilene

Diffuser: Methacrylate Structure: Varnished oak

Product type: Floor


Light source: 3x E26 LED TYPE A 11W

Weight: Net 11 lb - Gross 22.7 lb

Package: 27.2 x 27.2 x 14.5 " - 11.7 lb - Vol - 6.4 ft3

 $19.7 \times 5 \times 61$ " - $11 \text{ lb} - \text{Vol} - 3.5 \text{ ft}^3$

Lamping not included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Code

A645-060-39

Finish Black

Materials

Shade: White polyester PET, textilene Diffuser: Methacrylate Structure: Iron


Product type: Floor

Light source: E26 LED TYPE A 11W Weight: Net 12.8 lb – Gross 20.5 lb

Package: $23.6 \times 23.6 \times 11.8$ " - 9.9 lb - Vol - 3.8 ft³

 $19.7 \times 5 \times 52$ " - 12 lb – Vol - $3.18 ft^3$

Lamping not included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Cala 140 IP65

Code

Finish

A645-014


● Iroko - Brown 🦫

Materials

Shade: Polyethilene, Textilene Structure: Iroko wood

Product type: Floor Light source: 2x E26 LED TYPE A 11W Weight: Net 23.6 lb - Gross 24.6 lb Package: 22 x 22 x 11.4 " - 11.4 lb - Vol - 3.2 ft³

18.5 x 4.7 x 49.6 " - 13.2 lb – Vol - 2.5 ft³ Lamping not included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black

Switch location: Built in the shade



Its design evokes a high-quality garage lamp, lightweight and useful, with three dimming levels. It's sophisticated and warm, decidedly designed to accompany. Its structure is protected by a grid that revolves around the light source, an original touch. A built-in hook in the base allows it to be hung via the included cord.





Discover more at marset.com

Chispa

Code Finish A703-001 ● Black (RAL 9004) ﴾ A703-002 ■ Blue (RAL DESIGN 230 20 20) >> A703-003 ■ Green (RAL 6009) ※ A703-004 Orange (RAL 2010) %


Materials Base: Polycarbonate Diffuser: Opal Polyethylene Accessory: Rope cord with metal hook. Dimmable: Yes Integrated dimmer: Yes Dimmer Type: 3-step dimmer

Product type: Table / Portable Light source: LED SMD 0.7A 2.7W 2700K CRI90 216lm Luminaire: in 5 Vdc 1.5A 110lm Weight: Net 1.1 lb - Gross 1.7 lb

Package: 5.5 x 5.5 x 11 " - 1.7 lb Vol - 0.17 ft3 (1u) 11.8 x 11.8 x 9.4 " - 7 lb Vol - 0.7 ft3 (4u)

Product notes: Sold in multiples of 4.

Charging cable included (USB to USB-C). Power adapter not included. LED included



Dimmer

Suitable for



Under approval process. For latest certification status check the spec sheet.

Switch location: Body Charging time 10 h

Battery life time: 7 hours in peak power 14 hours in half power 28 hours in a quarter power



Code Product R703-001 Chispa R968-002-USA Chispa R961-057 Chispa Spare part Battery Black power adapter Usb type C cable black



For use with our 24V pendant fixtures: Dipping Light 24V and Ginger 20 24V. For cluster canopy installation, take into account the canopy's max wattage and number of wire entry points. The total wattage of the selected pendants cannot exceed the

max wattage of the canopy, and the number of pendants cannot exceed the number of wire entry points of the canopy.





Customize your space with the Dipping Light cluster configurator at configurator.marset.com/dipping-light

Circular Canopy 20W

Code Finish A693-013 ● Black

Materials Structure: Painted iron

Product type: Accessory Luminaire: 120 - 277 VAC 24W (max.) Weight: Net 1.7 lb – Gross 2.2 lb Package: 9 x 8.3 x 3.5 " - 2.2 lb – Vol - 0.14 ft³ Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired Canopy color: Black - Entry points: 3 Dimmable: No

c (UL) us



Ø6.9"

: 06.4

Circular Canopy 50W

Code Finish A693-015 ● Black

Materials Structure: Painted iron

Product type: Accessory Luminaire: 120 - 277 VAC 0-10V 58W (max.) Weight: Net 2.5 lb – Gross 3.08 lb Package: 9 x 8.2 x 3.5 " - 3.08 lb – Vol - 0.14 ft³ Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired Canopy color: Black - Entry points: 5 Dimming 0-10V

> Dimmable: Yes Integrated dimmer: No Dimming Protocols: 0-10V (120-277V)









Rectangular Canopy 50W

Code Finish A693-017 ● Black

Materials

Structure: Painted iron

Product type: Accessory Luminaire: 120 - 277 VAC 0-10V 58W (max.) Weight: Net 4.6 lb – Gross 5.5 lb Package: 16.3 x 8.3 x 2.8 " - 5.5 lb – Vol - 0.25 ft 3 Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired Canopy color: Black - Entry points: 9 Dimming 0-10V

Dimmable: Yes Integrated dimmer: No Dimming protocols: 0-10V

Dimmable

c (ŲL) us



12.6" O. [

Circular Canopy 50W

Code Finish A693-019 ● Black

Materials Structure: Painted iron


Product type: Accessory Luminaire: 120 - 277 VAC 0-10V 58W (max.) Weight: Net 2.5 lb – Gross 5.5 lb Package: 16 x 15.7 x 3 " - 5.5 lb – Vol - 0.38 ft³ Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired Canopy color: Black - Entry points: 9 Dimming 0-10V

> Dimmable: Yes Integrated dimmer: No Dimming protocols: 0-10V

Dimmable





Ø10.1"

Circular Canopy 100W

Code Finish A693-021 ● Black

Materials Structure: Painted iron


Product type: Accessory Luminaire: 120 - 277 VAC 0-10V 114W (max.) Weight: Net 7.2 lb – Gross 8.3 lb Package: 16.5 x 15.7 x 3 " - 8.3 lb – Vol - 0.35 ft 3 Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired Canopy color: Black - Entry points: 19 Dimming 0-10V

> Dimmable: Yes Integrated dimmer: No Dimming protocols: 0-10V

Dimmable





[6]

Hook Accessory

Code Finish A693-007 ● Black

Materials Structure: Painted iron

Product type: Accessory Weight: Net 0.02 lb – Gross 0.02 lb Package: 0.5 x 0.5 x 1.7 " - 0.02 lb – Vol - 0.035 ft³ Product notes: This accessory is included when purchasing the 24V pendants.





The Copérnica collection consists of desktop and floor lamps that use counterweights of mixed materials and density, such as steel and aluminum, allowing one to move the lamp with great precision and providing a wide range of heights,

distances, and adjustments to suit one's taste. The Copérnica draws minimalist structures in space, as if it were a canvas, and the carefully selected color schemes add soft chromatic touches to the ensemble.







Discover more at marset.com

Copérnica M

Code

Finish A686-046

A686-047 Graphite-Satin Nickel-Black

A686-048 ● Graphite-Red-Black


Materials Structure: Steel Base: Steel Counterweight: Steel Diffuser: Aluminum

Dimmable: Yes Integrated dimmer: Yes

Dimming protocols: 3 positions dimmer

Product type: Table Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm Luminaire: 85 - 264 VAC 7W 416lm Weight: Net 7.7 lb - Gross 13.4 lb Package: 44.4 x 9.8 x 6.7" - 6.83 lb Vol - 1.68 ft³ 14.2 x 14.2 x 1.18 " - 6.6 lb Vol - 0.14 ft³

LED included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: Underside of shade.



Copérnica P

Code Finish

A686-052 Graphite-Satin Nickel-Black A686-053 A686-054 ♣ Graphite-Red-Black

Materials Dimmable: Yes Structure: Steel Integrated dimmer: Yes Base: Steel


Dimming protocols: 3 positions dimmer

Counterweight: Steel Diffuser: Aluminum

Product type: Floor Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm Luminaire: 85 - 264 VAC 7W 416lm Weight: Net 8.8 lb - Gross 15 lb Package: 64.6 x 9.8 x 6.7 " - 9 lb Vol - 2.3 ft3

 $14 \times 14 \times 1.2$ " – 6 lb Vol – 0.14 ft³

LED included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: Underside of shade.





Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and an

eye-catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturizing the light.





Discover more at marset.com

at NeoCon av



Code Finish ■ White - Brushed Brass ⇒ A691-013 A691-300 ■ White - Graphite ⇒ A691-014 ● Blue - Brushed Brass 冷 A691-301 Blue - Graphite 🐎 ● Green - Brushed Brass ﴾ A691-015 A691-302 Green - Graphite 🐎 A691-016 Amber - Brushed Brass A691-303 ⊕ Amber - Graphite
 冷 A691-017 ● Pink - Brushed Brass ⊳ A691-304 Pink - Graphite 🐎

Materials Dimmable: No Body: Metal

Diffuser: Brilliant white blown glass globe with layered paint

Product type: Table Light Source: LED SMD 700mA 2.2W 2700K CRI80 243lm Luminaire: 120 - 277 VAC 4W 123lm Weight: Net 2.6 lb – Gross 4 lb Package: 13.7 x 13.7 x 7 " – 4 lb Vol – 0.38 ft 3





Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Dipping Light S

Code Finish A691-306 White - Brushed Brass A691-307 White - Graphite A691-308 Blue - Brushed Brass A691-309 Blue - Graphite Green - Brushed Brass A691-310 A691-311 Green - Graphite A691-312 Amber - Brushed Brass Amber - Graphite A691-313 A691-314 Pink - Brushed Brass Pink - Graphite A691-315

Materials Dimmable: Yes
Body: Metal Integrated dimmer: Yes

Diffuser: Brilliant white blown glass Dimming protocols: Progressive dimmer

globe with layered paint from 0 to 100

Product type: Table

Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm

Luminaire: 85 - 264 VAC 11W Weight: Net 3 lb - Gross 5.5 lb

Package: $6.7 \times 13 \times 6.7$ " -3 lb Vol -0.3 ft³

9.8 x 9.8 x 12.2 " - 2.4 lb Vol - 0.7 ft3

LED included





Cable length: 5.75 ft Wire installation: Plug-in Cord color: Black Switch location: In-line

Dipping Light M

Code Finish A691-019 White - Brushed Brass A691-318 White - Graphite A691-020 Blue - Brushed Brass Blue - Graphite A691-319 A691-021 Green - Brushed Brass A691-320 Green - Graphite Amber - Brushed Brass A691-022 A691-321 Amber - Graphite Pink - Brushed Brass A691-023 Pink - Graphite A691-322

Materials Dimmable: Yes
Body: Metal Integrated dimmer: Yes

Diffuser: Brilliant white blown glass Dimming protocols: Progressive dimmer

globe with layered paint from 0 to 100

Product type: Table


Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm

Luminaire: 85 - 264 VAC 11W 312lm Weight: Net 7.3 lb - Gross 11.7 lb

Package: $13.4 \times 10.2 \times 10.2$ " -6.39 lb Vol -0.078 ft³

 $16.1 \times 16.1 \times 16.1$ " – 5.29 lb Vol – 2.4 ft³

LED included





Cable length: 5.75 ft Wire installation: Plug-in Cord color: Black Switch location: In-line





Dipping Light Portable

Code Finish

A691-530 • White - Brushed Brass
A691-532 • Blue - Brushed Brass
A691-534 • Green - Brushed Brass
A691-536 • Amber - Brushed Brass
A691-538 • Pink - Brushed Brass

Materials

Body: Metal

Diffuser: Brilliant white blown glass
globe with layered paint

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table
Light source: LED SMD 1A 3.5W 2700K CRI90 216Im
Luminaire: in 5 Vdc 1.5A 123Im
Weight: Net 2.6 lb – Gross 3.3 lb
Package: 7 x 7 x 14 " – 3.3 lb Vol – 0.4 ft³
LED included



Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Body Charging time 10 h Battery life time: 5 hours in peak power 10 hours in half power 20 hours in a quarter power




Disk accessory + magnet

Code Finish A691-097 ● Black

Materials Structure: Metal counterweight

Product type: Accessory Weight: Net 1.1 lb – Gross 1.3 lb Package: 6 x 5.5 x 3.5 " - 1.3 lb – Vol - 0.07 ft³





Magnet accessory

Code Finish A680-008 Inox

Materials

Structure: Neodymium magnet

Product type: Accessory

Weight: Net 0.04 lb - Gross 0.04 lb

Package: 4.72 x 6.89 x 0.39 " - 0.04 lb - Vol - 0.035 ft³







Dipping Light A1-13

Code Finish
A691-336 White - Brushed Brass
A691-338 Blue - Brushed Brass
A691-340 Green - Brushed Brass
A691-342 A691-342
Pink - Brushed Brass

Materials Dimmable: Yes
Body: Metal Integrated dimmer: No

Diffuser: Brilliant white blown glass Dimming protocols: Phase cut (ELV)

globe with layered paint

Product type: Wall

Light source: LED COB 500mA 5.68W 2700K CRI90 645lm

Luminaire: 120 VAC ELV 9W
Weight: Net 2 lb – Gross 3.3 lb
Package: 7 x 7 x 11 " – 3.3 lb Vol – 0.04 ft³
Product notes: 0-10V dimming upon request.

LED included





Wire installation: Hardwired



Dipping Light A2-13

Code Finish A691-348 White - Brushed Brass A691-349 White - Graphite A691-350 Blue - Brushed Brass Blue - Graphite A691-351 A691-352 Green - Brushed Brass A691-353 Green - Graphite Amber - Brushed Brass A691-354 A691-355 Amber - Graphite A691-356 Pink - Brushed Brass A691-357 Pink - Graphite

Materials Dimmable: Yes
Body: Metal Integrated dimmer: No

Diffuser: Brilliant white blown glass Dimming protocols: Phase cut (ELV)

globe with layered paint

Product type: Wall

Light source: LED SMD 500mA 8.6W 2700K CRI90 765lm

Luminaire: 120 VAC ELV 7.5W
Weight: Net 2 lb – Gross 3.3 lb
Package: 7 x 7 x 11 " – 3.3 lb Vol – 0.04 ft³
Product notes: 0-10V dimming upon request.
LED included





Wire installation: Hardwired



Dipping Light 13

Code	Finish	Dimming
A691-360	White	on/off
A691-361	Blue	on/off
A691-362	Green	on/off
A691-363	Amber	on/off
A691-364	Pink	on/off
A691-396	White	0-10V
A691-397	Blue	0-10V
A691-398	Green	0-10V
A691-399	Amber	0-10V
A691-410	Pink	0-10V

Materials Diffuser: Brilliant white blown glass globe with layered paint Cover: Polycarbonate Canopy: Metal Dimmable: Yes Integrated dimmer: No Dimming protocols: 0-10V

Product type: Pendant


Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm

Luminaire: 90 - 264 VAC 6W 203lm

110 - 127 VAC 0-10V 6W 203lm Weight: Net 1.7 lb – Gross 2.86 lb

Package: 8.6 x 8.6 x 9 " - 2.86 lb Vol - 0.35 ft3

LED included





Cable length: 6.7 ft Wire installation: Hardwired Cord color: Black Canopy color: Black

Dipping Light 13 - 24V

Code Finish
A691-250 White
A691-251 Blue
A691-252 Green
A691-253 Amber
A691-254 Pink

Materials

Diffuser: Brilliant white blown glass globe with layered paint

Cover: Polycarbonate

Dimmable: Yes
Integrated dimmer: No

Dimming protocols: Dependent on purchased power supply. See Cluster

accessory, page 35.

Product type: Pendant

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm

Luminaire: (Power supply not included) 203lm


Weight: Net 1.3 lb - Gross 2.86 lb

Package: $8.6 \times 8.6 \times 9$ " -2.86 lb Vol -0.35 ft³

Product notes: Use with cluster accessory, see pg 33, 34.


1 pc. hook accessory included.

LED included



Cable length: 13.1 ft Wire installation: Hardwired Cord color: Black





Code A691-366 A691-367 A691-368 A691-369 A691-370 A691-412	Finish White Blue Green Amber Pink White	Dimming on/off on/off on/off on/off 0-10V
A691-369	Amber	•
A691-370	Pink	
A691-412	White	
A691-413	Blue	0-10V
A691-414	Green	0-10V
A691-415	Amber	0-10V
A691-416	Pink	0-10V

Materials Diffuser: Brilliant white blown glass globe with layered paint Cover: Polycarbonate

Dimmable: Yes Integrated dimmer: No Dimming protocols: 0-10V

Product type: Pendant

Canopy: Metal


Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm Luminaire: 90 - 264 VAC 6W 231lm

110 - 127 VAC 0-10V 6W 231lm

Weight: Net 2.6 lb - Gross 3.7 lb

Package: $13 \times 10.2 \times 10.2$ " - 3.7 lb Vol - 0.7 ft³

LED included





Cable length: 6.7 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Dipping Light 20 - 24V

Code Finish A691-270 White A691-271 Blue A691-272 Green A691-273 Amber A691-274 Pink

Materials Diffuser: Brilliant white blown glass

globe with layered paint Cover: Polycarbonate

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dependent on purchased power supply. See Cluster

accessory, page 35.

Product type: Pendant

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm

Luminaire: (Power supply not included) 231lm


Weight: Net 2.4 lb - Gross 4.4 lb

Package: 13 x 10.2 x 10.2 " - 4.4 lb Vol - 0.7 ft3

Product notes: Use with cluster accessory, see pg 33, 34.

1 pc. hook accessory included.

LED included







Code A691-372 A691-373 A691-374 A691-375 A691-376 A691-418 A691-419 A691-420	Finish White Blue Green Amber Pink White Blue Green	Dimming ELV ELV ELV ELV 0-10V 0-10V 0-10V
A691-420 A691-421 A691-422	 Green Amber Pink	0-10V 0-10V 0-10V

Materials

Canopy: Metal

Diffuser: Brilliant white blown glass globe with layered paint Cover: Polycarbonate

Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm Luminaire: 100 - 120 VAC ELV 14W 379Im

110 - 127 VAC 0-10V 14W 379lm

Weight: Net 5.2 lb - Gross 8 lb

LED included

Package: 16 x 15.7 x 16 " - 8 lb Vol - 2.47 ft3 Cable length: 6.7 ft Wire installation: Hardwired Cord color: Black ø11.8' Canopy color: Black

Dipping Light 30 - 24V

Code Finish A691-290 White A691-291 Blue A691-292 Green A691-293 Amber A691-294 Pink

Materials

Diffuser: Brilliant white blown glass globe with layered paint

Cover: Polycarbonate

Integrated dimmer: No Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 35.

Dimmable: Yes

Product type: Pendant

Light source: LED SMD 24Vdc 11.5W 2700K CRI90 1024lm

Luminaire: (Power supply not included) 379lm


Weight: Net 4.4 lb - Gross 7.3 lb

Package: 16 x 15.7 x 16 " - 7.3 lb Vol - 2.47 ft3

Product notes: Use with cluster accessory, see pg 33, 34.

1 pc. hook accessory included.

LED included





Cable length: 13.1 ft Wire installation: Hardwired Cord color: Black




Code A691-550-35-27K A691-550-48-27K A691-550-45-27K A691-550-30-27K A691-550-44-27K A691-551-35-27K A691-551-48-27K A691-551-30-27K A691-551-44-27K	Finish White Blue Green Amber Pink White Blue Green Amber	Dimming ELV ELV ELV ELV ELV ELV + 0-10V ELV + 0-10V ELV + 0-10V ELV + 0-10V	Price
A691-551-44-27K	Pink	ELV + 0-10V	

Materials Diffuser: Brilliant white blown glass globe with layered paint Cover: Polycarbonate Canopy: Metal

LED included

Dimmable: Yes Integrated dimmer: No Dimming protocols: ELV ELV + 0-10V

Product type: Pendant Light source: LED COB 700mA 23.7W 2700K CRI90 3280lm Luminaire: 120 VAC 27.5W Weight: Net 9.3 lb – Gross 14.3 lb Package: 21.7 x 21.7 x 22.4 " – 14.33 lb Vol – 6 ft³





Cable length: 9.8 ft Wire installation: Hardwired Color cord: Black Canopy color: Black





Spare parts

Spare parts			
Code	Product	Finish	Spare part
A691-402	Dipping light	White	Glass
A691-401	Dipping light	Blue	Glass
A691-405	Dipping light	Green	Glass
R691-005	Dipping light	Amber	Glass
A691-404	Dipping light	Pink	Glass
A691-509	Dipping light S	White	Glass
A691-510	Dipping light S	Blue	Glass
A691-511	Dipping light S	Green	Glass
A691-512	Dipping light S	Amber	Glass
A691-514	Dipping light S	Pink	Glass
A691-101	Dipping light M	White	Glass
A691-102	Dipping light M	Blue	Glass
A691-103	Dipping light M	Green	Glass
A691-104	Dipping light M	Amber	Glass
A691-105	Dipping light M	Pink	Glass
R691-012	Dipping light A	White	Glass
	Dipping light A Dipping light A	Blue	Glass
R691-013 R691-014	Dipping light A Dipping light A	Green	Glass
R691-015	Dipping light A	Amber	Glass
R691-016	Dipping light A	Pink	Glass
R691-018	Dipping Light 13	White	Glass
R691-019	Dipping Light 13	Blue	Glass
R691-020	Dipping Light 13	Green	Glass
R691-021	Dipping Light 13	Amber	Glass
R691-022	Dipping Light 13	Pink	Glass
R691-024	Dipping Light 20	White	Glass
R691-025	Dipping Light 20	Blue	Glass
R691-026	Dipping Light 20	Green	Glass
R691-027	Dipping Light 20	Amber	Glass
R691-028	Dipping Light 20	Pink	Glass
R691-030	Dipping Light 30	White	Glass
R691-031	Dipping Light 30	Blue	Glass
R691-032	Dipping Light 30	Green	Glass
R691-033	Dipping Light 30	Amber	Glass
R691-034	Dipping Light 30	Pink	Glass
R691-064	Dipping Light 40	White	Glass
R691-065	Dipping Light 40	Blue	Glass
R691-066	Dipping Light 40	Green	Glass
R691-067	Dipping Light 40	Amber	Glass
R691-068	Dipping Light 40	Pink	Glass
R680-014	Dipping Light portable		Battery
R968-002-USA	Dipping Light portable		Black power adapter
R961-057	Dipping Light portable		Usb type C cable black

marset 48



Discocó 35

Code

A620-083

■ White (RAL 9003) 🖒

Finish

A620-055 A620-127 A620-128

Matte Grey (RAL 7037)

Matte Beige (RAL 1001)


Black - Gold (RAL 9004 - Gold)

Materials Discs: ABS Sphere: Chromed metal

Canopy: Metal

Product type: Pendant Light source: E12 LED TYPE G16.5 5W Weight: Net 3.3 lb – Gross 5.7 lb

Package: 33.8 x 7 x 7.4 " -5.7 lb – Vol - 1.06 ft³ Lamping not included



Cable length: 6.6 ft Wire installation: Hardwired Cord color: White Canopy color: White



Discocó 53

Code Finish

A620-005 White (RAL 9003) №
A620-129 • Matte Grey (RAL 7037)
A620-130 • Matte Beige (RAL 1001)
A620-084 • Black - Gold (RAL 9004 - Gold)

Materials Discs: ABS

Sphere: Chromed metal


Canopy: Metal

Product type: Pendant

Light source: E26 LED TYPE A 11W Weight: Net 6.17 lb – Gross 10.4 lb

Package: $42.5 \times 10.2 \times 10.6$ " - 10.4 lb – Vol - 2.82 ft³

Lamping not included




Cable length: 6.6 ft Wire installation: Hardwired Cord color: White Canopy color: White



Discocó 68

Materials Discs: ABS Sphere: Chromed metal Canopy: Metal

Product type: Pendant Light source: 3x E26 LED TYPE A 11W Weight: Net 10.1 lb – Gross 16.5 lb Package: 49.2 x 12.9 x 11.02 " - 16.5 lb – Vol - 4.06 ft³ Product notes: For the wood version, the discs are made of pressed American oak of 0.16". Black chrome sphere. Lamping not included



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black (American oak version), White (all the rest) Canopy Color: Black (American oak version), White (all the rest)




Code Finish

A620-006 White (RAL 9003) № A620-133 • Matte Grey (RAL 7037)
A620-134 • Matte Beige (RAL 1001)
A620-085 • Black - Gold (RAL 9004 - Gold)

Materials Discs: ABS Sphere: Chromed metal Canopy: Metal

Product type: Pendant Light source: 3x E26 LED TYPE A 11W Weight: Net 14.8 lb – Gross 23.4 lb Package: 52.7 x 12.2 x 16.5 " - 23.4 lb – Vol - 6 ft³ Lamping not included



Cable length: 9.8 ft Wire installation: Hardwired Cord color: White Canopy color: White



Discocó 132

Code Finish

A620-047 White (RAL 9003)


A620-135 Matte Grey (RAL 7037)

A620-136 Matte Beige (RAL 1001)

A620-086 Black - Gold (RAL 9004 - Gold)

Materials Discs: ABS Sphere: Chromed metal Canopy: Metal

Product type: Pendant Light source: 6x E26 LED TYPE A 11W Weight: Net 40.8 lb – Gross 52.9 lb Package: 47.6 x 16.1 x 16.1" - 30.9 lb – Vol - 7.06 ft³ 17.7 x 16.5 x 16.5" - 22 lb – Vol - 2.82 ft³ Lamping not included



Cable length: 11.5 ft Wire installation: Hardwired Cord color: White Canopy color: White



Discocó C53

Code Finish

A620-065 ■ White (RAL 9003) 🐎 Black - Gold (RAL 9004 - Gold) A620-087

Materials Discs: ABS

Semi-sphere: Chromed metal

Product type: Ceiling Light source: E26 LED TYPE A 11W Weight: Net 4.9 lb - Gross 8.1 lb

Package: 33.8 x 10.6 x 8.6 " - 8.1 lb - Vol - 1.76 ft³

Lamping not included





Wire installation: Hardwired



Discocó C68

Code Finish

■ White (RAL 9003) 🖒 A620-147 A620-146 Black - Gold (RAL 9004 - Gold)

Materials Discs: ABS

Semi-sphere: Chromed metal


Product type: Ceiling Light source: 3x E26 LED TYPE A 11W Weight: Net 8.8 lb – Gross 15.4 lb Package: 42.9 x 13 x 10.6 " - 15.4 lb - Vol - 3.42 ft3

Lamping not included





Wire installation: Hardwired



Discocó A

Code A620-089 A620-093 Finish

White (RAL 9003) >>
Black - Gold (RAL 9004 - Gold)

Materials Discs: ABS

Semi-sphere: Chromed metal

Product type: Wall Light source: 2x E12 LED TYPE G16.5 5W Weight: Net 2.6 lb – Gross 3.3 lb Package: 23 x 7.5 x 6 " - 3.3 lb – Vol - 0.7 ft³ Lamping not included







Wire installation: Hardwired





Using a rotomolding technique allowed the designer, Joan Gaspar, to design a fixture with vastly different interiors and exteriors: its outside recalls the texture of a stone, giving off a perception of great weight, emphasized by its volume. In the

spacious interior you'll find a smooth, white space perfect for the reflection of light. Djembé is a lamp designed for use in public spaces that seeks to bring beauty and an unbeatable quality of light.





Discover more at marset.com

Djembé 42.21

Code A681-291 A681-292 A681-293 A681-294 A681-380	Finish White (RAL 1013) > Grey (RAL 7022) Red (RAL 3011) Sky Blue (PANTONE 7542C) White (RAL 1013)	Dimming ELV ELV ELV 0-10v
	,	ELV
A681-294	Sky Blue (PANTONE 7542C)	ELV
A681-380	White (RAL 1013)	0-10v
A681-381	Grey (RAL 7022)	0-10v
A681-382	Red (RAL 3011)	0-10v
A681-383	Sky Blue (PANTONE 7542C)	0-10v

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture) Diffuser: Aluminum

Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10v

Product type: Pendant

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm


Luminaire: 90 - 135 VAC ELV 19W 955Im

120 - 277 VAC 0-10V 19W 955lm

Weight: Net 6.6 lb - Gross 9.7 lb

Package: $17.3 \times 17.3 \times 12$ " - 9.7 lb Vol - 2.11 ft³ Product notes: 3000K available upon request

LED included



Cable length: 6.56 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Code A681-295 A681-296 A681-297 A681-298 A681-384 A681-385 A681-386	Finish White (RAL 1013) Grey (RAL 7022) Red (RAL 3011) Sky Blue (PANTONE 7542C) White (RAL 1013) Grey (RAL 7022) Red (RAL 3011)	Dimming ELV ELV ELV 0-10v 0-10v
A681-387	Sky Blue (PANTONE 7542C)	0-10v

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture) Diffuser: Aluminum

Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10V


Product type: Pendant

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: 90 - 135 VAC ELV 19W 925lm 120 - 277 VAC 0-10V 19W 925lm

Weight: Net 6.6 lb – Gross 11 lb Package: $17.3 \times 17.3 \times 12.6$ " – 11 lb Vol – 2.118 ft³ Product notes: 3000K available upon request

LED included





Cable length: 6.56 ft Wire installation: Hardwired Cord color: Black Canopy color: Black

Djembé 65.23

 Code
 Finish

 A681-388
 ■ White (RAL 1013) ♠

 A681-389
 ■ Grey (RAL 7022)

 A681-390
 ■ Red (RAL 3011)

 A681-391
 ■ Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1843Im


120 - 277 VAC 0-10V 26W 1843lm

Weight: Net 11 lb - Gross 16.3 lb

Package: 25.6 x 25.6 x 11 " - 16.3 lb Vol - 4.23 ft3

Product notes: 3000K available upon request

LED included





Cable length: 6.56 ft Wire installation: Hardwired

Cord color: Black Canopy color: Black





 Code
 Finish

 A681-392
 White (RAL 1013) №

 A681-393
 ⊕ Grey (RAL 7022)

 A681-394
 ♠ Red (RAL 3011)

A681-395 Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture) Diffuser: Aluminum

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm Luminaire: Only 120 VAC ELV 26W 1845lm


120 - 277 VAC 0-10V 26W 1845lm

Weight: Net 13.4 lb - Gross 18.7 lb

Package: 25.6 x 25.6 x 16.5 " – 18.7 lb Vol – 6.35 ft³


Product notes: 3000K available upon request

LED included





Cable length: 6.56 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Djembé 65.45

 Code
 Finish

 A681-396
 White (RAL 1013) →

 A681-397
 ● Grey (RAL 7022)

 A681-398
 ● Red (RAL 3011)

 A681-399
 Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture) Diffuser: Aluminum

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm


Luminaire: Only 120 VAC ELV 26W 1770lm 120 - 277 VAC 0-10V 26W 1770lm

Weight: Net 15.2 lb – Gross 20.5 lb

Package: $25.6 \times 25.6 \times 19.3$ " -20.5 lb Vol -7.06 ft³

Product notes: 3000K available upon request

LED included





Cable length: 6.56 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Code Finish

A681-508 • Red (RAL 3011) —

A681-509 Sky Blue (PANTONE 7542C) -

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Pendant

Diffuser: Aluminum

Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm Luminaire: Only 120 VAC ELV 42W 2519lm


120 - 277 VAC 0-10V 42W 2519lm

Weight: Net 22 lb - Gross 41.9 lb

Package: 45.2 x 45.2 x 20 " - 41.9 lb Vol - 24.7 ft³

Product notes: 3000K available upon request

LED included



Cable length: 6.56 ft Wire installation: Hardwired Cord color: Black Canopy color: Black





Code Finish Dimming ● White (RAL 1013) ﴾ A681-136 ELV A681-137 ● Grey (RAL 7022) ﴾ ELV A681-138 Red (RAL 3011) ELV Sky Blue (PANTONE 7542C) A681-139 ELV A681-312 White (RAL 1013) 0-10v A681-313 Grey (RAL 7022) 0-10v A681-314 0-10v Red (RAL 3011) A681-315 Sky Blue (PANTONE 7542C) 0-10v

Materials Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminum

Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm Luminaire: Only 120 VAC ELV 19W 846lm 120 - 277 VAC 0-10V 19W 846lm

Weight: Net 5.3 lb - Gross 7.7 lb

Package: 17.3 x 17.3 x 7.4 " - 7.7 lb Vol - 1.41 ft3 Product notes: 3000K available upon request

LED included







5.31"

Wire installation: Hardwired



Djembé C42.21

Code	Finish	Dimming
A681-140	White (RAL 1013) №	ELV
A681-141	● Grey (RAL 7022) ﴾	ELV
A681-142	Red (RAL 3011)	ELV
A681-143	Sky Blue (PANTONE 7542C)	ELV
A681-316	White (RAL 1013)	0-10v
A681-317	Grey (RAL 7022)	0-10v
A681-318	Red (RAL 3011)	0-10v
A681-319	Sky Blue (PANTONE 7542C)	0-10v

Materials Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10V Diffuser: Aluminum


Product type: Ceiling

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm Luminaire: Only 120 VAC ELV 19W 955lm 120 - 277 VAC 0-10V 19W 955lm

Weight: Net 6.6 lb - Gross 9.4 lb

Package: 17.3 x 17.3 x 9.8 " - 9.4 lb Vol - 1.765 ft3 Product notes: 3000K available upon request

LED included





Dimmable: Yes

Wire installation: Hardwired



Djembé C 42.28

Code Finish Dimming A681-144 White (RAL 1013) \$ ELV A681-145 ● Grey (RAL 7022) ﴾ ELV A681-146 Red (RAL 3011) ELV Sky Blue (PANTONE 7542C) A681-147 ELV A681-320 White (RAL 1013) 0-10v A681-321 Grey (RAL 7022) 0-10v A681-322 Red (RAL 3011) 0-10v A681-323 Sky Blue (PANTONE 7542C) 0-10v

Materials Shade: Bi-injected rotary moulded polyethylene (stone texture on the

outer part and smooth satin white on the inner part of the fixture) Diffuser: Aluminum

Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10V


Product type: Ceiling

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm Luminaire: Only 120 VAC ELV 19W 925lm

120 - 277 VAC 0-10V 19W 925lm Weight: Net 6.6 lb - Gross 11.5 lb

Package: 17.3 x 17.3 x 12.6 " - 11.5 lb Vol - 2.12 ft3 Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



Djembé C 65.23

Code Finish White (RAL 1013) A681-324 A681-325 ■ Grey (RAL 7022) >> A681-326 Red (RAL 3011) A681-327 Sky Blue (PANTONE 7542C)

Materials Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white


on the inner part of the fixture) Diffuser: Aluminum

Dimmable: Yes Integrated dimmer: No Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Ceiling Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm Luminaire: Only 120 VAC ELV 26W 1843Im 120 - 277 VAC 0-10V 26W 1843lm

Weight: Net 10.8 lb - Gross 15.4 lb

Package: $25.6 \times 25.6 \times 11.8$ " - 15.4 lb Vol - 4.59 ft³ Product notes: 3000K available upon request LED included



Wire installation: Hardwired



Code Finish

A681-328 ● White (RAL 1013) 龄> A681-329 ● Grey (RAL 7022) ﴾

A681-330 Red (RAL 3011) A681-331

Materials

Sky Blue (PANTONE 7542C)

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Diffuser: Aluminum

Product type: Ceiling Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm Luminaire: Only 120 VAC ELV 26W 1845lm


120 - 277 VAC 0-10V 26W 1845lm

Weight: Net 14.8 lb - Gross 19.8 lb

Package: 25.6 x 25.6 x 16.5 " – 19.8 lb Vol – 6.36 ft³

Product notes: 3000K available upon request

LED included





Wire installation: Hardwired

Djembé C 65.45

Code Finish White (RAL 1013) A681-332 A681-333 ● Grey (RAL 7022) ﴾ A681-334 Red (RAL 3011) A681-335 Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture) Diffuser: Aluminum

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10v

Product type: Ceiling

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1770lm


120 - 277 VAC 0-10V 26W 1770lm

Weight: Net 16.5 lb - Gross 22 lb

Package: $25.6 \times 25.6 \times 19.3$ " $-22 \text{ lb Vol} -7.06 \text{ ft}^3$

Product notes: 3000K available upon request

LED included







Code Finish

A681-514 White (RAL 1013) @ O

A681-517 Sky Blue (PANTONE 7542C) -

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture) Diffuser: Aluminum

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V


Product type: Ceiling

Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm Luminaire: Only 120 VAC ELV 42W 2519lm

120 - 277 VAC 0-10V 42W 2519Im

Weight: Net 22 lb - Gross 42 lb

Package: 45.3 x 45.3 x 20" - 42lb Vol – 24.7 ft³ Product notes: 3000K available upon request LED included







Wire installation: Hardwired



Accessory C2 Djembé 42

Code

Finish

A681-424 ● Black (RAL 9005) ﴾

Materials

Structure: Painted iron

Product type: Accessory
Weight: Net 2 lb – Gross 3.52 lb
Package: 24.4 x 7.8 x 3.5" - 3.52 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 2 Djembé 42 models for a single junction box.
Only for ELV versions.







Accessory C3 Djembé 42

Code A681-425 Finish

● Black (RAL 9005) 🗞


Materials

Structure: Painted iron

Product type: Accessory Weight: Net 3.5 lb – Gross 4.4 lb Package: $24.4 \times 7.8 \times 3.5$ " - 4.4 lb – Vol - 0.35 ft³ Product notes: Accessory to combine 3 Djembé 42 models for a single junction box. Only for ELV versions.



c(VL)us





Accessory C2 Djembé 65

Code

Finish


A681-426 ● Black (RAL 9005) 🖒

Materials

Structure: Painted iron

Product type: Accessory Weight: Net 2.5 lb – Gross 4.85 lb Package: $33.4 \times 7.8 \times 3.5$ " – 4.85 lb – Vol - 0.53 ft³ Product notes: Accessory to combine 2 Djembé 65 models for a single junction box. Only for ELV versions.







Accessory C3 Djembé 65

Code A681-427 Finish


● Black (RAL 9005) 🦃

Materials

Structure: Painted iron

Product type: Accessory
Weight: Net 3.9 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 3 Djembé 65 models for a single junction box.
Only for ELV versions.







Few lamps have had as strong an impact as the FollowMe. A pioneer in portable lighting, this bold lantern has become a design icon in just a few short years.

Its simple and lightweight shapes, tiltable lampshade and technological rigor have cemented its position as a practical and beautiful trendsetter.





Discover more at marset.com



FollowMe

Code	Finish
A657-080	● White »>
A657-082	Green (RAL 120 40 20)
A657-083	Pink (RAL 050 80 20)
A657-084	Terracotta (RAL 040 50 30)
A657-085	Blue (RAL 190 80 10)

Materials Diffuser: Opal polycarbonate Body: Polycarbonate

Integrated dimmer: Yes Dimmer Type: 3-step dimmer

Handle: Plywood with natural oak varnish

Product type: Table / Portable

Light source: LED SMD 1A 3.5W 2700K CRI90 216Im

Luminaire: in 5 Vdc 1.5A 135lm

Weight: Net 1.5 lb - Gross 4 lb


Package: 13.8 x 9.5 x 14" - 2.2lb Vol - 1 ft3 (1u)

20.08 x 13.39 x 14.17" – 17.6 lb Vol – 2.3 ft³ (6u)

Product notes: Sold in multiples of 6.

Charging cable included (USB to USB-C). Power adapter not included.

LED included



Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Body Charging time 10 h

Battery life time: 5 hours in peak power 10 hours in half power 20 hours in a quarter power



FollowMe Plus

Materials

Diffuser: Opal polycarbonate Body: Polycarbonate Dimmer Integrated dimmer: Yes Dimmer Type: 3-step dimmer

Diffuser: Opal polycarbonate

Handle: Plywood with natural oak veneer

Product type: Table / Portable

Light source: LED SMD 1A 3.5W 2700K CRI90 395lm

Luminaire: in 5 Vdc 1.5A 290lm Weight: Net 2.5 lb – Gross 7.8 lb


Package: Ø9 x 20" – 4.8 lb Vol – 0.706 ft³ (1u)

9.44 x 20.8 x 20.4" - 13.2 lb Vol - 0,07 ft3 (2u)

Product notes: Sold in multiples of 2.

Charging cable included (USB to USB-C). Power adapter not included.

LED included





Switch location: Body Charging time 10 h Battery life time: 5 hours in peak power 10 hours in half power 20 hours in a quarter power



Code Product

A657-101 FollowMe / FollowMe Plus R968-002-USA FollowMe colors R968-006-USA FollowMe / FollowMe Plus R961-057 FollowMe colors R961-062 FollowMe / FollowMe Plus Spare part Battery Black power adapter White power adapter Usb type C cable black Usb type C cable white



Fascinated by timeless design, designer Jaume Ramírez is interested in the archetypal table lamp in which a lampshade distributes light in all directions. This is the starting point from which he reflects and experiments to propose a new

glass design, with more streamlined shapes. The Fragile lamp is a mix of geometric shapes. A cone and a sphere are arranged to hold a cylinder that emits ambient light from below.





Fragile NEW

Code Finish
A724-103-50-22K ○ Translucent
A724-103-46-22K ○ Amber

Materials Diffuser: Blown Glass Base: Methacrylate Dimmable: Yes Integrated dimmer: Yes

Dimming protocols: Progressive from 0


to 100

Product type: Table Light source: LED SMD 700mA 2:1W 2200K CRI80 226.5Im Luminaire: 85 - 264 VAC

Weight: Net 4.6 lb - Gross 10.1 lb

Package: 25.6 x 15.4 x 12.2 " - 10.1 lb - VOL - 2.8 ft3

LED included



Cable length: 2 m Wire installation: Plug-in Color cord: Black Switch location: In-line



Pièces de rechange

 Code
 Produit

 R724-001-46
 Fragile

 R724-001-50
 Fragile

 R724-002-46
 Fragile

 R724-002-50
 Fragile

 R724-003
 Fragile

Finition Ambre Transparent Ambre Transparent Pièces de rechange Verre - Cône Verre - Cône Verre - Sphère Verre - Sphère Verre - Tube



Funiculí is a revamped edition of a lamp originally designed in 1979. Lluis Porqueras always sought an absolute simplicity in his designs, stripping everything superfluous to leave only the essence of the simple, useful object.

Using the same double-clip mechanism of the original, this scaled-down model allows easy height adjustment and 360 degree shade rotation to fit the needs of any room or user.





Discover more at marset.com

Funiculí


Code A641-006 A641-007 A641-008 A641-482	Finish Moss grey (RAL 7003) Off-white (RAL 9001) Black (RAL 9005) Green (RAL 110 40 30)
A641-483	Terracotta (RAL 050 40 50)
A641-484	Mustard (RAL 075 60 70)

Materials

Base: Iron wapped with black rubber Stem: Iron

Shade: Aluminum

Product type: Floor Light source: E26 LED TYPE A 11W Weight: Net 6.8 lb - Gross 11 lb Package: 14.9 x 21.2 x 4.7" - 9.3lb Vol - 0.847 ft³ 1.9 x 1.9 x 56.3" - 1.8lb Vol - 0.14 ft³ Lamping not included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Code Finish A641-413 Black - White

A641-414

Materials Base: Iron wapped with black rubber

Shade: White or sand polyester shade, made of a PVC-PET

laminated film

Product type: Floor

Light source: E26 LED Standard 8W


Weight: Net 11.5 lb - Gross 16.5 lb

Package: $20.4 \times 16.5 \times 5.1$ " - 13.8lb Vol - 1.051 ft³ 13.38 x 13.38 x 9" - 1.31lb Vol - 0.706 ft³

 $47.2 \times 1.6 \times 1.6$ " - 1.3lb Vol - 0.07ft³

Black - Sand

Lamping not included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Funiculí A

Code

A641-040

A641-041 A641-042

A641-485

A641-486

A641-487

Finish Moss grey (RAL 7003)

Off-white (RAL 9001)

● Black (RAL 9005) 1/2>

Green (RAL 110 40 30)

● Terracotta (RAL 050 40 50)

Mustard (RAL 075 60 70)


Materials Stem: Iron

Shade: Aluminum

Product type: Wall Light source: E12 LED TYPE G16.5 5W Weight: Net 1.8 lb - Gross 3.31 lb

Package: 18.1 x 13.4 x 4.3" - 3.31 lb Vol - 0.6 $ft^{\scriptscriptstyle 3}$

Lamping not included



Cable length: 5.4 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Funiculí A Fabric


Code Finish

Materials Stem: Iron Shade: White

Shade: White or sand polyester shade, made of a PVC-PET

laminated film

Product type: Wall Light source: E12 LED 5W Weight: Net 1.5 lb – Gross 3.7 lb Package: $25.6 \times 11.4 \times 3.9$ " - 6.61 lb Vol - 0.7 ft³ 10.3 x 10.3 x 7" - 2.64 lb Vol - 042 ft³ Lamping not included



Cable length: 5.4 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Funiculí S


Code Finish
A641-030 Moss grey (RAL 7003)
A641-031 Off-white (RAL 9001)
A641-032 Black (RAL 9005)
A641-488 Green (RAL 110 40 30)
A641-489 Terracotta (RAL 050 40 50)
A641-490 Mustard (RAL 055 60 70)

Materials

Base: Iron wapped with black rubber Stem: Iron

Shade: Aluminum

Product type: Table
Light source: E12 LED 5W
Weight: Net 4 lb – Gross 6 lb
Package: 18.5 x 13.4 x 4.3" – 6 lb Vol – 0.6 ft³
Lamping not included



Cable length: 5.4 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Funiculí S Fabric

Code Finish

Materials


Base: Iron wapped with black rubber

Stem: Iron

Shade: White or sand polyester shade, made of a PVC-PET

laminated film

Product type: Table
Light source: Ef12 LED 5W
Weight: Net 3.7 lb – Gross 5.9 lb
Package: 25.6 x 12.2 x 3.9" - 5.31 lb Vol - 0.706 ft³
10.2 x 10.2 x 7" - 0.6 lb Vol - 0.42 ft³
Lamping not included




Cable length: 5.4 ft Wire installation: Plug-in Cord color: Black Switch location: In-line





The LED-Ginger collection is notable for its great simplicity of form, its lightweight appearance and reflected direct light. A design for any type of project.

Available in two very different materials, wood or metal, it provides a warm glow with no glare, illuminating just the areas that need it.





Discover more at marset.com

LED-Ginger 20

Code

A662-189 Oak-White A662-190 Wenge-White

A662-191 Oak-Oak A662-192 Wenge-Wenge

 Brushed brass-Brushed brass A662-252

A662-253 Brushed brass-White

Finish


A662-254 ■ Black-White

Materials Dimmable: No Diffuser: Pressed wood or brushed

aluminum

Dissipater: Aluminum

Product type: Pendant Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm Luminaire: 90 - 264 VAC 6W 161lm Weight: Net 1.3 lb - Gross 1.8 lb Package: 9 x 8.26 x 3.93 " - 1.8 lb Vol - 0.35 ft³ LED included



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Code Finish A662-392 Oak-White Wenge-White A662-393 A662-394 Oak-Oak A662-395 Wenge-Wenge Brushed brass-Brushed brass A662-344 A662-345 Brushed brass-White A662-346 ■ Black-White

Materials Dimmable: Yes Integrated dimmer: No Diffuser: Pressed wood or brushed

aluminum Dimming protocols: Dependent on Dissipater: Aluminum purchased power supply. See Cluster

Accessory, page 31.

Product type: Pendant

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm

Luminaire: (Power supply not included) 161lm


Weight: Net 0.7 lb - Gross 1.1 lb

Package: 9 x 8.26 x 3.93 " - 1.1 lb Vol - 0.35 ft³

Product notes: Use with Cluster accessory, see pg 33, 34.

1 pc. hook accessory included.

LED included



Cable length: 13.1 ft Wire installation: Hardwired Cord color: Black

LED-Ginger 20x3

Code Finish A662-193 Oak-White A662-194 Wenge-White A662-195 Oak-Oak A662-196 Wenge-Wenge Brushed brass-Brushed brass A662-237 A662-238 Brushed brass-White A662-239 Black-White

Materials Diffuser: Pressed wood or brushed

Integrated dimmer: No Dimming protocols: Dual dimming driver aluminum

Dimmable: Yes

Dissipater: Aluminum Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 350mA 12.15W 2700K CRI90 1389lm


Luminaire: Only 120 VAC ELV 16W 483Im

120 - 277 VAC 0-10V 16W 483lm


Weight: Net 3.3 lb - Gross 4.4 lb

Package: 16.5 x 16.5 x 2.8 " - 4.4 lb Vol - 0.35 ft3

LED included



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: Black - Entry point: 3



Code A662-188 Finish

Black

Materials Disc: Iron

Product type: Accessory Weight: Net 1.5 lb - Gross 2.2 lb

Package: 16.1 x 16.1 x 1" - 2.2 lb - Vol - 0.003 ft3







LED-Ginger 32

Code	Finish	Dimming
A662-035	Oak-White	ELV
A662-036	● Wenge-White ﴾	ELV
A662-241	Brushed brass-Brushed brass	ELV
A662-242	Brushed brass-White	ELV
A662-243	Black-White	ELV
A662-318	Oak-White	0-10V
A662-319	Wenge-White	0-10V
A662-245	Brushed brass-Brushed brass	0-10V
A662-246	Brushed brass-White	0-10V
A662-247	■ Black-White	0-10V

Materials Diffuser: Pressed wood or brushed

aluminum Dimming protocols: Dissipater: Aluminum Phase cut (ELV)

0-10V

Dimmable: Yes

Integrated dimmer: No


Product type: Pendant

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm Luminaire: 100 - 120 VAC ELV 14W 350lm 120 - 277 VAC 0-10V 14W 350lm

Weight: Net 3 lb - Gross 5.5 lb

Package: 18.9 x 18.9 x 6.7" - 5.5 lb Vol - 1.4 ft3

LED included



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Materials

Diffuser: Pressed wood or brushed aluminum

Dissipater: Aluminum


Product type: Pendant

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: 90 - 135 VAC ELV 21W 698lm 120 - 277 VAC 0-10V 21W 698lm Weight: Net 4,4 lb – Gross 7.7 lb

Package: 22.44 x 20.87 x 6.69" - 7.7 lb Vol - 1.8 ft³

LED included





Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: Black

LED-Ginger 60

Code Finish
A662-746-2035-27K
A662-746-2135-27K
A662-749-1515-27K
A662-749-1535-27K
A662-749-3935-27K
A662-749-3935-27K
A662-749-3935-27K

Finish
Oak-White
Wenge-White
Brushed brass-Brushed brass
Brushed brass-White
Black-White

Materials
Diffuser: Pressed wood or brushed

aluminum

Dissipater: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Pendant


Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm Luminaire: Only 120 VAC ELV 28W 1165lm

120 - 277 VAC 0-10V 28W 1165lm

Weight: Net 7.7 lb - Gross 13.7 lb

Package: 26.37 x 26.37 x 9.4" - 13.7 lb Vol - 3.46 ft³

LED included





Cable length: 10 ft Wire installation: Hardwired Cord color: Black Canopy color: Black





Finish Code

A662-560 Oak-White ● Wenge-White »> A662-561

 Brushed brass-Brushed brass A662-562

A662-563 Brushed brass-White

Materials Diffuser and base: Pressed wood or brushed aluminum

Integrated dimmer: Yes Dimmer Type: 3-step dimmer

Dissipater: Aluminum Stem: Aluminum

Product type: Table / Portable Light source: LED SMD 1A 3.5W 2700K CRI90 395lm Luminaire: in 5 Vdc 1.5A 290lm Weight: Net 1.7 lb - Gross 2.2 lb

Package: 15.7 x 8.2 x 6.7" - 2.2 lb (1u) Vol - 0.35 ft³ (1u) 15.3 x 8.6 x 16.1" - 5.3 lb (2u) Vol - 1.4 ft³ (2u)

Product notes: Sold in multiples of 2.

Charging cable included (USB to USB-C). Power adapter not included.





Switch location: Base Charging time 10 h

Battery life time: 5 hours in peak power 10 hours in half power 20 hours in a quarter power



LED-Ginger S

Code Finish A662-039 Oak-White A662-040 Wenge-White

Materials

Diffuser and base: Pressed wood or

brushed aluminum Dissipater: Aluminum Stem: Aluminum

Integrated dimmer: Yes

Dimmer Type: Progressive from 0 to 100


Product type: Table

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm

Luminaire: 85 - 264 VAC 14W 350lm Weight: Net 5.7 lb - Gross 9.92 lb

Package: 22.44 x 20.87 x 6.69" - 9.92 lb Vol - 1.8 ft3

LED included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



LED-Ginger M

Finish Code A662-085 Oak-White Wenge-White A662-086

Materials

Integrated dimmer: Yes

Diffuser and base: Pressed wood or

Dimmer Type: Progressive from 0 to 100 brushed aluminum

Dissipater: Aluminum Stem: Aluminum


Product type: Table

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: 85 - 264 VAC 16.85W 698lm Weight: Net 7.5 lb - Gross 12.3 lb

Package: 24 x 24 x 8.6" - 12.3 lb Vol - 2.8 ft3

LED included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



LED-Ginger P

Code Finish A662-041 Oak-White A662-042 Wenge-White

Materials

Diffuser and base: Pressed wood or

brushed aluminum Dissipater: Aluminum Stem: Aluminum

Integrated dimmer: Yes

Dimmer Type: Foot-operated progressive

in-line dimmer

Product type: Floor

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: 90 - 264 VAC 698lm Weight: Net 10.8 lb - Gross 14.4 lb

Package: 22.44 x 20.87 x 6.69" - 14.4lb Vol - 1.8 ft3

7.4 x 7.4 x 52.4" - 4.41 lb Vol - 1.6 ft³

LED included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Code Finish A662-120 Oak-White A662-121 Wenge-White

Materials

Stem: Metal

Integrated dimmer: Yes

Diffuser and base: Pressed wood or

brushed aluminum Dissipater: Aluminum Dimmer Type: Foot-operated progressive in-line dimmer

Arm: Carbon fiber

Product type: Floor

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm


Luminaire: 85 - 264 VAC 698Im Weight: Net 52.5 lb - Gross 61.3 lb

Package: 22.44 x 20.87 x 6.69" - 6.171 lb Vol - 1.8 ft3

 $75.2 \times 7.87 \times 4.3$ " - 22.04 lb Vol - 1.41 ft 3

 $24.8 \times 24.4 \times 1.57$ " - 33.06 lb Vol - 0.7 ft³


LED included





Cable length: 8.2 ft Wire installation: Plug-in Cord color: Black Switch location: In-line

LED-Ginger 20 A



Diffuser and base: Pressed wood or

Dimmer Type: Plug-in version, Progressive in-line dimmer brushed aluminum

Dissipater: Aluminum from 0 to 100.

Structure: Metal

Product type: Wall

Light source: LED SMD 350mA 4.05W 2700K CRI90 463lm


Luminaire: 85 - 264 VAC 5.7W 161lm Weight: Net 1.3 lb - Gross 3.3 lb

Package: 18.1 x 11 x 9.4 " - 3.3 lb Vol - 1.06 ft³

Product notes: Plug-in: Progressive dimmer from 0 to 100.

Hardwired: Canopy with switch on/off.

LED included







Finish Code Dimmer Plug-in A662-087 Oak-White Progressive A662-088 Wenge-White Progressive

Hardwired (Canopy)

A662-095 Oak-White ELV / on-off A662-096 Wenge-White ELV / on-off

Materials

Diffuser and base: Pressed wood or Dimmer Type: brushed aluminum Plug-in version: progressive in-line dimmer

Dissipater: Aluminum from 0 to 100.

Hardwired version: Phase cut (ELV)

Integrated dimmer: Yes (Plug-in version)

dimming driver

Product type: Wall

Structure: Metal


Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm Luminaire: 85 - 264 VAC 14W 350lm (Plug-in)

100 - 120 VAC ELV 14W 350lm (Canopy)

Weight: Net 3.3 lb - Gross 6.61 lb

Package: 22.4 x 20.8 x 6.69" - 6.61 lb Vol - 1.8 ft3

LED included







LED-Ginger 20C

Code Finish A662-288 Oak-White A662-289 Wenge-White A662-290 Oak-Oak A662-291 Wenge-Wenge Brushed brass-Brushed brass A662-292 A662-293 Black-White A662-576-36-27K Mauve (RAL 010 70 10) A662-576-37-27K Sand (RAL 050 85 10) A662-576-38-27K ■ Stone Grey (RAL 000 65 00)

Dimmable: No Materials Diffuser: Pressed wood or brushed

aluminum

Dissipater: Aluminum

Canopy: Metal


Product type: Wall / Ceiling

Light Source: LED SMD 350mA 4.05W 2700K CRI90 463Im

Luminaire: 100 - 240 VAC 6W 161Im Weight: Net 0.9 lb - Gross 1.5 lb

Package: 9.4 x 8.3 x 3.9" - 1.5 lb Vol - 0.35 ft3

LED included



Canopy color: Black Wire installation: Hardwired



Code A662-203 A662-204 A662-205 A662-206 A662-294 A662-295 A662-297-36-27K A662-577-38-27K A662-324	Finish Oak-White Wenge-White Oak-Oak Wenge-Wenge Brushed brass Black-White Mauve (RAL 010 70 10) Sand (RAL 050 85 10) Stone Grey (RAL 000 65 00)	Dimming ELV ELV ELV ELV ELV ELV ELV ELV
A662-325	Wenge-White	0-10V
A662-326 A662-327 A662-296 A662-297 A662-578-36-27K A662-578-37-27K	 Oak-Oak Wenge-Wenge Brushed brass Black-White Mauve (RAL 010 70 10) 	0-10V 0-10V 0-10V 0-10V 0-10V
A662-578-38-27K	Sand (RAL 050 85 10)Stone Grey (RAL 000 65 00)	0-10V 0-10V

Materials Diffuser: Pressed wood or brushed aluminum Dissipater: Aluminum

Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10V

Dimmable: Yes


Canopy: Metal

Product type: Wall / Ceiling Light Source: LED SMD 700mA 8,2W 2700K CRI90 913lm


Luminaire: 100 - 120 VAC ELV 14W 350lm 120 - 277 VAC 0-10V 14W 350lm

Weight: Net 2.2 lb - Gross 4.41 lb Package: 16.9 x 18.9 x 6.7" - 4.41 lb Vol - 1.4 ft3

LED included



Canopy color: Black Wire installation: Hardwired



Code A662-207 A662-208 A662-209 A662-210 A662-446 A662-447 A662-579-36-27K A662-579-38-27K A662-328 A662-329 A662-330 A662-331 A662-448	Finish Oak-White Wenge-White Oak-Oak Wenge-Wenge Wenge Wenge Brushed brass Black-White Mauve (RAL 010 70 10) Sand (RAL 050 85 10) Stone Grey (RAL 000 65 00) Oak-White Wenge-White Oak-Oak Wenge-Wenge Brushed brass	Dimming ELV ELV ELV ELV ELV ELV ELV O-10V 0-10V 0-10V 0-10V

Materials Diffuser: Pressed wood or brushed aluminum

Dissipater: Aluminum Canopy: Metal


Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10V

Product type: Wall / Ceiling Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm Luminaire: 90 - 135 VAC ELV 21W 698lm


120 - 277 VAC 0-10V 21W 698lm

Weight: Net 4.2 lb – Gross 7.71 lb Package: 22.4 x 20.8 x 6.7 " - 7.71 lb Vol - 1.80 ft³

LED included



Canopy color: Black Wire installation: Hardwired



LED-Ginger 60C

Code Finish A662-332 Oak-White ● Wenge-White »> A662-333 A662-334 Oak-Oak Wenge-Wenge A662-335

 Brushed brass-Brushed brass A662-450

A662-451 Black-White A662-581-36-27K Mauve (RAL 010 70 10) A662-581-37-27K Sand (RAL 050 85 10) A662-581-38-27K ■ Stone Grey (RAL 000 65 00)

Materials Diffuser: Pressed wood or brushed

Integrated dimmer: No Dimming protocols: Dual dimming driver aluminum

Dimmable: Yes

Dissipater: Aluminum Phase cut (ELV) or 0-10V

Canopy: Metal

Product type: Wall / Ceiling


Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 28W 1165Im 120 - 277 VAC 0-10V 28W 1165lm

Weight: Net 7.3 lb - Gross 13.8 lb

Package: 26.3 x 26.3 x 9.44" - 13.8 lb Vol - 3.53 ft3

LED included





Canopy color: Black Wire installation: Hardwired

Accessory C2 20/32

Code Finish Structure A662-518 Black Shades 20 A662-519 Oak-White

A662-520 Wenge-White A662-521 Oak-Oak Wenge-Wenge A662-522

A662-523 Brushed brass-Brushed brass

A662-524 ■ Black-White

A662-582-36-27K Mauve (RAL 010 70 10) A662-582-37-27K Sand (RAL 050 85 10) A662-582-38-27K Stone Grey (RAL 000 65 00)

Shades 32

A662-525 Oak-White A662-526 Wenge-White A662-527 Oak-Oak A662-528 Wenge-Wenge

A662-529 Brushed brass-Brushed brass

Black-White A662-530 A662-583-36-27K Mauve (RAL 010 70 10)

A662-583-37-27K Sand (RAL 050 85 10) A662-583-38-27K Stone Grey (RAL 000 65 00)

Dimmable: Yes Materials Integrated dimmer: No Canopy: Metal

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling

Luminaire: Only 120 VAC ELV 20W (max.) 120 - 277 VAC 0-10V 20W (max.)

Weight: Net 9.9 lb - Gross 13.2 lb

Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft3

 $22.4 \times 20.9 \times 6.7$ " - 6.6 lb Vol - 1.8 ft³ 24.4 x 7.8 x 3.5" - 4.4 lb Vol - 0.35 ft3

Product notes: Must be specified together with Ginger 32C + 42C. See pg 78, 79. LED included










19.7'








Canopy color: Black Wire installation: Hardwired Code Finish Structure A662-539 Black Shades 20 Oak-White A662-519 A662-520 Wenge-White A662-521 Oak-Oak A662-522 Wenge-Wenge A662-523 Brushed brass-Brushed brass ■ Black-White A662-524 A662-582-36-27K Mauve (RAL 010 70 10) Sand (RAL 050 85 10) A662-582-37-27K A662-582-38-27K ■ Stone Grey (RAL 000 65 00) Shades 32 A662-525 Oak-White A662-526 Wenge-White A662-527 Oak-Oak A662-528 Wenge-Wenge A662-529 Brushed brass-Brushed brass A662-530 Black-White A662-583-36-27K Mauve (RAL 010 70 10) A662-583-37-27K Sand (RAL 050 85 10) A662-583-38-27K ■ Stone Grey (RAL 000 65 00) Shades 42 A662-532 Oak-White A662-533 Wenge-White A662-534 Oak-Oak A662-535 Wenge-Wenge A662-536 Brushed brass-Brushed brass Black-White A662-537 A662-584-36-27K Mauve (RAL 010 70 10) A662-584-37-27K Sand (RAL 050 85 10) A662-584-38-27K Stone Grey (RAL 000 65 00) Dimmable: Yes Materials Canopy: Metal Integrated dimmer: No Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V Product type: Wall / Ceiling Luminaire: Only 120 VAC ELV 30W (max.) 120 - 277 VAC 0-10V 30W (max.) Weight: Net 17.2 lb - Gross 22 lb Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft3 $22.4 \times 20.8 \times 6.7$ " - 7.7 lb Vol - 1.8 ft³ 22.4 x 20.8 x 6.7" - 6.6 lb Vol - 1.8 ft³






20.9 x 20.9 x 4.7" - 5.5 lb Vol - 1.1 ft³

Product notes: Must be specified together with Ginger 20C + 32C + 42C. See pg 77, 78, 79.

LED included



Canopy color: Black Wire installation: Hardwired

Accessory C2 LED-Ginger 32/42

Code

Finish

Materials

Structure: Painted iron

c (ÜL) u

17.22_a

Product type: Accessory Weight: Net 3.9 lb – Gross 4.4 lb

Package: When ordered, this item is shipped coupled with the Ginger 42C.

Product notes: Must be specified together with Ginger 32C + 42C. See pg 78, 79.



Accessory C2 LED-Ginger 42/60

Code A662-273 Finish

Black (RAL 9005)

Materials

Structure: Painted iron



19.88"

Product type: Accessory Weight: Net 3.9 lb – Gross 4.8 lb

Package: When ordered, this item is shipped coupled with the Ginger 60C.

Product notes: Must be specified together with Ginger 42C + 60C. See pg 79, 80.



Accessory C3 LED-Ginger 32/42/60

Code

Finish

Materials

Structure: Painted iron




Product type: Accessory

Weight: Net 5.9 lb - Gross 6.6 lb

Package: When ordered, this item is shipped coupled with the Ginger 60C.

Product notes: Must be specified together with Ginger 32C + 42C + 60C. See pg

78, 79, 80.





Spare parts			
Code	Product	Finish	Spare part
R662-013	LED-Ginger 20	Oak-White	Shade
R662-014	LED-Ginger 20	Wenge-White	Shade
R662-015	LED-Ginger 20	Oak	Shade
R662-016	LED-Ginger 20	Wenge	Shade
R662-017	LED-Ginger 20	Brushed brass	Shade
R662-018	LED-Ginger 20	Brushed brass-White	Shade
R662-019	LED-Ginger 20	Black-White	Shade
R662-211-36	LED-Ginger 20	Mauve	Shade
R662-211-37	LED-Ginger 20	Sand	Shade
R662-211-38	LED-Ginger 20	Stone Grey	Shade
	J	Oak-White	Shade
R662-039 R662-040	LED-Ginger 32 LED-Ginger 32	Wenge-White	Shade
	J	3	
R662-038 R662-041	LED-Ginger 32	Oak	Shade Shade
	LED-Ginger 32	Wenge	
R662-042	LED-Ginger 32	Brushed brass	Shade
R662-043	LED-Ginger 32	Brushed brass-White Black-White	Shade Shade
R662-044	LED-Ginger 32		
R662-212-36	LED-Ginger 32	Mauve	Shade
R662-212-37	LED-Ginger 32	Sand	Shade
R662-212-38	LED-Ginger 32	Stone Grey	Shade
R662-032	LED-Ginger 42	Oak-White	Shade
R662-024	LED-Ginger 42	Wenge-White	Shade
R662-046	LED-Ginger 42	Oak	Shade
R662-047	LED-Ginger 42	Wenge	Shade
R662-048	LED-Ginger 42	Brushed brass	Shade
R662-049	LED-Ginger 42	Brushed brass-White	Shade
R662-050	LED-Ginger 42	Black-White	Shade
R662-213-36	LED-Ginger 42	Mauve	Shade
R662-213-37	LED-Ginger 42	Sand	Shade
R662-213-38	LED-Ginger 42	Stone Grey	Shade
R662-052	LED-Ginger 60	Oak-White	Shade
R662-025	LED-Ginger 60	Wenge-White	Shade
R662-053	LED-Ginger 60	Oak	Shade
R662-054	LED-Ginger 60	Wenge	Shade
R662-055	LED-Ginger 60	Brushed brass	Shade
R662-056	LED-Ginger 60	Brushed brass-White	Shade
R662-037	LED-Ginger 60	Black-White	Shade
R662-214-36	LED-Ginger 60	Mauve	Shade
R662-214-37	LED-Ginger 60	Sand	Shade
R662-214-38	LED-Ginger 60	Stone Grey	Shade
A662-400	LED-Ginger 20M		Battery
R968-002-USA	LED-Ginger 20M		Black power adapter
R961-057	LED-Ginger 20M		Usb type C cable black

marset 86



The LED-Ginger collection is moving outdoors, with numerous sizes of wall sconce and bollard as well as a large-scale lamppost style light. This outdoor collection also

introduces a unique new rust brown finish, with a deep, warm glow, alongside the standard black-white metal finish familiar to the indoor version.





Discover more at marset.com

LED-Ginger 15C IP65

Finish Code

A662-649-31 Rust Brown A662-649-39 Black-White (RAL 9005-9010)

Materials Diffuser: Aluminum Dissipater: Aluminum Structure: Stainless steel Dimmable: Yes Integrated dimmer: No Dimming protocols: 0-10V

Product type: Wall / Ceiling Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm Luminaire: (Power supply not included) 67 lm - Black-White (Power supply not included) 27 lm - Rust brown

Weight: Net 0.8 lb – Gross 1.1 lb

Package: 9.4 x 8.3 x 3.9 " - 1.1 lb Vol - 0.3 ft3

Product notes: 24V remote power supply to be ordered separately, see pg 94. LED included



Dimmable


ADA

Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.

Canopy color: Black Wire installation: Hardwired



Code

Finish A662-650-31 Rust Brown

A662-650-39 ● Black-White (RAL 9005-9010)

Materials Dimmable: Yes Diffuser: Aluminum Integrated dimmer: No Dissipater: Aluminum Dimming protocols: 0-10V

Product type: Wall / Ceiling

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm Luminaire: (Power supply not included) 161 lm - Black-White


(Power supply not included) 29 lm - Rust brown

Weight: Net 1.1 lb - Gross 1.5 lb

Package: 9.4 x 8.3 x 3.9" - 1.5 lb Vol - 0.4 ft3

Product notes: 24V remote power supply to be ordered separately, see pg 94.

LED included





Suitable for wet locations



Under approval process. For latest certification status check the spec sheet






LED-Ginger 32C IP65

Code Finish Dimming A662-651-31 Rust Brown ELV A662-651-39 Black-White (RAL 9005-9010) ELV

Materials Dimmable: Yes Diffuser: Aluminum Integrated dimmer: No Dissipater: Aluminum Dimming protocols: Phase cut (ELV)

Product type: Wall / Ceiling Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm Luminaire: 100 - 120 VAC ELV 14W 350 lm - Black-White 100 - 120 VAC ELV 14W 81 lm - Rust Brown Weight: Net 1.9 lb - Gross 4.4 lb

Package: 16.9 x 18.9 x 6.7 " - 4.4 lb Vol - 1.4 ft3 LED included





Suitable for wet locations



Canopy color: Black



LED-Ginger 42C IP65

 Code
 Finish
 Dimming

 A662-653-31
 Rust Brown
 ELV

 A662-653-39
 Black-White (RAL 9005-9010)
 ELV

 A662-654-31
 Rust Brown
 0-10V

 A662-654-39
 Black-White (RAL 9005-9010)
 0-10V

Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No
Dissipater: Aluminum Dimming protocols:
Phase cut (ELV)
0-10V


Product type: Wall / Ceiling

Light source: LED SMD 700mA 15.4W 2700K CRI90 1873 Im Luminaire: 90 - 135 VAC ELV 21W 698 Im - Black-White 120 - 277 VAC 0-10V 21W 698 Im - Black-White 90 - 135 VAC ELV 21W 186 Im - Rust brown 120 - 277 VAC 0-10V 21W 186 Im - Rust brown

Weight: Net 4 lb - Gross 7.7 lb


Package: 22.4 x 20.9 x 6.7" – 7.7 lb Vol – 1.8 ft³

LED included





Canopy color: Black



LED-Ginger 60C IP65

Code Finish A662-655-31 • Rust Brown

Materials Diffuser: Aluminum Dissipater: Aluminum Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver


Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling

Light source: LED SMD 700mA 21W 2700K CRI90 2933 Im Luminaire: Only 120 VAC ELV 28W 1165 Im - Black-White 120 - 277 VAC 0-10V 28W 1165 Im - Black-White Only 120 VAC ELV 28W 245 Im - Rust brown

120 - 277 VAC 0-10V 28W 245 lm - Rust brown Weight: Net 7.9 lb - Gross 13.9 lb

Package: $26.4 \times 26.4 \times 9.5$ " – 13.9 lb Vol – 3.5 ft^3 LED included



Canopy color: Black



Finish

A662-662-31-27K

Rust Brown

A662-662-39-27K Black-White (RAL 9005-9010)

Materials Dimmable: Yes Diffuser: Aluminum Integrated dimmer: No

Dissipater: Aluminum Dimming protocols: It depends on the

purchased power supply.

0-10V

Product type: Wall


Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm Luminaire: (Power supply not included) 161lm - Black-White (Power supply not included) 29lm - Rust brown

Weight: Net 1.1 lb - Gross 2.6 lb

Package: $14.2 \times 11.8 \times 6.7$ " - 2.6 lb Vol - 0.7 ft³

Product notes: 24V remote power supply to be ordered separatel, see pg 94..

LED included





Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.

Power supplies on page 96

Canopy color: Black



LED-Ginger 32A IP65 NEW



Code

A662-663-31-27K Rust Brown

Finish

Materials Dimmable: Yes Diffuser: Aluminum Integrated dimmer: No

Dissipater: Aluminum Dimming protocols: Phase cut (ELV)


Product type: Wall

Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm Luminaire: 100 - 120 VAC ELV 14W 350 lm - Black-White 120 - 277 VAC 0-10V 14W 350 lm - Black-White

Weight: Net 3.3 lb - Gross 6.2 lb

Package: 20.5 x 16.5 x 9.5 " - 6.2 lb Vol - 1.8 ft3

LED included





Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.

Canopy color: Black



Finish

A662-585-31 Rust Brown-White Black-White (RAL 9005-9010) A662-585-39

Materials Dimmable: Yes Diffuser: Aluminum Integrated dimmer: No Structure: Aluminum Dimming protocols: 0-10V

Product type: Bollard

Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm

Luminaire: (Power supply not included) 161 lm

Weight: Net 1.8 lb - Gross 2.9 lb

Package: 9.8 x 9 x 4.7" - 1.5 lb Vol - 0.24 ft3

 $5.9 \times 5.1 \times 18.9$ " – 1.3 lb Vol – 0.3 ft^3

Product notes: 24V remote power supply to be ordered separately, see pg 94. LED included





Suitable for wet locations



Cable length: 8.5 ft



LED-Ginger B 20/63

Code Finish

A662-586-31 Rust Brown-White Black-White (RAL 9005-9010) A662-586-39

Dimmable: Yes Materials Diffuser: Aluminum Integrated dimmer: No Structure: Aluminum Dimming protocols: 0-10V

Product type: Bollard

Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm


Luminaire: (Power supply not included) 161 lm

Weight: Net 1.9 lb - Gross 3 lb

Package: 9.8 x 9 x 4.7" - 1.5 lb Vol - 0.24 ft3

 $5.9 \times 5.1 \times 26.2$ " – 1.5 lb Vol – 0.35 ft³

Product notes: 24V remote power supply to be ordered separately, see pg 94. LED included





Suitable for wet locations



Cable length: 7.9 ft



LED-Ginger B 20/86

ode Finis

Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No
Structure: Aluminum Dimming protocols: 0-10V

Product type: Bollard

Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm


Luminaire: (Power supply not included) 161 lm

Weight: Net 2.2 lb - Gross 3.5 lb

Package: $9.8 \times 9 \times 4.7$ " – 1.5 lb Vol – 0.24 ft^3 $5.9 \times 5.1 \times 38.8$ " – 2 lb Vol – 0.7 ft^3

Product notes: 24V remote power supply to be ordered separately, see pg 94.

LED included





(T)..

Cable length: 6.9 ft




Code Finish

A662-555 Stainless steel

Materials

Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards. Weight: Net 0.7 lb – Gross 0.9 lb Package: 5.5 x 5.5 x 11" - 0.9 lb – Vol - 0.2 ft $^{\rm a}$





Ground fixation plate


Code Finish

A662-556 Stainless steel

Materials

Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards. Weight: Net 0.7 lb – Gross 0.9 lb Package: $5.9 \times 5.9 \times 5.9 \times 5.1$ " - 0.9 lb – Vol - 0.1 ft³





LED-Ginger: Power Supply - Dimmable

 Code
 Description
 Dimming
 VAC

 968-230
 Power supply 60W - 24V
 0-10V
 120-277

 968-233
 Power supply 100W - 24V
 0-10V
 120-277

Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.

These LED drivers must be installed in a cabinet / box suitable for wet locations or in a dry location.

LED-Ginger: Connector Accessory

Code Description

A963-001 2 way terminal block 4 poles IP68 H2O Stop.

(ø0.2/0.5" cable).

A963-002 3/4 way terminal block 4 poles IP68 H2O Stop.

(ø0.2/0.5" cable).

Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.







Code Finish

Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No

Structure: Stainless Steel Dimming: Depending on the connection

Dissipater: Aluminum ON / OFF 1-10V

Product type: Lamppost


Light source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm

Luminaire: 90 - 305 VAC 1-10V 35.8W 1463lm

Weight: Net 29.2 lb - Gross 44 lb

Package: $26.8 \times 27.2 \times 9.4$ " – 12.6 lb Vol – 3.9 ft³ $24 \times 6.3 \times 100.4$ " – 24.5 lb Vol – 8.8 ft³ $9.8 \times 9.8 \times 17.3$ " – 7.2 lb Vol – 1.1 ft³

LED included





Wire installation: Hardwired

Ground fixation plate

Code Finish


A662-733 Stainless steel

Materials

Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger 60/298 Weight: Net 3.5 lb – Gross 5.3 lb

Package: 13.8 x 9.4 x 9.4 " - 5.3 lb - Vol - 0.7 ft³





In search of the beauty of light, Joanna Laajisto created a sculptural lamp defined by its pure, almost graphic forms, and by the balance between rigidity and fragility.

Offering the option of ambient light for any classic or contemporary interior design project, this modular collection can be used to create light compositions.





For Ihana customized configurations, get in contact with us.







lhana x280

Code Finish Dimming CCT A709-157-39-27K Opal ELV 27K

A709-158-39-22/30K Opal ELV DTW 22K-30K

Materials Dimmable: Yes
Structure: Steel Integrated dimmer: No
Shade: Opal blown glass Dimming protocols: Ph

lass Dimming protocols: Phase cut (ELV)
Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 16W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 28W 994lm

Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90

Luminaire DTW: 100 - 120 VAC ELV 28W


Weight: Net 9.9 lb - Gross 14.8 lb

Package: (2x) $8.3 \times 16.5 \times 16.5$ " – 6.61 lb Vol – 1.41 ft^3


 $9.5 \times 5.5 \times 45$ " - 8.15 lb Vol - 1.41 ft³

Product notes: 0-10V upon request

LED included



Wire installation: Hardwired Canopy color: Black



CCT Code Finish Dimming A709-111-39-27K 27K Opal ELV DTW 22K-30K A709-112-39-22/30K Opal ELV

Dimmable: Yes Materials

Structure: Steel Integrated dimmer: No Shade: Opal blown glass Dimming protocols: Phase cut (ELV)

Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 16W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 28W 994lm

Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90


Luminaire DTW: 100 - 120 VAC ELV 28W Weight: Net 9.9 lb - Gross 14.8 lb

Package: (2x) 8.3 x 16.5 x 16.5" - 6.61 lb Vol - 1.41 ft3

 $9.5 \times 5.5 \times 45$ " – 8.15 lb Vol – 1.41 ft³

Product notes: 0-10V upon request

LED included



Wire installation: Hardwired Canopy color: Black



Ihana x2 150

Code Finish Dimming CCT A709-109-39-27K Opal ELV 27K

A709-110-39-22/30K Opal ELV DTW 22K-30K

Dimmable: Yes Materials Structure: Steel Integrated dimmer: No

Shade: Opal blown glass Dimming protocols: Phase cut (ELV) Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 16W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 28W 994lm

Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90

Luminaire DTW: 100 - 120 VAC ELV 28W


Weight: Net 11.3 lb - Gross 18.1 lb

Package: (2x) $8.3 \times 16.5 \times 16.5$ " – $6.61 \, lb \, Vol$ – $1.41 \, ft^3$

 $7 \times 7 \times 66$ " - 11.5 lb Vol - 1.76 ft³

Product notes: 0-10V upon request

LED included



Wire installation: Hardwired Canopy color: Black



Finish Dimming CCT A709-107-39-27K Opal ELV 27K

DTW 22K-30K A709-108-39-22/30K Opal ELV

Dimmable: Yes Materials Structure: Steel Integrated dimmer: No

Shade: Opal blown glass Dimming protocols: Phase cut (ELV) Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 16W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 28W 994Im

Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90


Luminaire DTW: 100 - 120 VAC ELV 28W Weight: Net 14.8 lb - Gross 21.4 lb

Package: (2x) $8.3 \times 16.5 \times 16.5$ " – 6.61 lb Vol – 1.41 ft^3

 $7 \times 7 \times 88.6$ " – 14.8 lb Vol – 2.47 ft³

Product notes: 0-10V upon request

LED included





Wire installation: Hardwired Canopy color: Black

Ihana x380

Dimming CCT Code Finish A709-156-39-27K Opal ELV 27K A709-113-39-22/30K DTW 22K-30K Opal ELV

Materials Dimmable: Yes Structure: Steel Integrated dimmer: No

Dimming protocols: Phase cut (ELV) Shade: Opal blown glass Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 42W 1491lm

Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90

Luminaire DTW: 100 - 120 VAC ELV 42W


Weight: Net 15 lb - Gross 21 lb

Package: (3x) 8.3 x 16.5 x 16.5" - 6.61 lb Vol - 1.41 ft3 9.5 x 5.5 x 45" - 8.15 lb Vol - 1.41 ft3


 $9.5 \times 5.5 \times 45$ " -6.2 lb Vol -1.41 ft³


Product notes: 0-10V upon request

LED included



Wire installation: Hardwired Canopy color: Black





Code Finish Dimming CCT A709-105-39-27K Opal ELV 27K

DTW 22K-30K A709-106-39-22/30K Opal ELV

Dimmable: Yes Materials Structure: Steel Integrated dimmer: No

Shade: Opal blown glass Dimming protocols: Phase cut (ELV) Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 42W 1491lm

Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90

Luminaire DTW: 100 - 120 VAC ELV 42W

Weight: Net 15 lb - Gross 21 lb


Package: (3x) 8.3 x 16.5 x 16.5" - 6.61 lb Vol - 1.41 ft3

 $9.5 \times 5.5 \times 45$ " – $8.15 lb Vol – <math>1.41 ft^3$


9.5 x 5.5 x 45" - 6.2 lb Vol - 1.41 ft3

Product notes: 0-10V upon request

LED included



Wire installation: Hardwired Canopy color: Black



Ihana x3 150

Code Finish Dimming CCT A709-103-39-27K Opal ELV 27K

A709-104-39-22/30K Opal DTW 22K-30K ELV

Materials Dimmable: Yes Structure: Steel Integrated dimmer: No

Shade: Opal blown glass Dimming protocols: Phase cut (ELV) Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 42W 1491lm

Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90


Luminaire DTW: 100 - 120 VAC ELV 42W

Weight: Net 17.2 lb - Gross 28 lb

Package: (3x) 8.3 x 16.5 x 16.5" - 6.61 lb Vol - 1.41 ft3 $7 \times 7 \times 65.8$ " – 11.5 lb Vol – 1.76 ft³ 7 x 7 x 65.8" - 9.9 lb Vol - 1.76 ft3

Product notes: 0-10V upon request

LED included



Wire installation: Hardwired Canopy color: Black



Finish Dimming CCT Code A709-101-39-27K 27K Opal ELV

DTW 22K-30K A709-102-39-22/30K Opal ELV

Dimmable: Yes Materials Structure: Steel Integrated dimmer: No


Shade: Opal blown glass Dimming protocols: Phase cut (ELV) Dim to warm from 2200K to 3000K (ELV)


Product type: Pendant / Ceiling Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm Luminaire: 100 - 120 VAC ELV 42W 1491lm Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90 Luminaire DTW: 100 - 120 VAC ELV 42W

Weight: Net 18 lb - Gross 33.3 lb Package: (3x) 8.3 x 16.5 x 16.5" - 6.61 lb Vol - 1.41 ft³ $7 \times 7 \times 88.5$ " – 14.7 lb Vol – 2.47 ft 3

7 x 7 x 88.5" - 11.9 lb Vol - 2.47 ft³ Product notes: 0-10V upon request

LED included











Discover more at marset.com



Jaima 43 E26

 Code
 Finish

 A683-047
 ● Beige ♦


 A683-048
 ● Grey

Materials

Shade: Textilene, inner part in white

Product type: Pendant Light Source: E26 LED Globe (ø120) 22W Weight: Net 4 lb – Gross 8.1 lb Package: 17.3 x 17.7 x 15.4" – 11 lb Vol – 2.8 ft³ Lamping not included

ւ(Որ)ns



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: Black




Code Finish
A683-051 ● Beige ﴾
A683-052 ● Grey

Materials

Shade: Textilene, inner part in white

Product type: Pendant Light Source: E26 LED Globe (ø120) 22W Weight: Net 4.85 lb – Gross 11 lb Package: 21.5 x 21.5 x 18.1" – 11 lb Vol – 4.95 ft³ Lamping not included



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Jaima 71 E26

 Code
 Finish


 A683-055
 Beige

 A683-056
 Grey

Materials

Shade: Textilene, inner part in white

Product type: Pendant Light Source: E26 LED Globe (ø120) 22W Weight: Net 6.17 lb – Gross 16.5 lb Package: 27.5 x 27.5 x 24.8" – 16.5 lb Vol – 10.6 ft³ Lamping not included



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



 Code
 Finish

 A683-059
 ■ Beige

 A683-060
 ■ Grey

Materials Shade: Textilene, inner part in white Dimmable: Yes Integrated dimmer: No

Dimming protocols: Phase cut (ELV)


Product type: Pendant

Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm

Luminaire: 120 VAC ELV 15W 528lm Weight: Net 4 lb – Gross 8.1 lb

Package: 17.3 x 17.7 x 15.4" - 11 lb Vol - 2.8 ft3

LED included



Suitable for wet locations

Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: Black

Jaima 54 IP65

 Code
 Finish

 A683-063
 ■ Beige №

 A683-064
 ■ Grey

Materials Shade: Textilene, inner part in white Dimmable: Yes Integrated dimmer: No

Dimming protocols: Phase cut (ELV)


Product type: Pendant

Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm

Luminaire: 120VAC ELV 15W 513lm Weight: Net 4.85 lb – Gross 11 lb

Package: 21.5 x 21.5 x 18.1" - 11 lb Vol - 4.95 ft³

LED included



Suitable for wet locations

Cable length: 6.6ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Finish Code A683-067 Beige A683-068 Grey

Materials Shade: Textilene, inner part in white Dimmable: Yes Integrated dimmer: No

Dimming protocols: Phase cut (ELV)


Product type: Pendant

Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm

Luminaire: 120VAC ELV 15W 530Im Weight: Net 6.17 lb - Gross 16.5 lb

Package: 27.5 x 27.5 x 24.8" - 16.5 lb Vol - 10.6 ft3

LED included



Suitable for wet locations

Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black

Canopy color: Black



Jaima P207 + Shade 43

Code

Structure E26

A683-070 Structure LED IP65 A683-071

● Black (RAL 9005)

● Black (RAL 9005)

Shade 43

A683-029 Beige A683-030 Grey

Materials Shade: Textilene, inner part in white

Structure: Stainless steel Extensible stem: Carbon fiber Dimmable: Yes Integrated dimmer: No

Product type: Floor


Light Source: E26 LED Globe (ø120) 22W

Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm

Luminaire: 120VAC ELV 15W 528Im Weight: Net 9 lb - Gross 22.7 lb

Package: 85.4 x 18.9 x 9" - 178.7 lb Vol - 8.47 ft3 $17.7 \times 17.7 \times 15.35$ " – 5.51 lb Vol – 2.83 ft³

LED included



Suitable for



Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 106.

Cable length: 9.2 ft Wire installation: Plug-in Cord color: Black



Code Structure E26

A683-072

Finish Black (RAL 9005)

Structure LED IP65 A683-073

● Black (RAL 9005)

Shade 54

A683-037 Beige A683-038 Grey

Materials

Dimmable: Yes Shade: Textilene, inner part in white Integrated dimmer: No

Structure: Stainless steel Extensible stem: Carbon fiber

Product type: Floor

Light Source: E26 LED Globe (ø120) 22W


Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm

Luminaire: 120VAC ELV 15W 513Im Weight: Net 10.36 lb - Gross 27.5 lb

Package: 109 x 19 x 9" - 19.82 lb Vol - 10.59 ft3

 $21.7 \times 21.7 \times 17.7$ " – 7.7 lb Vol – 14.8 ft³

LED included



Suitable for wet locations



Product notes: a floor base 49 or a fixed stem needs to be purchased. See page

Cable length: min 6.6 ft - max 9.2 ft Wire installation: Plug-in Cord color: Black



Jaima P307 + Shade 71

Code Finish

Structure E26 A683-072

Black (RAL 9005)

Structure LED IP65 A683-073

● Black (RAL 9005) ﴾

Shade 71

A683-041

A683-042 Grey

Materials

Shade: Textilene, inner part in white

Dimmable: Yes Integrated dimmer: No

Structure: Stainless steel Extensible stem: Carbon fiber


Product type: Floor

Light Source: E26 LED Globe (ø120) 22W

Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm

Luminaire: 120 VAC ELV 15W 530lm Weight: Net 10.5 lb - Gross 33 lb

Package: 109 x 27.5 x 24.6" - 15.4 lb Vol - 10.947 ft3 27.9 x 27.9 x 24.8" - 13.2 lb Vol - 10.6 ft3



Suitable for wet locations



Product notes: a floor base 70 or a fixed stem needs to be purchased. See page

Cable length: min 6.6 ft - max 9.2 ft Wire installation: Plug-in Cord color: Black




105

Code Finish

Materials Base: Concrete Stem: Stainless steel

Product type: Accessory
Weight: Net 31.5 lb – Gross 37.91 lb
Package: 12.2 x 7.1 x 6.7" - 4.8 lb – Vol -0.31 ft³
24.8 x 24.8 x 2.7" - 33.1 lb – Vol -0.95 ft³
Product notes: Base only compatible with Jaima P207





70 base + stem

Code Finish


A683-044 Concrete and black (RAL 9005)

Materials Base: Concrete Stem: Stainless steel

Product type: Accessory
Weight: Net 81.1 lb – Gross 113.9 lb
Package: 29.5 x 29.5 x 7.48" - 77.2 lb – Vol -3.7 ft³
12.2 x 7.08 x 6.69" - 4.85 lb – Vol -0.31 ft³
Product notes: Base only compatible with Jaima P307



c(UL)us





Fixed stem

Code Finish
A683-032 ● Black (RAL 9005)

Materials Stem: Stainless steel

Product type: Accessory Weight: Net 4.18" – Gross 5,07" Package: 12.2 x 7.08 x 6.69"- 4.8 lb – Vol -0.31 ft³

Package: 12.2 x 7.08 x 6.69"- 4.8 lb – Vol -0.31 ft³ Product notes: Compatible with Jaima P207 and P307. Price

c(VL)us

USD \$ 495 CAD \$ 668







Konoha is a simple, discreet wall lamp with a shade over a directed spotlight that turns through 360°. The shade, like a hat, covers the spotlight, allowing the light to be directed upwards, bounce off the inside and project a beam of soft light, creating

warm ambient lighting. If instead the spotlight is focused downwards, it projects a beam of direct light, turning the fixture into a reading lamp.





Konoha (NEW)

Code A716-002-39-27K

A716-002-35-27K A716-002-41-27K A716-002-45-27K

Finish Matt Black (RAL 9005)

White chalk (RAL 085 80 10)

Terracotta (RAL 050 50 40)

Moss grey (RAL 7003)

Materials Structure: Steel Tube: Aluminium Dimmable: No

Product type: Wall

Light source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm


Luminaire: 120-277VAC 60Hz 3.1W 137lm

Weight: Net 2.5 lb - Gross 4.2 lb

Package: 13.8 x 13.1 x 9 " - 4.2 lb Vol - 1.05 ft3

Product notes: The ON/OFF switch is located at the base of the structure

LED included







A716-003-39-27K • Matt Black (RAL 9005)

A716-003-35-27K A716-003-41-27K A716-003-45-27K • Moss grey (RAL 7003)

White chalk (RAL 085 80 10) ● Terracotta (RAL 050 50 40)

Materials

Dimmable: No

Structure: Steel Tube: Aluminium

Product type: Wall

Light source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm


Luminaire: 120-277VAC 60Hz 3.1W 137lm

Weight: Net 2.5 lb - Gross 4.2 lb

Package: 13.8 x 13.1 x 9 " - 4.2 lb Vol - 1.05 ft3

Product notes: The ON/OFF switch is located at the base of the structure

LED included









Lab 2 2020

Code A646-191 Finish

6-191 • Graphite grey (RAL 7024)

Materials Structure: Injected aluminum Dimmable: No

Structure: Injected aluminum Lids: Metal, wood (see next page)

Product type: Wall
Light source: LED SMD 24Vdc 7.4W 2700K CRI90 378Im
Luminaire: 100 - 240 VAC 8.47W 322Im
Weight: Net 1.91 lb – Gross 2.20 lb

Package: 5.9 x 5.9 x 5.1" - 2.2 lb Vol - 0,106 ft³

0





Suitable for wet locations





Under approval process. For latest certification status check the spec sheet.



Lid

Code A646-005 Finish

White (RAL 9003)

A646-022 Brown (RAL 8019)
A646-023 Rust brown
A646-007 Dark iroko

4.9., [4.6., [2.0., [4.6., [4.7., [5.0

Materials

Structure: Injected aluminum

Lids: Metal, wood

Product type: Accessory



Signage Lid

Code Finish 1 - 3 units

- 4 - 10 units - 11 - 25 units - 26 or more units

Product type: Accessory

Product Notes: Minimum order of 3pcs. Available upon request, Lab 2 only.



Lab, 2020



Lab A 35

Code Finish

A646-160 Graphite grey - White (RAL 7024-9003)
A646-161 Graphite grey - Brown (RAL 7024-8019)
A646-162 Graphite grey - Rust brown

A646-163 • Graphite grey - Dark iroko

Materials Dimmable: No


Structure: Aluminum Lids: Metal, wood

Product type: Wall

Light Source: LED SMD 700mA 4W 2700K CRI80 320lm

Luminaire: 100-277 VAC 6.2W Weight: Net 3.08 lb – Gross 5.07 lb

Package: $6.89 \times 5.11 \times 18.11'' - 5.07 \text{ lb Vol} - 0.35 \text{ ft}^3$



Wire installation: Hardwired

marset



Code Finish

A646-170 Graphite grey - White (RAL 7024-9003)

A646-171 • Graphite grey - Brown (RAL 7024-8019)
A646-172 • Graphite grey - Rust brown

A646-173 Graphite grey - Dark iroko

Materials Dimmable: No Structure: Aluminum


Product type: Bollard

Lids: Metal, wood

Light Source: LED SMD 700mA 4W 2700K CRI80 320lm

Luminaire: 100-277 VAC 6.2W Weight: Net 3.08 lb – Gross 5.07 lb

Package: 6.89 x 5.11 x 18.11" - 5.07 lb Vol - 0.35 ft3



Wire installation: Hardwired



Lab B 60

Code Finish A646-180 Graphite

A646-180 Graphite grey - White (RAL 7024-9003)
A646-181 Graphite grey - Brown (RAL 7024-8019)

A646-182 • Graphite grey - Rust brown

A646-183 Graphite grey - Dark iroko

Materials
Structure: Aluminum

Dimmable: No


Lids: Metal, wood

Product type: Bollard

Light Source: LED SMD 700mA 4W 2700K CRI80 320lm

Luminaire: 100-277 VAC 6.2W Weight: Net 5.51 lb – Gross 7.71 lb

Package: $7.08 \times 5.11 \times 27.6$ " – 7.71 lb Vol – 0.70 ft³





Ground fixation plate

Code A646-067 Finish

Stainless steel

Materials

Structure: Stainless steel

Product type: Accessory Weight: Net 0.57 lb – Gross 0.7 lb Package: 9 x 10 x 21" - 0.7 lb – Vol - 0.70 ft³





7.87"





Its ergonomic design beckons you to move it in any direction, up to 360°, and its use is very intuitive. When opened, it turns on automatically; when closed, it turns off and hides away in the wall, like camouflage. It's so versatile it can be installed vertically

or horizontally, adapting to the needs of your space. Now we present a new surface edition, just as functional but more compact. The switch is integrated in the base, maximum ergonomic design, with absolute flexibility to move it in any direction.





Ledtube RSC

Code Finish Aluminum 🖒

A622-221-17-27K

A622-221-18-27K A622-221-35-27K

A622-221-39-27K

● Matte black (RAL 9005) ﴾

Dimmable: No

Matte white (RAL 9010) >

Materials Structure: Injected aluminum Frontal: Transparent polycarbonate

Product type: Wall

Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm


■ Bronze »

Luminaire: 100 - 240 VAC 3.6W 131lm Weight: Net 1.43 lb - Gross 1.76 lb

Package: 7.9 x 4.7 x 3.1" – 1.7 lb Vol – 0.075 ft³

Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.

LED included





Wire installation: Hardwired



Ledtube R right

Code Finish
A622-223-17-27K A622-223-18-27K Bronze

A622-223-35-27K Matte white (RAL 9010)
A622-223-39-27K Matte black (RAL 9005)

Materials Dimmable: No

Structure: Injected aluminum Frontal: Transparent polycarbonate

Product type: Wall

Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm

Luminaire: 100 - 240 VAC 3.6W 131lm Weight: Net 1.98 lb - Gross 1.98 lb

Package: 6.3 x 5.9 x 3.5" - 2 lb Vol - 0.081 ft3

Product notes: Incorporated press button to switch on or off when opening or

closing the wall lamp. Honeycomb grill to reduce glare.

LED included







Wire installation: Hardwired



Ledtube R left

Code Finish
A622-224-17-27K A622-224-18-27K Bronze

A622-224-35-27K Matte white (RAL 9010)

A622-224-39-27K • Matte black (RAL 9005)

Materials Dimmable: No

Structure: Injected aluminum
Frontal: Transparent polycarbonate

Product type: Wall

Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm


Luminaire: 100 - 240 VAC 3.6W 131lm Weight: Net 1.98 lb - Gross 1.98 lb

Package: $6.3 \times 5.9 \times 3.5$ " – 2 lb Vol – $0.081 \, ft^3$

Product notes: Incorporated press button to switch on or off when opening or

closing the wall lamp. Honeycomb grill to reduce glare.

LED included







Ledtube A

Code Finish

A622-225-17-27K Aluminum

A622-225-18-27K • Bronze

A622-225-35-27K Matte white (RAL 9010)
A622-225-39-27K Matte black (RAL 9005)

Materials Dimmable: No

Structure: Injected aluminum Frontal: Transparent polycarbonate

Product type: Wall

Light source: LED SMD 700mA 2.1W 2700K CRI90 226.5lm

Luminaire: 100 - 240 VAC 4.25W 131lm

Weight: Net 1 lb - Gross 1.23 lb

Package: 8.26 x 4.72 x 3.54" - 0.66 lb Vol - 0.07 ft3

Product notes: Lens at 25° with a honeycomb grill to reduce glare.

Integrated switch LED included







Wire installation: Hardwired



Disk accessory

Code Finish

A622-181-17 • Aluminum

A622-181-39 • Matte black (RAL 9005)

Materials Structure: Metal

Product type: Accessory

Accessory used for installation with the junction box.





Ledtube mini

Code Finish

A622-215-17-27K Aluminum Bronze

A622-215-18-27K A622-215-35-27K

Matte white (RAL 9010) Matte black (RAL 9005)

A622-215-39-27K

Structure: Injected aluminum

Frontal: Transparent polycarbonate

Product type: Wall

Light Source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm

Luminaire: 100 - 277 VAC 3.6W 45lm Weight: Net 0.81 lb - Gross 1.14 lb

Package: 8.26 x 4.72 x 3.54" - 1.14 lb Vol - 0.07 ft3


Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Lens at 25° with a honeycomb grill to reduce glare.

LED included





Dimmable: No



The beauty of the Mercer stems not only from its essential shape, but also from how its materials blend together. The transparent blown glass structure surrounds the

textile shade, which seems to float, conveying a sense of airiness and sophistication.





Mercer M

Code Finish

A89-018 Pleated white cotton > A89-079 Pearl white


Materials

Shade: Textile Structure: Blown glass Diffuser: Opal disc

Integrated dimmer: Yes

Dimmer Type: Progressive in-line dimmer

Product type: Table Light source: E26 TYPE A19 100W Weight: Net 11 lb – Gross 9.9 lb Package: 22 x 14.9 x 15.7" – 9.9 lb Vol – 3.17 ft³ Lamping not included







Cable length: 5 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Mercer

Code Finish

A89-006 Pleated white cotton

A89-078 Pearl white

Materials

Shade: Textile Integrated dimmer: Yes

Structure: Blown glass Dimmer Type: Progressive in-line dimmer


Diffuser: Opal disc

Product type: Table

Light source: E26 TYPE A21 100W Weight: Net 11 lb – Gross 15.4 lb

Package: 26 x 19.2 x 19.2" - 17.6 lb Vol - 5.579 ft³

Lamping not included







Cable length: 5 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Mercer 30

Code Finish

A89-054 Pleated white cotton


A89-082 Pearl white

Materials Shade: Textile Structure: Blown glass

Product type: Pendant Light source: E26 LED TYPE A 11W Weight: Net 6.17 lb – Gross 8.1 lb

Package: $14.9 \times 14.9 \times 17'' - 9.9 \text{ lb Vol} - 2.1 \text{ ft}^3$

Lamping not included





Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: White



Mercer 44

Code Finish


A89-020 Pleated white cotton -A89-083

Pearl white

Materials Shade: Textile Structure: Blown glass

Product type: Pendant

Light source: 2x E26 LED TYPE A 11W Weight: Net 17.2 lb - Gross 22 lb Package: 22 x 22 x 18.9" - 22 lb Vol - 5.29 ft3 Lamping not included



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: White



Mercer A

Code Finish

A89-065 Pleated white cotton A89-084 Pearl white

Materials Shade: Textile Structure: Blown glass Wal bracket: Chromed iron

Product type: Wall Light source: E12 LED candle 5W Weight: Net 3 lb – Gross 4.4 lb Package: 12.6 x 13 x 11" - 3.3 lb Vol - 1.06 ft3

Lamping not included





Mercer C


Code Finish

Pleated white cotton %
Pearl white A89-067

A89-085

Materials Shade: Textile Structure: Blown glass

Product type: Ceiling Light source: 2x E26 LED TYPE A 11W Weight: Net 9.92 lb – Gross 13.22 lb Package: 22.8 x 22.8 x 14.2" - 13 lb Vol - 3.5 ft3 Lamping not included





Wire installation: Hardwired



Spare parts

Code	Product	Finish	Spare part
A89-501	Mercer M	-	Glass
A89-500	Mercer	-	Glass
A89-505	Mercer 30	-	Glass
A89-503	Mercer 44	-	Glass
A89-504	Mercer A	-	Glass
A89-506	Mercer C	-	Glass

The Milana is a sleek, versatile form with an almost imperceptible point of light. The base lamp offers an impeccable downward-directed light, but when a shade

is added, the light escapes upward, illuminating the lamp itself. An additional counterweight version gives the user complete control over the light.







Milana

Code Finish


A699-101 Off-white (RAL 1013) A699-102 ● Black (RAL 9005)

Materials Shade: Aluminum Diffuser: Polycarbonate Dimmable: Yes Integrated dimmer: No

Dimming protocols: Phase cut (ELV)

Product type: Pendant Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm Luminaire: 100 - 120 VAC ELV 11W 340lm Weight: Net 1.14 lb – Gross 1.54 lb Package: $8.8 \times 2.7 \times 1.6$ " – 0.7 lb Vol – 0.02 ft³ 7.8 $\times 4.7 \times 3.1$ " – 0.88 lb Vol – 0.2 ft³

LED included



Cable length: 9.8 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Code Finish

A699-106 Off-white (RAL 1013) A699-107 Black (RAL 9005)

Materials Dimmable: Yes Shade: Aluminum Integrated dimmer: No

Diffuser: Polycarbonate Dimming protocols: Phase cut (ELV)


Product type: Pendant

Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm

Luminaire: 100 - 120 VAC ELV 11W 340lm Weight: Net 1.91 lb - Gross 3.35 lb

Package: $8.8 \times 2.7 \times 1.6" - 0.7$ lb Vol - 0.02 ft³ $14.3 \times 14.3 \times 2.8" - 1.8$ lb Vol - 0.98 ft³ $7.8 \times 4.7 \times 3.1" - 0.88$ lb Vol - 0.2 ft³

LED included





Cable length: 9.8 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Milana 47

Code Finish

A699-111 Off-white (RAL 1013) A699-112 Black (RAL 9005)

Materials Dimmable: Yes Shade: Aluminum Integrated dimmer: No

Diffuser: Polycarbonate Dimming protocols: Phase cut (ELV)


Product type: Pendant

Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm Luminaire: 100 - 120 VAC ELV 11W 340lm

Weight: Net 2.86 lb – Gross 5.07 lb Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³

20.7 x 20.7 x 3.9" – 3.4 lb Vol – 0.98 ft³ 7.8 x 4.7 x 3.1" – 0.88 lb kg Vol – 0.2 ft³

LED included





Cable length: 9.8 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Milana Counterweight

Code

Off-white (RAL 1013) A699-116 A699-117 ● Black (RAL 9005)

Materials Dimmable: Yes Integrated dimmer: No Shade: Aluminum

Diffuser: Polycarbonate Dimming protocols: Phase cut (ELV)

Product type: Pendant


Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm

Luminaire: 100 - 120 VAC ELV 11W 340lm Weight: Net 2.2 lb - Gross 2.86 lb

Package: 4.7 x 4.7 x 2.9" – 1.3 lb Vol – 0.04 ft³ 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³

 $17.8 \times 4.7 \times 3.1$ " -0.88 lb Vol -0.2 ft³

LED included



Cable length: 9.8 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Milana 32 Counterweight

Code Finish

A699-121 Off-white (RAL 1013) A699-122 Black (RAL 9005)

Materials Dimmable: Yes Shade: Aluminum Integrated dimmer: No

Diffuser: Polycarbonate Dimming protocols: Phase cut (ELV)

Product type: Pendant

Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm

Luminaire: 100 - 120 VAC ELV 11W 340Im

Weight: Net 3.52 lb - Gross 5.3 lb


Package: 4.7 x 4.7 x 2.9" - 1.3 lb Vol - 0.04 ft3

8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³

 $14.3 \times 14.3 \times 2.8$ " – 1.8 lb Vol – 0.98 ft^3

 $7.8 \times 4.7 \times 3.1$ " -0.88 lb Vol -0.2 ft³

LED included



Cable length: 9.8 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Milana 47 Counterweight

Code Finish

A699-126 Off-white (RAL 1013) A699-127 Black (RAL 9005)

Materials Dimmable: Yes Shade: Aluminum Integrated dimmer: No

Diffuser: Polycarbonate Dimming protocols: Phase cut (ELV)

Product type: Pendant


Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm

Luminaire: 100 - 120 VAC ELV 11W 340lm Weight: Net 5.07 lb - Gross 7.50 lb

Package: 4.7 x 4.7 x 2.9" – 1.3 lb Vol – 0.04 ft³ 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³ 20.7 x 20.7 x 3.9" – 3.4 lb Vol – 0.98 ft³

 $7.8 \times 4.7 \times 3.1$ " -0.88 lb Vol -0.2 ft³

LED included



Cable length: 9.8 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Spare parts

Code	Product	Finish	Spare part
A699-025	Milana 32	White	Shade
A699-024	Milana 32	Black	Shade
A699-029	Milana 47	White	Shade
A699-028	Milana 47	Black	Shade



The wooden sphere of the N. Ocho's lampshade is handcrafted, giving each fixture a human touch. Its smooth texture has the quality and feel of a billiard ball, while its flexible arm, covered in braided fabric, is a mainstay that improves its look without

sacrificing its efficacy. The N. Ocho was designed to be placed at the head of a bed and add comfort to the bedroom, a place dedicated to restfulness, where a good book is always healthier than a sleeping pill.





N. Ocho

Code Finish
A670-003 ● Oak ﴾
A670-004 ● Wenge

Materials Dimmable: No Plate: Metal

Arm: Metal covered in braided fabric Diffuser: Wood

Product type: Wall Light Source: LED SMD 700mA 2.1W 2700K CRI80 226,5lm Luminaire: 120 - 277 VAC 3.5W Weight: Net 1.36 lb – Gross 2.2 lb Package: 27.2 x 6.7 x 4" – 2.2 lb Vol – 0.35 ft³ LED included



Wire installation: Hardwired Switch location: Canopy Canopy color: Black



A good design is one that endures. So it is with Plaff-on!, a lamp that has been illuminating walls and ceilings for almost ten years. Its hand-blown white glass diffuser appears to float, detaching from the ceiling and the circumference that

surrounds it, and its light filters upward to create a luminous halo. Indoors, outdoors, with or without signage, the Plaff-on! now offers multiple options in one lamp that can now conquer the outdoors as well, now with a new finishing in rust brown.






Plaff-on! 16 IP65 NEW FINISH

Code Finish Dimming A628-051 Black ELV A628-079-31-27K Rust Brown ELV 0-10V A628-069 Black A628-080-31-27K Rust Brown 0-10V A628-081-39-27K Black AC LED on/off AC LED on/off A628-081-31-27K Rust Brown

Materials Structure: Aluminum Shade: Opal blown glass Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV) 0-10V (120-277V)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 225lm
120-277 VAC 0-10V 8.7W 225lm
100-240 VAC AC LED on/off 8.7W 225lm

Weight: Net 1.76 lb – Gross 2.65 lb Package: $8.6 \times 8.6 \times 6.7$ " – 2.6 lb Vol – 0.28 ft 3 LED included



Dimmable

ADA

Suitable for wet locations





 Code
 Description

 1 - 3 units

 4 - 10 units

 11 - 25 units

 26 or more units

Product type: Accessory Product Notes: Minimum order of 3pcs. Available upon request.





Plaff-on! 33 LED IP54

CodeFinishCCTA628-062● Black27K

Materials Dimmable: Yes

Structure: Aluminum Integrated dimmer: No

Shade: Opal blown glass Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling Light source: LED SMD 700mA 23W 2700K CRI90 2654lm Luminaire: Only 120 VAC ELV 28W 1941lm

120 - 277 VAC 0-10V 28W 1941lm

For 3CCT

Light source: LED SMD 700mA 23W 2700-4000K CRI90 2654lm


Luminaire: Only 120 VAC ELV 28W 1941lm

120 - 277 VAC 0-10V 28W 1941lm

Weight: Net 8.8 lb - Gross 9.9 lb

Package: 15.7 x 15.7 x 8.3" – 9.9 lb Vol – 1.05 ft³

LED included





Suitable for damp locations



Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.




Code Finish

Materials

Structure: Aluminum Shade: Opal blown glass

Product type: Wall / Ceiling Light source: 2x E26 LED TYPE A 11W Weight: Net 9 lb – Gross 9.9 lb Package: 15.7 x 15.7 x 8.3" – 9.9 lb Vol – 1.05 ft³

Lamping not included





Wire installation: Hardwired



Plaff-on! 50 LED IP54

Code Finish CCT A628-063 ● Black 27K

A628-063-31-3CCT ● Rust Brown 27K - 30K - 40K

Materials Dimmable: Yes
Structure: Aluminum Integrated dimmer: No

Shade: Opal blown glass Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling

Light source: LED SMD 700mA 29W 2700K CRI90 3318lm

Luminaire: Only 120 VAC ELV 36W 2172lm 120 - 277 VAC 0-10V 36W 2172lm

For 3CCT


Light source: LED SMD 700mA 29W 2700~4000K CRI90 3318lm

Luminaire: Only 120 VAC ELV 36W 2172lm 120 - 277 VAC 0-10V 36W 2172lm

Weight: Net 15.87 lb - Gross 18.7 lb

Package: 23.6 x 23.6 x 9.8" - 18.7 lb Vol - 3.18 ft3

LED included





Suitable for damp locations





The 3-CCT model has an integrated switch to select the desired color temperature during the installation.




Code A628-060

Finish ● Black »⊳ A628-060-31 Rust Brown

Materials

Structure: Aluminum Shade: Opal blown glass

Product type: Wall / Ceiling Light source: 4x E26 LED TYPE A 11W Weight: Net 14.55 lb - Gross 18.7 lb Package: 23.6 x 23.6 x 9.8" - 18.7 lb Vol - 3.18 ft3 Lamping not included



Wire installation: Hardwired



Plaff-on! A IP65 NEW FINISH

Code Finish Dimming A628-161 Black ELV A628-082-31-27K Rust Brown ELV A628-084-39-27K Black 0-10V A628-084-31-27K Rust Brown 0-10V AC LED on/off A628-083-39-27K ● Black A628-083-31-27K Rust Brown AC LED on/off

Materials Structure: Aluminum Shade: Opal blown glass Dimmable: Yes Integrated dimmer: No

Dimming protocols: Phase cut (ELV)

Product type: Wall

Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm


Luminaire: 120 VAC ELV 8.7W 225lm 120-277 VAC 0-10V 8.7W 225lm

100-240 VAC AC LED on/off 8.7W 225lm

Weight: Net 1.76 lb - Gross 2.64 lb

Package: 8.7 x 8.7 x 6.5 " - 2.64 lb Vol - 0.28 ft³

LED included



Dimmable

Suitable for wet locations







Code Finish
A628-089-31-27K • Rust Brown
A628-089-39-27K • Black-White

Materials

Shade: Opal blown glass Dimming protocols: Phase cut (ELV)

Product type: Pendant

Structure: Aluminium

Light source: LED COB 120 VAC 8W 2700K CRI90 571lm

Luminaire: 120 VAC ELV 8,47W 225lm Weight: Net 2.9 lb – Gross 4.2 lb

Package: 8.6 x 8.6 x 9.8 " - 4.2 lb Vol - 0.4 ft³

LED included






Suitable for wet locations

Dimmable: Yes

Integrated dimmer: No



Wire installation: Hardwired



Garland accessory (NEW)

Code Finish A628-074 Stainless steel

Product type: Accessory

C€

EAC

CK









Plaff-on! S 16 IP65 with canopy







Suitable for wet locations



Product type: Pendant Wire installation: Hardwired Light source: LED COB 120 VAC 8W 2700K CRI90 571lm

Luminaire: 120 VAC ELV 8,47W 225lm Weight: Net 2.9 lb – Gross 4.2 lb

Package: 8.6 x 8.6 x 9.8 " – 4.2 lb Vol – 0.4 ft³

LED included



Plaff-on! B IP65 NEW FINISH

Code Finish A628-164 Black

A628-085-31-27K • Rust Brown

Structure: Aluminum Shade: Opal blown glass Dimmable: Yes Integrated dimmer: No

Dimming protocols: Phase cut (ELV)

Product type: Wall


Materials

Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm

Luminaire: 120 VAC ELV 8.7W 225lm Weight: Net 4 lb - Gross 7.5 lb

Package: 9.25 x 32.7 x 13.2 " -7.5 lb Vol - 2.47 ft³

LED included



Suitable for wet locations

Wire installation: Hardwired

Ground fixation plate

Code

Finish

A628-071

Stainless steel

Materials

Structure: Stainless steel 316L

Product type: Accessory for Plaff-on! B IP65 Weight: Net 0.45 lb - Gross 1.85 lb

Package: 10.2 x 10.2 x 7.9" - 1.85 lb - Vol - 4.6 ft3







Spare parts

Code Product Finish Spare part R628-002 Plaff-on! 16 IP65 Glass R628-010 Plaff-on! 33 IP54 Glass R628-011 Plaff-on! 50 IP54 Glass

The idea behind the Pleat Box is a sophisticated combination between a digitally designed crease in a piece of cloth and a silhouette that is applied to a ceramic base. The alchemy of the craft process leaves unpredictable traces, small marks in the

metal glaze, tiny cracks in the polish... little flaws that mark the unique personality of every lamp.






Pleat Box 13

Code Finish A636-408-3535 White - White A636-408-3549 White - Gold Grey - White A636-408-3835 A636-408-4135 Terracotta - White A636-408-3949 Black - Gold Ocher - White A636-408-4235 A636-408-4535 Dark Green - White A636-408-4549 Dark Green - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold Canopy: Ceramic

Product type: Pendant Light source: E26 LED TYPE A 11W Weight: Net 3.1 lb – Gross 4.4 lb Package: 9.4 x 9.4 x 20.8" – 4.4 lb Vol – 1.06 ft³ Lamping not included



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: Same color as chosen shade



Code Finish A636-409-3535-27K White - White A636-409-3549-27K White - Gold A636-409-3835-27K Grey - White A636-409-4135-27K Terracotta - White A636-409-3949-27K Black - Gold A636-409-4235-27K Ocher - White Dark Green - White A636-409-4535-27K A636-409-4549-27K Dark Green - Gold

Materials

Dimmable: No

Shade: Ceramic with the inner part in brilliant white enamel or gold Canopy: Ceramic


Cord: Fabric

Product type: Pendant

Light Source: LED SMD 350mA 4.05W 2700K CRI90 463Im Luminaire: 90 - 264 VAC 6W 165lm Weight: Net 3.63 lb - Gross 5 lb

Package: 9.4 x 9.4 x 20.8" - 5 lb Vol - 1.06 ft3

LED included





Cable length: 6.6 ft Wire installation: Hardwired

Cord color: Black fabric electrical cord Canopy color: Same color as chosen shade



Pleat Box 24

Code Finish A636-410-3535 White - White A636-410-3549 White - Gold A636-410-3835 Grey - White A636-410-4135 Terracotta - White A636-410-3949 Black - Gold A636-410-4235 Ocher - White A636-410-4535 Dark Green - White A636-410-4549 Dark Green - Gold


Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold Canopy: Ceramic Cord: Fabric

Product type: Pendant Light source: E26 LED TYPE A 11W Weight: Net 4.2 lb- Gross 5.5 lb


Package: 14.2 x 14.2 x 11.8" - 5.5 lb Vol - 1.412 ft3

Lamping not included





Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: Same color as chosen shade



Pleat Box 24 LED

Code A636-411-3535-27K A636-411-3549-27K A636-411-3835-27K A636-411-4135-27K A636-411-3949-27K A636-411-4235-27K A636-411-4535-27K

A636-411-4549-27K

Finish

White - White 冷White - Gold 冷

Grey - White

Terracotta - White

Black - Gold

Ocher - WhiteDark Green - White

Dark Green - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold

Canopy: Ceramic Cord: Fabric Dimmable: Yes Integrated dimmer: No

Dimming protocols: Phase cut (ELV)

Cord: Fabric

Product type: Pendant


Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm

Luminaire: 100 - 120 VAC ELV 14W 113Im

Weight: Net 4.2 lb- Gross 5.5 lb

Package: 14.2 x 14.2 x 11.8" – 5.5 lb Vol – 1.412 ft³

LED included





Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black fabric electrical cord Canopy color: Same color as chosen shade



Pleat Box 36

Code A636-412

A636-412-3535 A636-412-3549

A636-412-3835 A636-412-4135 A636-412-3949

A636-412-3949 A636-412-4235 A636-412-4535 A636-412-4549 Finish
White - White

White - Gold
Grey - White

Terracotta - WhiteBlack - GoldOcher - White

Dark Green - WhiteDark Green - Gold

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold Canopy: Ceramic

Product type: Pendant

Light source: E12 LED TYPE G16.5 5W Weight: Net 5.7 lb – Gross 9.5 lb

Package: $19.3 \times 19.3 \times 11.4$ " -9.5 lb Vol -2.47 ft³

Lamping not included





Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black

Canopy color: Same color as chosen shade



Pleat Box 36 LED

Code

A636-413-3535-27K A636-413-3549-27K A636-413-3835-27K A636-413-4135-27K A636-413-3949-27K A636-413-4235-27K A636-413-4535-27K A636-413-4549-27K Finish White - White &>

- White - Gold →

Grey - White Terracotta - White

Black - Gold

Ocher - White Dark Green - White Dark Green - Gold

Dimmable: Yes

Materials Shade: Ceramic with the inner part

Integrated dimmer: No in brilliant white enamel or gold Dimming protocols: Phase cut (ELV)

Canopy: Ceramic Cord: Fabric

Product type: Pendant


Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm

Luminaire: 100 - 120 VAC ELV 14W 233Im

Weight: Net 7 lb - Gross 9.5 lb

Package: 19.3 x 19.3 x 11.4" - 9.5 lb Vol - 2.47 ft3

LED included





Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black fabric electrical cord

Canopy color: Same color as chosen shade



Pleat Box 47

Code A636-414-3535 A636-414-3549 A636-414-3835 A636-414-4135 A636-414-3949 A636-414-4235 A636-414-4535

A636-414-4549

Finish

White - White White - Gold Grey - White Terracotta - White Black - Gold Ocher - White

Dark Green - White

Dark Green - Gold

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold Canopy: Ceramic

Product type: Pendant

Light source: E26 LED TYPE A 11W Weight: Net 10.2 lb - Gross 13.2 lb

Package: 22.4 x 22.4 x 14.2" - 13.2 lb Vol - 3.5 ft3

Lamping not included





Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black


Canopy color: Same color as chosen shade



Code Finish A636-415-3535-27K White - White A636-415-3549-27K White - Gold A636-415-3835-27K Grey - White A636-415-4135-27K Terracotta - White A636-415-3949-27K Black - Gold A636-415-4235-27K Ocher - White A636-415-4535-27K Dark Green - White A636-415-4549-27K Dark Green - Gold

Materials Shade: Ceramic with the inner part in brilliant white enamel or gold Canopy: Ceramic Cord: Fabric Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV)

Product type: Pendant Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm Luminaire: 90 - 135 VAC ELV 21W 625lm Weight: Net 10.2 lb – Gross 13.2 lb Package: 22.4 x 22.4 x 14.2" – 13.2 lb Vol – 3.5 ft³ LED included







Spare parts

Code	Product	Finish	Spare part
R636-027	Pleat Box 13	White - White	Shade
R636-026	Pleat Box 13	White - Gold	Shade
R636-028	Pleat Box 13	Grey - White	Shade
R636-030	Pleat Box 13	Terracotta - White	Shade
R636-034	Pleat Box 13	Black - Gold	Shade
R636-123	Pleat Box 13	Ocher - White	Shade
R636-124	Pleat Box 13	Dark Green - White	Shade
R636-125	Pleat Box 13	Dark Green - Gold	Shade
R636-017	Pleat Box 24	White - White	Shade
R636-016	Pleat Box 24	White - Gold	Shade
R636-018	Pleat Box 24	Grey - White	Shade
R636-019	Pleat Box 24	Terracotta - White	Shade
R636-022	Pleat Box 24	Black - Gold	Shade
R636-126	Pleat Box 24	Ocher - White	Shade
R636-127	Pleat Box 24	Dark Green - White	Shade
R636-128	Pleat Box 24	Dark Green - Gold	Shade
R636-041	Pleat Box 36	White - White	Shade
R636-046	Pleat Box 36	White - Gold	Shade
R636-042	Pleat Box 36	Grey - White	Shade
R636-043	Pleat Box 36	Terracotta - White	Shade
R636-049	Pleat Box 36	Black - Gold	Shade
R636-129	Pleat Box 36	Ocher - White	Shade
R636-130	Pleat Box 36	Dark Green - White	Shade
R636-131	Pleat Box 36	Dark Green - Gold	Shade
R636-014	Pleat Box 47	White - White	Shade
R636-055	Pleat Box 47	White - Gold	Shade
R636-051	Pleat Box 47	Grey - White	Shade
R636-052	Pleat Box 47	Terracotta - White	Shade
R636-058	Pleat Box 47	Black - Gold	Shade
R636-132	Pleat Box 47	Ocher - White	Shade
R636-133	Pleat Box 47	Dark Green - White	Shade
R636-134	Pleat Box 47	Dark Green - Gold	Shade

The fluidity of its movements and its integrated LED technology make the Polo a light source with a great precision and versatility.

The Polo comes with a diffuser made from injected aluminum and a rotary switch located at the top of the shade.





Polo

Code A642-011 Finish

Black (RAL 9005)

Materials Diffuser: Aluminum Dimmable: No

Diffuser: Aluminum Body: Aluminum

Product type: Table

Light Source: LED SMD 350mA 6.3W 3000K CRI80 532.4lm

Luminaire: 100 - 240 VAC 9W 441lm


Weight: Net 1.55 lb - Gross 4 lb

Package: 20.8 x 14 x 4.3" – 4.4 lb Vol – 0.67 ft³

Product notes: Reflector with 80° degree aperture.

Must be combined with base or floor base.

LED included



Cable length: 7.25 ft Wire installation: Plug-in Cord color: Black Switch location: Built-in the shade



Base

Code

Finish

A642-003 Black (RAL 9005)

Materials

Base: Metal with a polycarbonate

cover

Product type: Accessory Weight: Net 8.6 lb – Gross 4.4 lb

Package: 9.4 x 9.4 x 4.7" - 4.4 lb - Vol - 0.24 ft³







Floor base

Code A642-020 Finish

Black (RAL 9005)

Materials


Structure: Aluminum

Product type: Accessory

Weight: Net 11.90 lb – Gross 15.4 lb Package: 13.4 x 13.4 x 1.18" - 13.2 lb – Vol - 0.11 ft³ Ø1.57 x 26" - 2.2 lb – Vol - 0.01 ft³



c(UL)us





The Roc is a compact indoor and outdoor wall lamp with a pressed glass diffuser. Its undulating shade blurs and softens the light, creating a unique ambiance.

Roc tempts the senses. It looks like a bright block of ice, and its irregular, almost organic texture beckons to be touched.





Roc IP65

Code A701-051-39-27K A701-052-39-27K

A701-053-39-27K

Black
Black
Black
Black
AC LED on/off

Materials Structure: Aluminum Shade: Pressed glass

Dimmable: Yes Integrated dimmer: No Dimming protocols: Phase cut (ELV)

0-10V (120-277V)

Dimming

Product type: Wall

Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm

Luminaire: 120 VAC ELV 8.7W 250lm

120-277 VAC 0-10V 8.7W 250lm


Finish

100-240 VAC AC LED on/off 8.7W 250lm

Weight: Net 3.1 lb - Gross 3.7 lb

Package: 8.3 x 13.4 x 3.1 " - 4.2 lb Vol - 0.18 ft3

LED included



Dimmable



Suitable for wet locations







Inspired by the lanterns found on fishing boats, this collection of outdoor customizable lamps allows you to create multiple compositions. Users can choose

how many shades to place on the diffuser, along with their order, position and direction. This interplay of combinations yields a rich array of direct or reflected light.







Santorini

 Code
 Finish

 A654-011
 White (RAL 9003)

 A654-012
 ● Grey (RAL 7039)

 A654-013
 ● Mustard (RAL 1032)


Materials

Structure: Polycarbonate Shade: Blown pressed glass

Product type: Pendant Light source: E26 TYPE A19 8W Weight: Net 3.1 lb – Gross 4.9 lb

Package: 16.1 x 10.2 x 9.4" – 4.9 lb Vol – 0.81 ft³

Lamping not included



Suitable for wet locations

c (UL) us

Cable length: 15 ft Wire installation: Plug-in Cord color: Black



Santorini A Fixed Stem

Code Finish

A654-030 White (RAL 9003)
A654-031 Grey (RAL 7039)
A654-032 Mustard (RAL 1032) %

Materials

Structure: Polycarbonate Shade: Blown pressed glass Support: Stainless anti-oxidant cataphoresis treatment

Product type: Wall Light source: E26 LED TYPE A19 8W Weight: Net 3.3 lb – Gross 5.3 lb Package: 20.8 x 13 x 9.4" – 5.3 lb Vol – 1.48 ft³ Lamping not included



Suitable for wet locations



Wire installation: Hardwired



Santorini C


Code Finish

A654-033 White (RAL 9003)
A654-034 Grey (RAL 7039)
A654-035 Mustard (RAL 1032)

Materials

Structure: Polycarbonate Shade: Blown pressed glass Support: Stainless anti-oxidant cataphoresis treatment

Product type: Ceiling Light source: E26 LED TYPE A19 8W Weight: Net 3.1 lb – Gross 5.3 lb Package: 20.8 x 13 x 9.4" – 5.3 lb Vol – 1.48 ft³ Lamping not included



Suitable for wet locations



Wire installation: Hardwired



Garland accessory

Code Finish A654-045 Grey

Product type: Accessory







Wall bracket

Code Finish

A654-005 Graphite grey (RAL 7024)

Materials

Structure: Metal with stainless anti-oxidant

cataphoresis treatment

Product type: Accessory Weight: Net 0.67 lb – Gross 1.1 lb

Package: 5.5 x 5.5 x 11.22" - 1.1 lb - Vol - 0.2 ft³





146

Santorini with Canopy IP65

Code Finish

A654-039 White (RAL 9003)
A654-040 Grey (RAL 7039)
A654-041 Mustard (RAL 1032)


Materials

Structure: Polycarbonate Shade: Blown pressed glass

Product type: Pendant Light source: E26 TYPE A19 8W Weight: Net 3.1 lb – Gross 4.9 lb

Package: 20.47 x 12.99 x 9.84"- 4.41 lb Vol - 1.48ft³ 6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³

Lamping not included



Suitable for wet locations



Cable length: 14.76 ft Wire installation: Hardwired Cord color: Black



Code Finish


Materials

Structure: Metallic structure with stainless anti-oxidant cataphoresis

treatment

 $\label{eq:product_type: Accessory} $$ Weight: Net 14.8 lb - Gross 17.2 lb $$ Package: 9.8 \times 2 \times 70.5" - 4.4 lb - Vol - 0.77 ft^3 $$ 14.5 \times 14.5 \times 2" - 9.9 lb - Vol - 0.21 ft^3 $$$







Santorini Indoor

Code Finish


A654-054 Light green (PANTONE 5517U)

A654-055 Sand (RAL 1001)
A654-056 Off-white (RAL 1013)

Materials

Structure: Polycarbonate Shade: Blown pressed glass

Product type: Pendant
Light source: E26 LED TYPE A19 8W
Weight: Net 2.9 lb – Gross 4.4 lb
Package: 20.47 x 12.99 x 9.84"- 4.41 lb Vol - 1.48ft³
6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³
Lamping not included





Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black fabric electrical cord Canopy color: Black



Spare parts

Code	Product	Finish	Spare part
R654-001	Santorini Outdoor	-	Glass
R654-005	Santorini Outdoor	White	Big Shade
R654-006	Santorini Outdoor	Grey	Big Shade
R654-007	Santorini Outdoor	Mustard	Big Shade
R654-010	Santorini Outdoor	White	Small Shade
R654-011	Santorini Outdoor	Grey	Small Shade
R654-012	Santorini Outdoor	Mustard	Small Shade
R654-009	Santorini Outdoor	White	Cylindrical Shade

Wood and metal combine in a design that utilizes the beauty and simplicity of basic geometric shapes. The Scantling is based on a highly functional and flexible system, in which all the movements of the fully rotational shade use ball joints and arms to

create a versatile, easy-to-move light. In addition, its technical precision requires no exposed springs or counterweights to stay in the specified position.





Scantling P73

Code Finish

A626-009 White (RAL 9001)


Materials Stem: Iron Base: Iron Arm: Oak Shade: Aluminum

Product type: Floor Light source: E26 LED TYPE A 11W Weight: Net 16.5 lb – Gross 23.5 lb

Package: 18.1 x 57.7 x 6.7" – 12.2 lb Vol – 4.04 ft³

11.8 x 11.8 x 8.6" – 12.2 lb Vol – 0.69 ft³

Lamping not included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black fabric electrical cord Switch location: Shade



Code

Finish

A626-015 ■ White (RAL 9001) ﴾

Materials Structure: Iron Arm: Oak Shade: Aluminum

Product type: Wall Light source: E26 LED TYPE A 11W Weight: Net 1.76 lb – Gross 3.1 lb Package: 13.8 x 11.8 x 7" – 3.1 lb Vol – 0.7 ft³

Lamping not included





Wire installation: Hardwired Switch location: Canopy



Ingenious, minimal and decisive, this is the Sips portable lamp. An understated, timeless design with a very clear purpose: to create a distinctive, intimate lighted space, even outdoors.

With a small opaque shade, the Sips illuminates the table directly but without dazzling or overpowering the space.





Sips

A721-001-3534-27K White - Silver (RAL 9001 - RAL 9006) A721-001-4749-27K Ohocolate - Gold (RAL 8017 - RAL 1036)

Materials Diffuser: Polycarbonate Base: Polycarbonate Stem: Steel


Dimmable: Yes Integrated dimmer: Yes Dimmer Type: 3 positions dimmer

Product type: Table / Portable Light source: LED SMD 2,2W 1,5 A 2700K CRI90 327lm Luminaire: in 5 Vdc 1,5A Weight: Net 0.75 lb – Gross 1.3 lb Package: 14.5 x 5.3 x 4.7 " – 1.3 lb Vol – 0.2 ft³

Product notes: Multiple order of 6 units

Charging cable included (USB to USB-C). Power adapter not included.

LED included



Switch location: Body Charging time 10 h

Battery life time: 5 hours in peak power 10 hours in half power 20 hours in a quarter power





The striking, industrial shapes in the Soho collection are reminiscent of the lamps that were traditionally used in markets and taverns, but they contrast through the use of thoroughly contemporary materials and textures.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.





Soho 38 LED

Code

A631-235 A631-236 WhiteStone greyBlack

Finish

Materials

A631-237

Shade: Rotary moulded polyethylene Diffuser: Methacrylate opal Dimmable: Yes Integrated dimmer: No

Dimming protocols: Phase cut (ELV)

Product type: Pendant


Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm

Luminaire: 100 - 120 VAC ELV 16W 1051lm

Weight: Net 5.5 lb - Gross 7.71 lb

Package: 17.3 x 17.7 x 9.4" - 7.71 lb Vol - 1.76 ft³

LED included



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: White Dimmable

Suitable for damp locations





Soho 57 LED

 Code
 Finish

 A631-356
 White

 A631-357
 ● Stone grey

 A631-358
 ● Black

Materials Shade: Rotary moulded polyethylene Diffuser: Methacrylate opal

Integrated dimmer: No

Dimmable: Yes

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 28W 2700K CRI80 1848lm


Luminaire: Only 120 VAC ELV 36W 1051lm

120 - 277 VAC 0-10V 36W 1051lm

Weight: Net 15.4 lb - Gross 18.7 lb

Package: $23.6 \times 23.6 \times 14.2$ " – 18.7 lb Vol – 4.7 ft^3 Product notes: 3000K available upon request

LED included





Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: White

Soho 112 LED

 Code
 Finish

 A631-371
 White ₾

 A631-372
 Stone grey ₾

 A631-373
 Black ₾

Materials

Shade: Rotary moulded polyethylene Diffuser: Methacrylate opal Dimming

Dimmable: Yes Integrated dimmer: No Dimming protocols: 0-10V


Product type: Pendant

Light Source: LED SMD 700mA 79.2W 2700K CRI90 1848lm

Luminaire: 120 - 277 VAC 0-10V 95W 1051lm Weight: Net 60.84 lb - Gross 68.3 lb

Package: 45.2 x 45.2 x 28.3" – 68.3 lb Vol – 33.62 ft³ Product notes: 3000K available upon request

LED included



Suitable for damp locations

Cable length: 9.8 ft Wire installation: Hardwired Cord color: Black Canopy color: White



Soho 38 IP44 LED

 Code
 Finish

 A631-245
 White

 A631-246
 ● Stone grey

 A631-247
 ● Black

Materials Shade: Rotary moulded polyethylene Diffuser: Methacrylate opal Dimmable: Yes Integrated dimmer: No

Dimming protocols: Phase cut (ELV)


Product type: Pendant

Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm

Luminaire: 100 - 120 VAC ELV 16W 1051lm Weight: Net 5.95 lb - Gross 7.71 lb

Package: 17.7 x 17.3 x 9.84" – 7.71 lb Vol – 1.76 ft³

LED included



Dimmable

Suitable for wet locations



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: White



Soho 57 IP44 LED

 Code
 Finish

 A631-362
 White

 A631-363
 Stone grey

 A631-364
 ■ Black

Materials Shade: Rotary moulded polyethylene

Shade: Rotary moulded polyethylene Diffuser: Methacrylate opal

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V


Product type: Pendant

Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm

Luminaire: Only 120 VAC ELV 36W 2086lm 120 - 277 VAC 0-10V 36W 2086lm Weight: Net 15.4 lb – Gross 18.9 lb

Package: 23.6 x 24 x 14.2" – 18.9 lb Vol – 4.6 ft³ Product notes: 3000K available upon request

LED included



Dimmable

Suitable for wet locations



Cable length: 6.6 ft Wire installation: Hardwired Cord color: Black Canopy color: White



Soho 112 IP44 LED

Code Finish A631-377 ● White 😷 A631-378 Stone grey A631-379

Materials Dimmable: Yes Shade: Rotary moulded polyethylene Integrated dimmer: No Diffuser: Methacrylate opal Dimming protocols: 0-10V

Product type: Pendant

Light Source: LED SMD 350mA 79.2W 2700K CRI90 15648lm

Luminaire: 120 - 277 VAC 0-10V 95W 8085lm

Weight: Net 60.9 lb - Gross 68.3 lb

Package: $45.2 \times 45.2 \times 28.3$ " – 68.3 lb Vol – 33.62 ft³

Product notes: 3000K available upon request

LED included



(Dimmable)

Suitable for wet locations



Cable length: 9.8 ft Wire installation: Hardwired Cord color: Black Canopy color: White

Soho A LED

Code Finish A631-365 White Stone grey A631-366 A631-367 Black

Materials

Shade: Rotary moulded polyethylene Diffuser: Methacrylate opal

Structure: Metal with stainless anti-

oxidant cataphoresis

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Wall

Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm Luminaire: Only 120V VAC ELV 36W 2086lm


120 - 277V VAC 0-10V 36W 2086lm

Weight: Net 17.2 lb - Gross 21.4 lb

Package: 23.62 x 24 x 14.2" - 21.4 lb Vol - 4.6 ft³

Product notes: 3000K available upon request

LED included





Suitable for wet locations



Wire installation: Hardwired Canopy color: Black



Soho C Fixed Stem LED

Code Finish A631-368 White A631-369 Stone grey A631-370 Black

Materials Shade: Rotary moulded polyethylene

Diffuser: Methacrylate opal

Structure: Metal with stainless antioxidant cataphoresis

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm Luminaire: Only 120 VAC ELV 36W 2086lm

120 - 277 VAC 0-10V 36W 2086lm Weight: Net 16.8 lb - Gross 17.6 lb

Package: $23.62 \times 23.62 \times 14.56$ " – 17.6 lb Vol – 4.6 ft^3

Product notes: 3000K available upon request

LED included



Dimmable

Suitable for wet locations



Wire installation: Hardwired Canopy color: Black



Soho 38 P LED

Code Finish A631-255 White A631-256 Stone grey A631-257 Black

Materials

Shade: Rotary moulded polyethylene Diffuser: Methacrylate opal

Structure: Metal with stainless anti-

Dimmable: Yes Integrated dimmer: No

Dimming protocols: Phase cut (ELV)

oxidant cataphoresis


Product type: Floor

Light Source: LED SMD 700mA 8.1W 2700K CRI90 913lm

Luminaire: 120 VAC ELV 14W Weight: Net 26 lb - Gross 32 lb

Package: 17.32 x 17.32 x 9.84" - 6.61 lb Vol - 1.76 ft3 18.1 x 18.1 x 1.18" – 19.84 lb Vol – 0.21 ft³ $69.29 \times 11.8 \times 2.56$ " - $6.6 \text{ lb Vol} - 1.05 \text{ ft}^3$

LED included



Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black





The Tam Tam is a festive and versatile collection that offers several options to add color and originality to all types of interior design projects. The idea is to be able to aim the light in any direction, making this fixture perfect for long or narrow spaces.

This year, the collection is updated with new colors and a semi-matt finish on all models.





Tam Tam 3 (NEW FINISH)

Code

Central shade A633-176 39 A633-176 35

A633-176 35 A633-176 48 A633-176 43

Satellite shade A633-177 39

A633-177 35 A633-177 37

A633-177 38 A633-177 42

A633-177 46 A633-177 47

Finish

- Black semi-matt (RAL 9011) 🖒
- Off-White semi-matt (RAL 1013)
- Blue grey semi-matt (RAL 7031)
- Khaki semi-matt (RAL 7008)
- Black semi-matt (RAL 9011) 🖒
- Off-white semi-matt (RAL 1013)
- Sand semi-matt (RAL 7032)
- Silver Grey semi-matt (RAL 7001)
- Olive Yellow semi-matt (RAL 1020)
- Orange semi-matt (RAL 2000)
- Brown Grey semi-matt (RAL 7013)

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate


Product type: Pendant

Light source: 9x E26 LED TYPE A 11W

Weight: Net 10.4 lb - Gross 18 lb

Package: $22.4 \times 22.4 \times 15.3$ " – 13.2 Vol – 4.485 ft^3 (3x) $16.5 \times 16.5 \times 10.6$ " – 4.8 lb Vol – 1.76 ft^3

Product notes: Combine 1 central shade and 3 satellite shades. Lamping not included





Cable length: 11.5 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Code Central shade A633-178 39

● Black semi-matt (RAL 9011) 🖒

A633-178 35 Off-White semi-matt (RAL 1013) Blue grey semi-matt (RAL 7031)

Finish

A633-178 48 A633-178 43

● Khaki semi-matt (RAL 7008)

Satellite shade A633-177 39 A633-177 35 A633-177 37

A633-177 38

A633-177 42

A633-177 46

A633-177 47

● Black semi-matt (RAL 9011) 🖒 Off-white semi-matt (RAL 1013)

Sand semi-matt (RAL 7032)

Silver Grey semi-matt (RAL 7001)

Olive Yellow semi-matt (RAL 1020) Orange semi-matt (RAL 2000)

Brown Grey semi-matt (RAL 7013)

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate


Product type: Pendant

Light source: 13x E26 LED TYPE A 11W Weight: Net 9.7 lb - Gross 18.07 lb

Package: 22.4 x 22.4 x 15.3" - 13.2 lb Vol - 4.48 ft3 (5x) 16.5 x 16.5 x 10.6" - 4.8 lb Vol - 1.76 ft3

Product notes: Combine 1 central shade and 5 satellite shades.

Lamping not included



Cable length: 11.5 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Tam Tam Mini NEW FINISH

Code Central shade

A633-17939 A633-179 35 A633-179 48

● Black semi-matt (RAL 9011) 肾

Off-White semi-matt (RAL 1013) Blue grey semi-matt (RAL 7031)

A633-179 43

Khaki semi-matt (RAL 7008)

Satellite shade A633-130 39 A633-130 35

● Black semi-matt (RAL 9011) 龄 Off-white semi-matt (RAL 1013) \$

A633-130 37 Sand semi-matt (RAL 7032) A633-130 38

● Silver Grey semi-matt (RAL 7001) ♭ Olive Yellow semi-matt (RAL 1020) 粉

A633-130 42 A633-130 46 A633-130 47

Orange semi-matt (RAL 2000) 場 ● Brown Grey semi-matt (RAL 7013) 龄

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant


Light source: 5x E26 LED TYPE A 11W Weight: Net 6 lb - Gross 9 lb

Package: 17.3 x 17.3 x 11" – 7.5 lb Vol – 1.9 ft³

(3x) $9.4 \times 9.4 \times 6.7$ " - $2.2 \text{ lb Vol} - 0.317 \text{ ft}^3$


Product notes: Combine 1 central shade and 3 satellite shades.

Lamping not included





Cable length: 8 ft Wire installation: Hardwired Cord color: Black Canopy color: Black





Tam Tam 4 (NEW FINISH)


Code Finish Structure A633-180 39 ● Black semi-matt (RAL 9011) 🖒 Shades A633-130 39 ● Black semi-matt (RAL 9011) 龄 A633-130 35 Off-white semi-matt (RAL 1013) A633-130 37 ● Sand semi-matt (RAL 7032) 紛 A633-130 38 Silver Grey semi-matt (RAL 7001) В Olive Yellow semi-matt (RAL 1020) 粉 A633-130 42 A633-130 46 Orange semi-matt (RAL 2000) A633-130 47 ● Brown Grey semi-matt (RAL 7013) ﴾

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate


Product type: Pendant Light source: 4x E26 LED TYPE A 11W Weight: Net 5.3 lb – Gross 11.24 lb Package: 65.7 x 7 x 7" – 9.7 lb Vol – 1.9 ft³ (4x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³ Product notes: Combine structure with 4 satellite shades. Lamping not included












Materials Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant Light source: 6x E26 LED TYPE A 11W Weight: Net 6.6 lb – Gross 14.10 lb Package: 65.7 x 7 x 7"–9.7 lb Vol – 1.9 ft³ (6x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³ Product notes: Combine structure with 6 satellite shades. Lamping not included





Cable length: 9.8 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Code Finish Stem A633-18239 ● Black semi-matt (RAL 9011) Shade A633-13039 ● Black semi-matt (RAL 9011) 🖒 A633-130 35 Off-white semi-matt (RAL 1013) A633-130 37 Sand semi-matt (RAL 7032) 龄 A633-130 38 Silver Grey semi-matt (RAL 7001) В A633-130 42 Olive Yellow semi-matt (RAL 1020) 房 A633-130 46 Orange semi-matt (RAL 2000) A633-130 47 ● Brown Grey semi-matt (RAL 7013) ﴾ Materials

Shade: Aluminum Diffuser: Opalescent methacrylate Structure: Metal


Product type: Floor Light source: E26 LED TYPE A 11W Weight: Net 6.6 lb - Gross 9.9 lb Package: $50 \times 3.1 \times 3.1'' - 3.3 \text{ lb Vol} - 0.28 \text{ ft}^3$ $13 \times 13 \times 1.18$ " – 6.6 lb Vol – 0.1 ft³ 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³ Lamping not included





Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line

Tam Tam P2 (NEW FINISH)



Finish

Stem A633-183 39

● Black semi-matt (RAL 9011)

Code

Shade A633-130 39 ● Black semi-matt (RAL 9011) 🖒 A633-130 35 Off-white semi-matt (RAL 1013) A633-130 37 Sand semi-matt (RAL 7032) A633-130 38 Silver Grey semi-matt (RAL 7001) A633-130 42 Olive Yellow semi-matt (RAL 1020) 於 Orange semi-matt (RAL 2000)

A633-130 46 A633-130 47

● Brown Grey semi-matt (RAL 7013) ﴾

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Structure: Metal

Product type: Floor

Light source: 2x E26 LED TYPE A 11W Weight: Net 15.4 lb - Gross 19.84 lb Package: 66.14 x 7 x 7" - 8.3 lb Vol - 0.28 ft3 $13 \times 13 \times 1.18$ " – 6.6 lb Vol – 0.1 ft³

(2x) $9.4 \times 9.4 \times 6.7$ " - $2.2 \text{ lb Vol} - 0.317 \text{ ft}^3$

Product notes: Combine stem with 2 satellite shades.

Lamping not included





Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line





Code Finish Stem A633-18439 Shade

● Black semi-matt (RAL 9011) 🖒

A633-130 39 A633-130 35 A633-130 37 A633-130 38

A633-130 42

● Black semi-matt (RAL 9011) 龄 Off-white semi-matt (RAL 1013)

● Sand semi-matt (RAL 7032) 紛 Silver Grey semi-matt (RAL 7001) В Olive Yellow semi-matt (RAL 1020) 龄

A633-130 46 Orange semi-matt (RAL 2000) A633-130 47 ● Brown Grey semi-matt (RAL 7013) ﴾

Materials Shade: Aluminum


Diffuser: Opalescent methacrylate

Structure: Metal

Product type: Floor Light source: 3x E26 LED TYPE A 11W Weight: Net 15.4 lb - Gross 22.04 lb Package: $66.14 \times 7 \times 7'' - 8.3 \text{ lb Vol} - 0.28 \text{ ft}^3$

 $13 \times 13 \times 1.18$ " - 6.6 lb Vol - 0.1 ft³ (3x) 9.4 x 9.4 x 6.7" - 2.2 lb Vol - 0.317 ft3

Product notes: Combine stem with 3 satellite shades. Lamping not included





Cable length: 6.6 ft Wire installation: Plug-in Cord color: Black Switch location: In-line



Tam Tam A (NEW FINISH)

Code Base 1 A633-14535

Shade

Off-white semi-matt (RAL 1013) 龄

A633-130 39 A633-130 35 A633-130 37 A633-130 38 ● Black semi-matt (RAL 9011) 🖒 Off-white semi-matt (RAL 1013)

Sand semi-matt (RAL 7032) Silver Grey semi-matt (RAL 7001) A633-130 42 Olive Yellow semi-matt (RAL 1020)

Finish

A633-130 46 Orange semi-matt (RAL 2000) A633-130 47 Brown Grey semi-matt (RAL 7013)

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Plate: Metal

Product type: Wall Light source: E26 LED TYPE A 11W Weight: Net 2.7 lb - Gross 4.40 lb Package: 12.2 x 12.2 x 5.1" - 2.2 lb Vol - 0.317 ft3

9.4 x 9.4 x 6.2" – 2.2 lb Vol – 0.247 ft³

Lamping not included









Wire installation: Hardwired Switch location: Backplate



Tam Tam A2 NEW FINISH

Code Finish Base A633-146 35 Off-white semi-matt (RAL 1013) Shade A633-130 39 ● Black semi-matt (RAL 9011) 均 A633-130 35 Off-white semi-matt (RAL 1013) A633-130 37 Sand semi-matt (RAL 7032) A633-130 38 Silver Grey semi-matt (RAL 7001) A633-130 42 Olive Yellow semi-matt (RAL 1020)

Orange semi-matt (RAL 2000) ● Brown Grey semi-matt (RAL 7013) ﴾

A633-130 47 Materials

A633-130 46

Shade: Aluminum Diffuser: Opalescent methacrylate Plate: Metal

Product type: Wall Light source: 2x E26 LED TYPE A 11W Weight: Net 3.3 lb - Gross 5.1 lb Package: $12.2 \times 12.2 \times 5.1$ " – 2.9 lb Vol – 0.1 ft^3 (2x) $9.4 \times 9.4 \times 6.7$ " - 2.2 lb - 0.317 ft^3 Product notes: Combine base with 2 satellite shades Lamping not included









Wire installation: Hardwired





Unfold the light or fold it. The new design of Estudio Perez Ochando proposes a lamp of large format, flexible, thought to adapt to the different necessities of lighting big spaces.

A large black vertical structure is the main shaft from which a number of rods emerge; some can be moved upwards to expand the light and others downwards to focus it





The W

Code

A705-011-3949-27K A705-011-3937-27K

A705-011-3937-27K

Black - Ivory (RAL 1015)

Finish

Black - Gold


Black - Terracotta (RAL 8023)

Materials Structure: Aluminium Diffusers: Aluminium, Polycarbonate Dimmable: Yes Integrated dimmer: No Dimming protocols: 0-10V

Product type: Pendant Light source: LED SMD 36V 90W 2700K CRI90 8400lm Luminaire: 120 VAC 0-10 101W 5600lm

Weight: Net 29.3 lb – Gross 33.8 lb Package: $8.3 \times 8.3 \times 44$ " – 9.5 lb Vol – 1.8 ft³ $10.2 \times 7.9 \times 20.1$ " – 16 lb Vol – 1.05 ft³ $16.5 \times 16.5 \times 3.1$ " – 8.3 lb Vol – 0.35 ft³

LED included





Cable length: 9.8 ft Wire installation: Hardwired Color cord: Black Canopy color: Black



Anti-rotation accessory

Code A705-010 Finish ● Black

Materials Structure: Steel

Product type: Accessory







From light to shadow with a single gesture. Theia has two faces: to discover them, simply swivel the fixture around its central axis. It can be pointed towards you for use

as a reading lamp, or towards an object or a wall, creating a subtle, indirect light that immediately warms the atmosphere.



Integrated dimmer: Yes





Theia M

Base: Iron

Code Finish White (RAL 9010) A672-005 A672-006


● Black (RAL 9005) Materials

Stem: Iron Dissipater: Aluminum Diffuser: Spun metal

Shade: Thermoformed methacrylate


Product type: Table Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm Luminaire: 85 - 264 VAC 14W Weight: Net 13 lb - Gross 15.9 lb Package: $14.1 \times 14.1 \times 9.44$ " – 13.22 lb Vol – 1.06 ft^3 $17.3 \times 7 \times 4.7$ " – 4.41 lb Vol – 0.35 ft^3

LED included



Cable length: 5 ft Wire installation: Plug-in Cord color: Black

Switch location: Built-in the dissipater



Theia P

Code

A672-007 White (RAL 9010) A672-008 • Black (RAL 9005)

Finish

Materials Integrated dimmer: Yes

Base: Iron Dimmer Type: Progressive from 0 to 100

Stem: Iron

Dissipater: Aluminum Diffuser: Spun metal

Shade: Thermoformed methacrylate


Product type: Floor

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm

Luminaire: 85 - 264 VAC 14W Weight: Net 15 lb - Gross 19.2 lb

Package: 14.6 x 14.6 x 9" – 13.2 lb Vol – 1.06 ft³ 42.7 x 6.7 x 4.7" – 6 lb Vol – 0.7 ft³

LED included












TXL 2019 205

Code Finish BeigeGrey A605-076 A605-077

Materials Base: Concrete Stem: Stainless steel
Diffuser: White acid etched glass Shade: Textilene with the inner part always in white

Product type: Floor Light source: 2x E26 LED TYPE A 11W Weight: Net 63.5 lb – Gross 70.5 lb Package: 16 x 13 x 13" – 5.5 lb Vol – 1.41 ft³ 27.6 x 27.6 x 19.7" – 9.7 lb Vol – 8.8 ft³ 86.6 x 3.9 x 3.9" – 7.9 lb Vol – 0.7 ft³ $26 \times 26 \times 5.9$ " – 47.3 lb Vol – 2.11 ft³

Lamping not included



Suitable for wet locations

c(UL)us

Cable length: 8 ft Wire installation: Plug-in Cord color: Black



 Code
 Finish

 A605-078
 ● Beige ₾

 A605-079
 ● Grey ₾

Materials Base: Concrete Stem: Stainless steel


Diffuser: White acid etched glass Shade: Textilene with the inner part

always in white

Product type: Floor Light source: 3x E26 LED TYPE A 8W Weight: Net 46.7 lb – Gross 51.1 lb Package: 10.6 x 11 x 14.9" – 4.4 lb Vol – 0.7 ft³ 23.6 x 23.6 x 17.7" – 7.9 lb Vol – 5.6 ft³ 70.8 x 3.9 x 3.9" – 6.8 lb Vol – 0.63 ft³ 22.8 x 22.8 x 5.9" – 31.9 lb Vol – 1.7 ft³

Lamping not included







Spare parts

Code	Product	Finish	Spare part
A605-102	Txl 205	-	Glass
A605-112	TxI 170	-	Glass
R605-004	Txl 2019 205	Beige	Shade
R605-005	Txl 2019 205	Grey	Shade
R605-006	Txl 2019 170	Beige	Shade
R605-007	Txl 2019 170	Grey	Shade



Vetra 43

Code Finish Dimming A689-016 White ELV 0-10V A689-023 White A689-043 Amber ELV A689-044 Amber 0-10V

Materials Dimmable: Yes Shade: Blown glass Integrated dimmer: No

Dissipater: Aluminum Dimming protocols: Phase cut (ELV) 0-10V


Product type: Pendant

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: 90 - 135 VAC ELV 19W 881lm 120 - 277 VAC 0-10V 19W 881lm

Weight: Net 12.6 lb - Gross 16.5 lb Package: 22.4 x 22.4 x 14.6" – 6.5 lb Vol – 4.23 ft³

LED included



Cable length: 9.8 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Vetra P

 Code
 Finish

 A689-019
 White

 A689-020
 ■ Black

Materials
Base: Iron
Stem: Iron

Dimmable: Yes Integrated dimmer: No 3 positions sensor dimmer.


Shade: Blown glass Dissipater: Aluminum

Product type: Floor

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm

Luminaire: 90 - 264 VAC 11W 348lm Weight: Net 17.4 lb - Gross 22 lb Package: 17 x 17 x 11" - 6.61 lb Vol - 1.8 ft³ 55 x 10 x 10" - 8.8 lb Vol - 3.17 ft³ 14 x 14 x 2" - 6.6 lb Vol - 0.78 ft³

LED included







Spare parts

CodeProductFinishSpare partR689-001Vetra 43WhiteGlassR689-006Vetra 43AmberGlass





Zenc

 Code
 Finish

 A715-002-35
 White (RAL 1013)

 A715-002-38
 ● Grey (RAL 7022)

 A715-002-40
 ● Red (RAL 3011)


 A715-002-48
 ● Sky Blue (PANTONE 7542C)

 A715-002-42
 ● Pale yellow (RAL 085 80 30)

Materials

Shade: Bi-injected rotary moulded polyethylene

Product type: Pendant Light source: E26 Globe (Ø95) 12W Weight: Net 6.6 lb – Gross 8.6 lb Package: 20.4 x 20.42 x 14.6" – 8.6 lb Vol – 3.53 ft³ Lamping not included



Cable length: 8 ft Wire installation: Hardwired Cord color: Black Canopy color: Black



Plan your projects in our Professional Area



Symbols & Certificates V.03 13/12/23

Dimmer

Dimmer on the unit.

Dimmable

Product which can be dimmed.



Quick ship item. Always in stock, ships within 5 to 10 days.



Oversized item. Special freight policy applies. Freight assessed separately.

Technical note

The watts shown on the pricelist are the actual watts of the luminaire (including both LED and driver); otherwise, the watts are expressly shown as being for the light source. Similarly, the lumens may be for the luminaire or light source, as shown on the pricelist. For more information, you can find lighting data on our website.

marset 177

Notes	





marset.com