

marsēt

Working catalogue 2026

Working Catalogue

2026



12 Ambrosia



46 Bohemia



59 Cluster



70 Dipping Light



75 Discocó




78 Djembé



102 Fris



124 LED-Ginger



150 Ihana



156 Jaima



177 Mercer



182 Milana



200 Pleat Box



209 Ringo




222 Santorini



227 Soho



232 Tam Tam



240 The W



246 Vetra



248 Zenc

Floor



50 Cala



62 Copérnica



116 Funiculí



117 Funiculí Fabric



130 Ginger



159 Jaima




170 Lauro



206 Polo



223 Scantling



236 Tam Tam



243 Theia

Table



48 Bolita



61 Copérnica



64 Dipping Light



96 Fragile



118 Funiculí



119 Funiculí Fabric



121 Gambosa



129 LED-Ginger



169 Lauro



176 Mercer

Table



206 Polo



242 Theia

Portable



41 Bicoca



56 Chispa



67 Dipping Light



93 FollowMe



129 LED-Ginger



225 Sips

Wall



22 Ambrosia



36 Aura



52 Caramel



68 Dipping Light



102 Fris



117 Funiculí



118 Funiculí Fabric



131 LED-Ginger



163 Konoha



170 Lauro

Wall



172 Ledtube



178 Mercer



190 N. Ocho



192 Plaff-on!



215 Roc



224 Scantling



237 Tam Tam

Ceiling



52 Caramel



83 Djembé



132 LED-Ginger



179 Mercer



192 Plaff-on!



212 Ringo



229 Soho



38 Babila



51 Cala



89 Domus



140 LED-Ginger



156 Jaima



165 Lab



192 Plaff-on!



215 Roc




219 Santorini



227 Soho



244 TXL



masset pro

HELPING YOUR PROJECTS SEE THE LIGHT

WE'RE PLEASED TO INTRODUCE THE NEW PROFESSIONAL AREA ON OUR WEBSITE, AN INITIATIVE DESIGNED ESPECIALLY FOR ARCHITECTS, INTERIOR AND LIGHTING DESIGNERS. THERE YOU'LL FIND EVERYTHING YOU NEED TO TAKE YOUR PROJECTS TO THE NEXT LEVEL:

[01] WE ACCOMPANY YOU EVERY STEP OF THE WAY

[02] REQUEST A QUOTE

[03] TRY OUR LIGHTING CALCULATION SERVICE

[04] DOWNLOAD IMAGES AND MATERIAL

[05] ARRANGE AN APPOINTMENT TO VISIT OUR SHOWROOMS

[06] REQUEST SAMPLES OF OUR FINISHES

ENTER WWW.MARSET.COM/USA/PROFESSIONAL
AND LET YOURSELF BE INSPIRED.



Come discover Marset's Brooklyn showroom

Find our lighting collections in a space designed
to inspire creativity.

202 N. 10th Street BK, NY 11211 (Bedford L Stop)

9:30am – 5pm Monday – Friday

Request a Tour: marsetusa@marset.com | 646.727.4250

Warranty

At Marset, our luminaires not only provide the light you need but also create spaces, moments and emotions. Each design is made to last, with a quality that reflects our passion for detail and sustainability. We're confident in what we do, so we offer a 5-year warranty on all our products - because trust isn't imposed; it's steadily built, project by project, light by light.

Applicable conditions: <https://www.marset.com/usa/warranty>





Need it urgently?

We've designed a Quick Shipping program to offer you greater flexibility on selected items.

- Designs featuring this icon (⌚) will be ready in just three days.
- You can request up to 3 units per order.
- We recommend placing separate orders for Quick Shipping items for more efficient delivery.

Standard shipping conditions and minimums apply.
See the full list of Quick Shipping items on page 250.



Discover more at masset.com

Ambrosia 120

Code	Finish	CCT
A704-101-15-22K	● Matt Gold	22K
A704-101-15-27K	● Matt Gold	27K
A704-101-15-30K	● Matt Gold	30K
A704-101-16-22K	● Black	22K
Ⓐ A704-101-16-27K	● Black	27K
Ⓐ A704-101-16-30K	● Black	30K

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 19.2W 2200K CRI90 2116lm
Luminaire Ambrosia 22K: (Power supply not included) 1885lm
Light source Ambrosia 27K: LED SMD 24Vdc 19.2W 2700K CRI90 2028lm
Luminaire Ambrosia 27K: (Power supply not included) 1891lm
Light source Ambrosia 30K: LED SMD 24Vdc 19.2W 3000K CRI90 2256lm
Luminaire Ambrosia 30K: (Power supply not included) 1927lm


Weight: Net 1.8 lb – Gross 5.3 lb

Package: 11.4 x 3.9 x 53.1 " - 3.1 lb - Vol - 1.4 ft³
3.1 x 3.1 x 50.4 " - 2.2 lb - Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 10.8 ft wire.

Suitable for damp locations. LED included



(1) The height can be increased by means of the 15.7 or 23.6 " poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 120 + Pole 24



A704-101-16-27K + A704-006-16

Ambrosia 180

Code	Finish	CCT
A704-102-15-22K	● Matt Gold	22K
A704-102-15-27K	● Matt Gold	27K
⊕ A704-102-15-30K	● Matt Gold	30K
A704-102-16-22K	● Black	22K
A704-102-16-27K	● Black	27K
⊕ A704-102-16-30K	● Black	30K

⊕ Quick ship item. Ships within 3 days. See [Quick Ship](#) on page 254.

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified
Canopy: Aluminum / Steel	driver/canopy.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm

Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm

Luminaire Ambrosia 27K: (Power supply not included) 2833lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm

Luminaire Ambrosia 30K: (Power supply not included) 2886lm

Weight: Net 2.2 lb – Gross 7.7 lb


Package: 11.4 x 3.9 x 53.2 " - 4.4 lb – Vol - 1.4 ft³

3.1 x 3.1 x 74 " - 3.3 lb – Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 9.8 ft wire.

Suitable for damp locations. LED included



(†) The height can be increased by means of the 15.7 or 23.6 " poles (max. 3 units.) They can be combined..

Wire installation: Hardwired / Recessed

Ambrosia 210

Code	Finish	CCT
A704-103-15-22K	● Matt Gold	22K
A704-103-15-27K	● Matt Gold	27K
⊕ A704-103-15-30K	● Matt Gold	30K
A704-103-16-22K	● Black	22K
A704-103-16-27K	● Black	27K
⊕ A704-103-16-30K	● Black	30K

⊕ Quick ship item. Ships within 3 days. See [Quick Ship](#) on page 254.

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified
Canopy: Aluminum / Steel	driver/canopy.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm

Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm

Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm

Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 2.9 lb – Gross 7.9 lb

Package: 11.4 x 3.9 x 53.1 " - 4.4 lb – Vol - 1.4 ft³


3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³

3.1 x 3.1 x 50.4 " - 2.2 lb – Vol - 0.35 ft³

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 12.8 ft wire.


Suitable for damp locations. LED included



(†) The height can be increased by means of the 15.7 or 23.6 " poles (max. 3 units per each side). They can be combined..


Wire installation: Hardwired / Recessed

Ambrosia 180 + Pole 24



A704-102-15-27K + A704-006-15

Ambrosia 210 + 2 Pole 24



A704-103-15-27K + (2x) A704-006-15

Code	Finish	CCT
A704-104-15-22K	● Matt Gold	22K
A704-104-15-27K	● Matt Gold	27K
Ⓐ A704-104-15-30K	● Matt Gold	30K
A704-104-16-22K	● Black	22K
A704-104-16-27K	● Black	27K
Ⓐ A704-104-16-30K	● Black	30K

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified
Canopy: Aluminum / Steel	driver/canopy.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm

Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4563lm

Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5076lm

Luminaire Ambrosia 30K: (Power supply not included) 4314lm

Weight: Net 3.7 lb - Gross 16.5 lb

Package: 11.4 x 3.9 x 88.6 " - 11.5 lb - Vol - 2.3 ft³


3.1 x 3.1 x 38.5 " - 1.8 lb - Vol - 0.2 ft³

3.1 x 3.1 x 74 " - 3.3 lb - Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 12.1 ft wire.

Suitable for damp locations. LED included



(1) The height can be increased by means of the 15.7 or 23.6 "

(max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Height extension pole 16

Code	Finish
Ⓐ A704-005-15	● Matt Gold
Ⓐ A704-005-16	● Black

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.


Materials

Structure: Metal

Product type: Accessory

Weight: Net 0.18 lb - Gross 1.32 lb

Package: 3 1/8 x 3 1/8 x 26 3/4 " - 1.32 lb Vol - 0.14 ft³



A704-104-16-27K + (2x) A704-006-16

Height extension pole 24

Code	Finish
Ⓐ A704-006-15	● Matt Gold
Ⓐ A704-006-16	● Black

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Structure: Metal

Product type: Accessory

Weight: Net 0.24 lb - Gross 1.32 lb


Package: 3 1/8 x 3 1/8 x 26 3/4 " - 1.32 lb Vol - 0.14 ft³



Canopy Ambrosia

Code	Finish	Dimming
A666-213-15	● Matt Gold - 60W 24V	0-10V
A666-213-16	● Black - 60W 24V	0-10V

INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 1.54 lb – Gross 2.2 lb
 Package: 14.6 x 6.7 x 2.6 " - 2.2 lb - VOL - 0.14 ft³




⊕ A666-254-15	● Matt Gold - 60W 24V	ELV / Triac / 0-10V
⊕ A666-254-16	● Black - 60W 24V	ELV / Triac / 0-10V

⊕ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 2.9 lb – Gross 3.53 lb
 Package: 14.6 x 6.7 x 2.6 " - 3.53 lb - VOL - 0.14 ft³

Materials
 Structure: Metal




Dimmable

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Remote LED Driver

Code	Description	Dimming
A968-372	60W - 24V	TRI-DIM (Triac / ELV, 0-10V)


Product type: Power supply
 INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Code	Description	Dimming
A968-373	96W - 24V	TRI-DIM (Triac / ELV, 0-10V)


Product type: Power supply
 INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 96W max.



The installation and location of the remote LED driver and any required enclosure must be in accordance with applicable codes and laws and will be the exclusive responsibility of the installer.

Code	Description	Dimming
968-230	60W - 24V	0-10V

Product type: Power supply
 INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.



Dimmable


Outlet Box Cover Plate

Code	Finish
⊕ A666-219-15	● Matt Gold
⊕ A666-219-16	● Black

⊕ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Weight: Net: 0.22 lb – Gross 0.44 lb
 Package: 6.3 x 5.7 x 3.5 " - 0.44 lb - VOL - 0.07 ft³


Materials
 Structure: Metal



Product type: Accessory
 Product notes: Ceiling cover plate for 4" octagonal junction box.








Feature	Ambrosia	Ambrosia Pro
Type of light	Diffused, decorative light.	Direct light with high performance
Color temperature	LED 2200K, 2700K, 3000K	LED 3000K, 4000K
CRI	CRI90	CRI90
LED input	24Vdc - CV	1050mA - CC
Installation	With canopy or recessed	With canopy
Dimming	Based on specified driver/canopy	0-10V
Beam angle	160°	60°



This collection has been extended with a version designed specifically for workspaces that require more controlled lighting. It includes a cell structure with independent lenses that project more directional lighting.

It is available in a horizontal suspension version in three finishes: matt gold, aluminium, black - while the structure that fixes it to the ceiling is always in black.



Ambrosia Pro 120 NEW


Code	Finish	CCT
A704-225-1516-30K	● Matt Gold	30K
A704-225-1516-40K	● Matt Gold	40K
A704-225-1716-30K	● Aluminium	30K
A704-225-1716-40K	● Aluminium	40K
A704-225-1616-30K	● Black	30K
A704-225-1616-40K	● Black	40K

Materials	Dimmable: Yes
Structure: Black anodized aluminium	Integrated dimmer: No
LED tube: Anodized aluminium	Dimming protocols: 0-10V
Canopy: Aluminium / Steel	

Product type: Pendant / Ceiling
 Light source 30K: LED SMD 1050mA 36.6W 3000K CRI90 4440 lm
 Luminaire 30K: 120-277 VAC 43.4W 3201 lm
 Light source 40K: LED SMD 1050mA 36.6W 4000K CRI90 4696 lm
 Luminaire 40K: 120-277 VAC 43.4W 3386 lm

Weight: Net 9.04 lb – Gross 11.02 lb
 Package: 11.42 x 3.94 x 53.15 " – 4.41 lb Vol – 1.41 ft³
 3.15 x 3.15 x 50.39 " – 4.41 lb Vol – 0.35 ft³
 2.76 x 8.27 x 13.39 " – 2.20 lb Vol – 0.18 ft³

Product notes: Canopy and power supply included.
 The height can be increased by means of the 16 " or 24 " poles (max. 3 units.) They can be combined.
 LED included. Beam angle: 60°.



Wire installation: Hardwired

Ambrosia Pro 120 + Pole 60



A704-225-1716-30K + A704-006-16

Code	Finish	CCT
A704-227-1516-30K	● Matt Gold	30K
A704-227-1516-40K	● Matt Gold	40K
A704-227-1716-30K	● Aluminium	30K
A704-227-1716-40K	● Aluminium	40K
A704-227-1616-30K	● Black	30K
A704-227-1616-40K	● Black	40K


Materials
 Structure: Black anodized aluminium
 LED tube: Anodized aluminium
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Product type: Pendant / Ceiling
 Light source 30K: LED SMD 1050mA 55W 3000K CRI90 6660 lm
 Lumeninaire 30K: 120-277 VAC 63.5W 5177 lm
 Light source 40K: LED SMD 1050mA 55W 4000K CRI90 7074 lm
 Lumeninaire 40K: 120-277 VAC 63.5W 5476 lm

Weight: Net 10.58 lb – Gross 12.13 lb
 Package: 11.42 x 3.94 x 53.15 " – 4.41 lb Vol – 1.41 ft³
 3.15 x 3.15 x 74.02 " – 5.51 lb Vol – 0.35 ft³
 2.76 x 8.27 x 13.39 " – 2.20 lb Vol – 0.18 ft³

Product notes: Canopy and power supply included.
 The height can be increased by means of the 16 " or 24 " poles (max. 3 units). They can be combined.
 LED included. Beam angle: 60°.



Wire installation: Hardwired

Ambrosia Pro 180 + Pole 60



A704-227-1616-30K + A704-006-16

Height extension pole 16

Code	Finish
⊕ A704-005-16	● Black

⊕ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials
 Structure: Metal

Product type: Accessory

Weight: Net 0.18 lb – Gross 1.32 lb
 Package: 3 1/8 x 3 1/8 x 26 3/4 " – 1.32 lb Vol – 0.14 ft³



Height extension pole 24

Code	Finish
⊕ A704-006-16	● Black

⊕ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials
 Structure: Metal

Product type: Accessory

Weight: Net 0.24 lb – Gross 1.32 lb
 Package: 3 1/8 x 3 1/8 x 26 3/4 " – 1.32 lb Vol – 0.14 ft³





Ambrosia A 60 left

Code	Finish	CCT
A704-115-15-22K	● Matt Gold	22K
A704-115-15-27K	● Matt Gold	27K
A704-115-15-30K	● Matt Gold	30K
A704-115-16-22K	● Black	22K
A704-115-16-27K	● Black	27K
A704-115-16-30K	● Black	30K

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified
Canopy: Aluminum / Steel	driver/canopy.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 1.3 lb – Gross 2.8 lb
 Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0.4 ft³
 3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



Wire installation: Hardwired / Recessed

A704-115-16-30K

Ambrosia A 90 left

Code	Finish	CCT
A704-117-15-22K	● Matt Gold	22K
A704-117-15-27K	● Matt Gold	27K
A704-117-15-30K	● Matt Gold	30K
A704-117-16-22K	● Black	22K
A704-117-16-27K	● Black	27K
A704-117-16-30K	● Black	30K

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified
Canopy: Aluminum / Steel	driver/canopy.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 2.6 lb – Gross 3.2 lb
 Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0.4 ft³
 3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



Wire installation: Hardwired / Recessed



A704-117-16-30K

Disk accessory

Code	Finish
A704-128-15	● Matt Gold
A704-128-16	● Black


Materials
Structure: Metal

Product type: Accessory
Accessory used to hide the driver behind the canopy.
Two units are required for Ambrosia A 210, one for each canopy.



Remote LED Driver


Code	Description	Dimming
A968-374	35W - 24V	On-off



Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 35W max.

Code	Description	Dimming
A968-372	60W - 24V	TRI-DIM (Triac / ELV, 0-10V)




The installation and location of the remote LED driver and any required enclosure must be in accordance with applicable codes and laws and will be the exclusive responsibility of the installer.




Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.

Code	Description	Dimming
A968-373	96W - 24V	TRI-DIM (Triac / ELV, 0-10V)



Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 96W max.

Code	Description	Dimming
968-230	60W - 24V	0-10V



Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.



Code	Finish	CCT
A704-163-15-22K	● Matt Gold	22K
A704-163-15-27K	● Matt Gold	27K
A704-163-15-30K	● Matt Gold	30K
A704-163-16-22K	● Black	22K
A704-163-16-27K	● Black	27K
A704-163-16-30K	● Black	30K

Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: Yes
Diffuser: Methacrylate	Dimmer type: Progressive from 0 to 100



Product type: Pendant
 Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: 100 - 240 VAC 33.8W 3009lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
 Luminaire Ambrosia 27K: 100 - 240 VAC 33.8W 3021lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
 Luminaire Ambrosia 30K: 100 - 240 VAC 33.8W 3078lm

Weight: Net 2.6 lb – Gross 4.2 lb
 Package: 5.1 x 5.1 x 53.5 " - 4.2 lb – VOL - 0.7 ft³
 LED included

Luminaires manufactured in compliance
 with North American Certification standards.



Code	Finish	CCT
A704-160-15-22K	● Matt Gold	22K
A704-160-15-27K	● Matt Gold	27K
A704-160-15-30K	● Matt Gold	30K
A704-160-16-22K	● Black	22K
A704-160-16-27K	● Black	27K
A704-160-16-30K	● Black	30K

Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
 Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 3009lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
 Luminaire Ambrosia 27K: (Power supply not included) 3021lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
 Luminaire Ambrosia 30K: (Power supply not included) 3078lm

Product notes: 24V remote power supply to be ordered separately.

Weight: Net 2 lb – Gross 3.5 lb


Package: 5.1 x 5.1 x 53.4 " - 3.5 lb – VOL - 0,07 ft³

LED included

Dimmable



Wire installation: Hardwired
 Cable length: 8.2 ft.
 Steel cable length: 6.5 ft.
 Color cord: Black



A704-160-16-27K

Code	Finish	CCT
A704-164-15-22K	● Matt Gold	22K
A704-164-15-27K	● Matt Gold	27K
A704-164-15-30K	● Matt Gold	30K
A704-164-16-22K	● Black	22K
A704-164-16-27K	● Black	27K
A704-164-16-30K	● Black	30K

Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: Yes
Diffuser: Methacrylate	Dimmer type: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm
Luminaire Ambrosia 22K: 100 - 240 50.5W VAC 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4788lm
Luminaire Ambrosia 27K: 100 - 240 50.5W VAC 4491lm


Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5016lm
Luminaire Ambrosia 30K: 100 - 240 50.5W VAC 4575lm

Weight: Net 3.5 lb – Gross 6.2 lb

Package: 5.1 x 5.1 x 72.4 " - 6.2 lb – VOL - 1.06 ft³

LED included

Luminaires manufactured in compliance
with North American Certification standards.



Code	Finish	CCT
A704-161-15-22K	● Matt Gold	22K
A704-161-15-27K	● Matt Gold	27K
A704-161-15-30K	● Matt Gold	30K
A704-161-16-22K	● Black	22K
A704-161-16-27K	● Black	27K
A704-161-16-30K	● Black	30K

Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified driver/canopy.


Product type: Pendant
 Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm
 Luminaire Ambrosia 22K: (Power supply not included) 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4788lm
 Luminaire Ambrosia 27K: (Power supply not included) 4491lm

Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5016lm
 Luminaire Ambrosia 30K: (Power supply not included) 4575lm


Weight: Net 3.1 lb – Gross 5.5 lb
 Package: 5.1 x 5.1 x 72.4 " - 5.5 lb – VOL - 1.1 ft³

Product notes: 24V remote power supply to be ordered separately.
 LED included



Wire installation: Hardwired
 Cable length: 8.2 ft.
 Steel cable length: 6.5 ft.
 Color cord: Black

A704-161-15-27K



Circular Canopy 60W 24V ELV/Triac/0-10V

Code A666-257-15 Finish Matt Gold
A666-257-16 ● Black

Dimming
ELV, Triac, 0-10V
ELV, Triac, 0-10V


Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV, Triac, 0-10V

Product type: Accessory

Weight: Net 2.6 lb – Gross 3.5 lb
Package: 16.5 x 16.5 x 3.1 " -3.5 lb - VOL - 0.4 ft³
Product notes: Canopy for 24V luminaires.

Dimmable




Outlet Box Cover Plate with hanging support

Code A666-258-39 Finish
● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: Ceiling cover plate for 4" octagonal junction box.




Outlet Box Cover Plate

Code A666-219-15 Finish
● A666-219-16 Matt Gold
● Black

Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials
Structure: Metal



Steel cable suspension kit


Code A704-166-15 Finish
A704-166-16 Matt Gold
● Black



Remote LED Driver


Code A968-372 Description 60W - 24V Dimming TRI-DIM (Triac / ELV, 0-10V)

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.




Code A968-373 Description 96W - 24V Dimming TRI-DIM (Triac / ELV, 0-10V)

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 96W max.



Code 968-230 Description 60W - 24V Dimming 0-10V

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.



Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

The installation and location of the remote LED driver and any required enclosure must be in accordance with applicable codes and laws and will be the exclusive responsibility of the installer.

Dimmable



Circular Cluster Canopy 90W 24V ELV/Triac/0-10V

Code A666-259-39 Finish ● Black

Materials
Structure: Painted iron

Product type: Accessory
INPUT: 120-277VAC 50/60Hz
OUTPUT: CV 24V DC 90W max.


Weight: Net 6.6 lb – Gross 7.7 lb
Package: 16.14 x 16.14 x 3.15 " – 7.7 lb – VOL - 0.47 ft³
Product notes: Canopy for 24V luminaires.
Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV / Triac / 0-10V

(Dimmable)

cUL us



Circular Cluster Canopy 180W 24V ELV/Triac/0-10V

Code A666-260-39 Finish ● Black

Materials
Structure: Painted iron

Product type: Accessory
Input: 120-277VAC 50/60Hz
Output: CV 24V DC 180W max.


Weight: Net 8.4 lb – Gross 9.5 lb
Package: 16.14 x 16.14 x 3.15 " – 9.5 lb – VOL - 0.47 ft³
Product notes: Canopy for 24V luminaires.
Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV / Triac / 0-10V

(Dimmable)

cUL us




Hook Accessory

Code A693-007 Finish ● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.02 lb
Package: 0.8 x 0.8 x 2 " - 0.02 lb – VOL - 0.07 ft³

Product notes: Accessory to guide the cable.





Code	Finish	CCT
A704-165-15-22K	● Matt Gold	22K
A704-165-15-27K	● Matt Gold	27K
A704-165-15-30K	● Matt Gold	30K
A704-165-16-22K	● Black	22K
A704-165-16-27K	● Black	27K
A704-165-16-30K	● Black	30K

Materials

Structure: Aluminium

Diffuser: Methacrylate

Dimmable: Yes

Integrated dimmer: Yes

Dimming protocols: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm

Luminaire Ambrosia 22K: 100 - 240 VAC 33.8W 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm

Luminaire Ambrosia 27K: 100 - 240 VAC 33.8W 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm


Luminaire Ambrosia 30K: 100 - 240 VAC 33.8W 2865lm

Weight: Net 3.1 lb – Gross 9.3 lb

Package: 6.1 x 6.1 x 100.8 " - 9.3 lb – VOL - 2.1 ft³

LED included

Luminaires manufactured in compliance with North American Certification standards.



Cable length: 6.6 ft.
Wire installation: Plug-in
Color cord: Black
Switch location: In-line

Dimmable



A704-165-16-27K

Code	Finish	CCT
A704-162-15-22K	● Matt Gold	22K
A704-162-15-27K	● Matt Gold	27K
A704-162-15-30K	● Matt Gold	30K
A704-162-16-22K	● Black	22K
A704-162-16-27K	● Black	27K
A704-162-16-30K	● Black	30K


Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
 Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm


Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 2.6 lb – Gross 8.4 lb
 Package: 6.1 x 6.1 x 100.8 " - 8.4 lb – VOL - 2.1 ft³
 Product notes: 24V remote power supply to be ordered separately.
 LED included



Wire installation: Hardwired
 Cable length: 3 ft.
 Color cord: Black




A704-162-15-27K

Rectangular Canopy 60W

Code	Finish	Dimming
A666-213-15	● Matt Gold - 60W 24V	0-10V
A666-213-16	● Black - 60W 24V	0-10V


INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 1.54 lb – Gross 2.2 lb
 Package: 14.6 x 6.7 x 2.6 " - 2.2 lb - VOL - 0.14 ft³



Ⓐ A666-254-15	● Matt Gold - 60W 24V	ELV / Triac / 0-10V
Ⓐ A666-254-16	● Black - 60W 24V	ELV / Triac / 0-10V

INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 2.9 lb – Gross 3.53 lb
 Package: 14.6 x 6.7 x 2.6 " - 3.53 lb - VOL - 0.14 ft³

Materials
 Structure: Metal




Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Dimmable

Remote LED Driver


Code	Description	Dimming
A968-372	60W - 24V	TRI-DIM (Triac / ELV, 0-10V)

Product type: Power supply
 INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.




Code	Description	Dimming
A968-373	96W - 24V	TRI-DIM (Triac / ELV, 0-10V)

Product type: Power supply
 INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 96W max.



Code	Description	Dimming
968-230	60W - 24V	0-10V

Product type: Power supply
 INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.



Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

The installation and location of the remote LED driver and any required enclosure must be in accordance with applicable codes and laws and will be the exclusive responsibility of the installer.

Dimmable


Outlet Box Cover Plate

Code	Finish
Ⓐ A666-219-15	● Matt Gold
Ⓐ A666-219-16	● Black

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Ceiling cover plate for 4" octagonal junction box.



Length Extension Stem V255

Code	Finish
A704-150-09	● Steel

Materials
 Structure: Stainless steel

Product type: Accessory
 Weight: Net 0.19 lb – Gross 0.9 lb
 Package: 3.1 x 3.1 x 14.9 " - 0.9 lb - VOL - 0.07 ft³
 Product notes: Ceiling stem accessory to increase the drop-length of the Ambrosia V235. Total increase 7.9".



**Aura**

Code	Finish	Dimming
Ⓐ A676-008	○ Transparent	No
Ⓐ A676-009	○ Opal	No
Ⓐ A676-010	○ Smoked	No
A676-012	○ Copper	No
A676-040-50-27K	○ Transparent	TRIAC-ELV
A676-040-51-27K	○ Opal	TRIAC-ELV
A676-040-53-27K	○ Smoked	TRIAC-ELV
A676-040-55-27K	○ Copper	TRIAC-ELV
A676-041-50-27K	○ Transparent	0-10V
A676-041-51-27K	○ Opal	0-10V
A676-041-53-27K	○ Smoked	0-10V
A676-041-55-27K	○ Copper	0-10V

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Based on specified model.
Shade: Blown Glass	Integrated dimmer: No
Structure: Polycarbonate	Dimming protocols: Based on specified
Dissipater: Aluminum	model.

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm

Luminaire ON-OFF: 90 - 264 VAC 8.7W 448lm

Luminaire Dimmable: 120-277VAC 8.7W 448lm

Weight: Net 1.1 lb – Gross 2.2 lb


Package: 10.2 x 10.2 x 7.8 " - 2.2 lb - Vol - 0.56 ft³

Product notes: Suitable for damp locations

Not suitable for ceiling mount

Structure in black, except for the opal version, with structure in white.

LED included



Wire installation: Hardwired

ON-OFF LED driver dimensions: 2 3/8 x 1 1/4 x 1 3/8 inch.

Dimmable LED driver dimensions: 3 x 1 1/4 x 1 3/8 inch.



A676-010

Aura Plus

Code	Finish	Dimming
Ⓐ A676-019	○ Translucent	No
Ⓐ A676-020	● Opal	No
Ⓐ A676-021	■ Smoked	No
A676-022	■ Copper	No

A676-042-50-27K	○ Translucent	TRIAC-ELV
A676-042-51-27K	● Opal	TRIAC-ELV
A676-042-53-27K	■ Smoked	TRIAC-ELV
A676-042-55-27K	■ Copper	TRIAC-ELV

A676-043-50-27K	○ Translucent	0-10V
A676-043-51-27K	● Opal	0-10V
A676-043-53-27K	■ Smoked	0-10V
A676-043-55-27K	■ Copper	0-10V

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Based on specified model.
Shade: Blown Glass	Integrated dimmer: No
Structure: Polycarbonate	Dimming protocols: Based on specified model.
Dissipater: Aluminum	

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm

Luminaire ON-OFF: 90 - 264 VAC 8.7W 470lm

Luminaire Dimmable: 120-277VAC 8.7W 470lm


Weight: Net 1.96 lb – Gross 2.64 lb

Package: 13 x 13 x 8.6 " - 2.64 lb – Vol - 0.74 ft³

Product notes: Suitable for damp locations

Structure in black, except for the opal version, with structure in white.

LED included



Wire installation: Hardwired

ON-OFF LED driver dimensions: 2 3/8 x 1 1/4 x 1 3/8 inch.

Dimmable LED driver dimensions: 3 x 1 1/4 x 1 3/8 inch.




A676-022

Spare parts

Code	Product	Finish	Spare part
R676-105-50	Aura	Transparent	Glass
R676-105-51	Aura	Opal	Glass
R676-105-53	Aura	Smoked	Glass
R676-105-55	Aura	Copper	Glass
R676-104-50	Aura Plus	Transparent	Glass
R676-104-51	Aura Plus	Opal	Glass
R676-104-53	Aura Plus	Smoked	Glass
R676-104-55	Aura Plus	Copper	Glass

Babilia demonstrates that, when it comes to a design, the material can be as important as the shape. This outdoor wall sconce is of polished stainless steel, a circular object that produces a panoramic effect, reflecting its surroundings. It is not

designed to be an architectural element, but rather a simple and beautiful design that draws attention, whether on or off, as it allows us to catch a glimpse of the daily life occurring around it.




Babilia 18

Code	Finish
A706-005	● Polished stainless steel
A706-006-35	○ White (RAL 9010)
A706-006-47	● Brown (RAL 8019)

Materials	Dimmable: Yes
Diffuser: Polished stainless steel AISI 316 or lacquered aluminum	Integrated dimmer: No
	Dimming protocols: Phase cut (ELV)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 225lm
Weight: Net 1.8 lb – Gross 2.6 lb
Package: 11.4 x 12 x 4.9 " - 2.6 lb – Vol - 0.35 ft³
LED included

Product notes: 0-10V available upon request. Minimum of 5 units..



Dimmable


ADA

Suitable for
wet locations

IP65



Wire installation: Hardwired




A706-006-35

Code	Finish
A706-007	Polished stainless steel
A706-008-35	White (RAL 9010)
A706-008-47	Brown (RAL 8019)

Materials	Dimmable: Yes
Diffuser: Polished stainless steel	Integrated dimmer: No
AISI 316 or lacquered aluminum	Dimming protocols:
	Phase cut (ELV)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 185lm
Weight: Net 3 lb – Gross 4.6 lb
Package: 15.4 x 15.7 x 4.9 " - 4.6 lb Vol - 0.7 ft³
LED included

Product notes: 0-10V available upon request. Minimum of 5 units..



Wire installation: Hardwired



A706-008-47



The Bicoca is born with the optimism of brightening life and accompanying the good times, wherever you go. This colorful, lightweight portable lamp projects an intimate light that adds warmth to all your personal spaces.

Made of polycarbonate, Bicoca begins with an overlay of basic geometric figures, with a tiltable shade to direct the light. Two accessories increase the applicability and versatility of the lamp.



Discover more at maset.com

DESIGN PLUS
powered by: [light+building](http://light-building.com)

Bicoca


Code	Finish
Ⓐ A680-055	Off-white (RAL 9001)
Ⓐ A680-056	Anthracite (RAL 7026)
Ⓐ A680-057	Red wine (RAL 3005)
Ⓐ A680-058	Yellow (RAL 1032)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Yes
Shade: Polycarbonate	Integrated dimmer: Yes
Body: Polycarbonate	Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 398lm
Luminaire: in 5 Vdc 1.5A 241lm
Weight: Net 1 lb – Gross 2 lb
Package: Ø6.29 x 11.81 " – 2 lb Vol – 0.21 ft³ (1U)
20 x 11.8 x 13.4 " – 12.5 lb Vol – 1.8 ft³ (6U)

Product notes: Sold in multiples of 6.
Charging cable included (USB to USB-C). Power adapter not included.
LED included




Magnet accessory

Code Finish
A680-008 • Inox

Materials

Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.04 lb
Package: 4.72 x 6.89 x 0.39 " - 0.04 lb – Vol - 0.035 ft³




Armrest accessory + magnet

Code A680-007 Finish ● Grey

Materials
Structure: Fabric with metal counterweight

Product type: Accessory
Weight: Net 2 lb – Gross 2.2 lb
Package: 6.3 x 5.5 x 3.5 " - 2.2 lb - Vol - 0.07 ft³



Spare parts

Code	Product
R680-014	Bicoca
R968-002-USA	Bicoca
R961-057	Bicoca

R968-011 Bicoca
R961-075 Bicoca

Spare part
Battery
Black power adapter USB A (USA)
Black cable USB A to USB C

Black power adapter USB C (USA)
Black cable USB C to USB C







At first glance, the Bohemia appears to be made of blown glass. However, the lamp's large size ruled out that material. Instead, the designer settled on polycarbonate to create an exciting, organic, translucent profile that integrates two volumes into

a single shape. The design allows for a large shade in different colors with a white interior for pristine reflection.



Discover more at masset.com



Bohemia 84

Code	Finish
A698-010	● Green
A698-012	● Amber
A698-023-53-27K	● Smoked

● Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials	Dimmable: Yes
Shade: Rotomoulded Polycarbonate	Integrated dimmer: No
Diffuser: Opal methacrylate	Dimming protocols: Dual dimming driver
	Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm


Luminaire: 120 VAC ELV 26W 1619lm

120 - 277 VAC 0-10V 26W 1619lm

Weight: Net 28 lb – Gross 44 lb

Package: 37 x 37 x 20 " – 44 lb Vol – 17.6 ft³

LED included




Cable length: 8.2 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A698-012

Bohemia 84 E26

Code	Finish
‡‡ A698-016	● Green
‡‡ A698-018	● Amber
‡‡ A698-024-53	● Smoked

‡‡ Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials

Shade: Rotomoulded Polycarbonate


Product type: Pendant

Light source: E26 LED GLOBE 20W

Weight: Net 28 lb – Gross 39 lb

Package: 37 x 37 x 20 " – 39 lb Vol – 17.6 ft³

Lamping not included




Cable length: 8.2 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A698-016

Bolita, kaschkasch

A technologically innovative design that brings back the sense of touch. Moving the Bolita dims or boosts the light, an interplay that captivates with its beautiful visual effect. Bolita seeks out that user interaction.

The idea of Florian and Sebastian at the kaschkasch studio was to design a lamp in which the dimming process was mechanical and not electronic.



Discover more at maset.com


Bolita

Code A695-007 Finish White (RAL 9011)

Materials Dimmable: Yes
Base: Steel Integrated dimmer: Yes
Diffuser: Opal blown glass Dimming protocols: Analog, dimmed via glass movement.

Product type: Table
Light Source: LED SMD 24Vdc 6.5W 2700K CRI90 579lm
Luminaire: 120 VAC 8.7W 157lm
Weight: Net 1.8 lb – Gross 3.3 lb
Package: 9 x 7 x 5 " – 3.3 lb Vol – 0.18 ft³ (1u)
15 x 16.7 x 17.7 " – 13.7 lb Vol – 1.06 ft³ (4u)

Product note: Ships in multiples of 4 only.
LED included



Cable length: 4.9 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Base



A695-007



Silver Delta
ADI Awards 2020

Spare parts

Code
R695-001

Product
Bolita

Finish
-

Spare part
Glass



The beauty exuded by the Cala stems from its simple, synthetic and essential form: a shade that embraces the light without containing it, letting it escape to yield very warm lighting.



With a structure made of oak or black lacquered metal, the Cala is an iconic Marset design defined by that most valuable of pairings: form and function.



Cala P165

Code A645-020 Finish Oak - Pearl White

Materials

Shade: White polyester PET, textilene

Diffuser: Methacrylate

Structure: Varnished oak

Product type: Floor


Light source: 3x E26 LED TYPE A 11W

Weight: Net 11 lb - Gross 22.7 lb

Package: 27.2 x 27.2 x 14.5 " - 11.7 lb - Vol - 6.4 ft³

19.7 x 5 x 61 " - 11 lb - Vol - 3.5 ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line



A645-020

Cala 140 IP65

Code A645-014 Finish ● Iroko - Brown

Materials

Shade: Polyethylene, Textilene
Structure: Iroko wood


Product type: Floor

Light source: 2x E26 LED TYPE A 11W

Weight: Net 10.8 lb - Gross 19.8 lb

Package: 22 x 22 x 11.4 " - 8.4 lb - Vol - 3.2 ft³
18.5 x 4.7 x 49.6 " - 11.5 lb - Vol - 2.5 ft³

Lamping not included



Suitable for
wet locations

IP65



Cable length: 6.6 ft

Wire installation: Plug-in

Cord color: Black

Switch location: Underside of shade



A645-014

Caramel collection surprises with its material beauty, as though it were an illuminated sculpture. This wall lamp by Joan Gaspar uses glass of a clearly decorative nature to create a circular form that envelopes the light. A design that gives full prominence to

the aesthetics of this hard, shiny material: when illuminated, Caramel is surrounded by a soft halo of light, and when turned off, it creates a graphic play on the wall. Caramel emits diffused, soft, and warm reflecting light.




Caramel 22

Code	Finish
A726-051-51-27K	○ Opal
A726-051-57-27K	● Green
A726-051-58-27K	● Blue
A726-051-59-27K	● Brown

Materials	Dimmable: Yes
Shade: Blown glass	Integrated dimmer: No
Structure: Polycarbonate	Dimming protocols: TRIAC / ELV / 0-10V
Dissipater: Aluminium	

Product type: Wall / Ceiling
 Light source: LED SMD 500mA 8.6W 2700K CRI90 1146lm
 Luminaria: 120 - 277 VAC 10.15W 581lm
 Weight: Net 3.5 lb - Gross 6.6 lb
 Package: 12.6 x 14.4 x 8.1 " - 6.6 lb - VOL - 0.7 ft³
 Product note: For installation on standard junction boxes use with accessory A622-181-xx "Disk Accessory".
 LED included



Wire installation: Hardwired




A726-051-59-27K

Caramel 28

Code	Finish
A726-052-51-27K	<input type="radio"/> Opal
A726-052-57-27K	<input checked="" type="radio"/> Green
A726-052-58-27K	<input type="radio"/> Blue
A726-052-59-27K	<input type="radio"/> Brown

Materials	Dimmable: Yes
Shade: Blown glass	Integrated dimmer: No
Structure: Polycarbonate	Dimming protocols: TRIAC / ELV / 0-10V
Dissipater: Aluminium	

Product type: Wall, Ceiling
Light source: LED SMD 500mA 11.56W 2700K CRI90 1528lm
Luminaire: 120 - 277 VAC 13.75W 1053lm
Weight: Net 5 lb - Gross 9 lb
Package: 15 x 16.7 x 8 " - 9 lb - VOL - 1 ft³
Product note: For installation on standard junction boxes use with accessory A622-181-xx "Disk Accessory".
LED included




A726-052-58-27K

Caramel 38

Code	Finish
A726-053-51-27K	<input type="radio"/> Opal
A726-053-57-27K	<input checked="" type="radio"/> Green
A726-053-58-27K	<input type="radio"/> Blue
A726-053-59-27K	<input type="radio"/> Brown

Materials	Dimmable: Yes
Shade: Blown glass	Integrated dimmer: No
Structure: Polycarbonate	Dimming protocols: TRIAC / ELV / 0-10V
Dissipater: Aluminium	

Product type: Wall
Light source: LED SMD 500mA 11.56W 2700K CRI90 1528lm
Luminaire: 120 - 277 VAC 13.75W 1035lm
Weight: Net 9 lb - Gross 14.6 lb
Package: 19 x 20.7 x 8 " - 14.6 lb - VOL - 1.8 ft³
Product note: For installation on standard junction boxes use with accessory A622-181-xx "Disk Accessory".
LED included



A726-053-57-27K


Wire installation: Hardwired

Disk accessory

Code	Finish
A622-181-35	Matte white (RAL 9010)
A622-181-39	Matte black (RAL 9005)

Materials
Structure: Metal

Product type: Accessory
Accessory used for installation with the junction box.



Caramel Accessory x2


Code	Finish
A726-054-16	Black
A726-054-15	Matt Gold

Materials
Structure: Metal

Product type: Accessory
Product notes: Must be specified together with Caramel 22, Caramel 28 or Caramel 38. They can be the same size or combine different sizes.

Weight: Net 1 lb – Gross 1.3 lb
Package: 4.7 x 20.3 x 2.2 " - 1.3 lb - VOL - 0.1 ft³

Product note: For installation on standard junction boxes use with two accessories A622-181-xx "Disc Accessory".



A726-054-15 / A726-052-57-27K / A726-053-58-27K



Caramel Accessory x3

Code	Finish
A726-055-16	● Black
A726-055-15	● Matt Gold

Materials
Structure: Metal

Product type: Accessory
Product notes: Must be specified together with Caramel 22, Caramel 28 or Caramel 38. They can be the same size or combine different sizes.

Weight: Net 1.3 lb – Gross 3.1 lb
Package: 11 x 34 x 2.2 " - 3.1 lb - VOL - 0.4 ft³
Product note: For installation on standard junction boxes use with three accessories A622-181-xx "Disc Accessory".



A726-055-16 / A726-053-57-27K / A726-052-59-27K / A726-051-51-27K

Spare parts

Code	Product	Finish	Spare part
R726-002-51	Caramel 22	Opal	Glass
R726-002-57	Caramel 22	Green	Glass
R726-002-58	Caramel 22	Blue	Glass
R726-002-59	Caramel 22	Brown	Glass
R726-001-51	Caramel 28	Opal	Glass
R726-001-57	Caramel 28	Green	Glass
R726-001-58	Caramel 28	Blue	Glass
R726-001-59	Caramel 28	Brown	Glass
R726-003-51	Caramel 38	Opal	Glass
R726-003-57	Caramel 38	Green	Glass
R726-003-58	Caramel 38	Blue	Glass
R726-003-59	Caramel 38	Brown	Glass



Discover more at maset.com

Chispa

Code	Finish
Ⓐ A703-001	● Black (RAL 9004)
Ⓐ A703-002	● Blue (RAL DESIGN 230 20 20)
Ⓐ A703-003	● Green (RAL 6009)
Ⓐ A703-004	● Orange (RAL 2010)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Yes
Base: Polycarbonate	Integrated dimmer: Yes
Diffuser: Opal Polyethylene	Dimmer Type: 3-step dimmer
Accessory: Rope cord with metal hook.	

Product type: Table / Portable

Light source: LED SMD 0.7A 2.7W 2700K CRI90 216lm

Luminaire: in 5 Vdc 1.5A 110lm

Weight: Net 1.1 lb – Gross 1.7 lb


Package: 5.5 x 5.5 x 11" – 1.7 lb Vol – 0.17 ft³ (1u)

11.8 x 11.8 x 9.4" – 7 lb Vol – 0.7 ft³ (4u)

Product notes: Ships in multiples of 4 only (can mix colours).

Charging cable included (USB to USB-C). Power adapter not included.

LED included




Dimmer
Suitable for
wet locations

IP44

Switch location: Body
Charging time 10 h

Battery life time:
7 hours in peak power
14 hours in half power
28 hours in a quarter power



A703-001

Spare parts

Code	Product	Spare part
R703-001	Chispa	Battery
R968-002-USA	Chispa	Black power adapter USB A (USA)
R961-057	Chispa	Black cable USB A to USB C
R968-011	Chispa	Black power adapter USB C (USA)
R961-075	Chispa	Black cable USB C to USB C





Cluster, Accessory

The cluster gives you absolute freedom to design the light you desire. With it, you can illuminate large spaces and create different compositions.



Take into account the total power in watts, the power of the driver, and the wire entry points of the canopy. The total wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required. Finally, the number of lamps installed in a single canopy cannot exceed the number of wire entry points of that canopy. Customize your space with our Dipping Light cluster configurator at configurator.marsset.com/dipping-light

Circular Canopy 20W

Code A693-013 Finish ● Black



Materials
Structure: Painted iron

Dimmable: No



Product type: Accessory
Luminaire: 120 - 277 VAC 24W (max.)
Weight: Net 1.7 lb - Gross 2.2 lb
Package: 9 x 8.3 x 3.5 " - 2.2 lb - Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3



Circular Canopy 50W

Code A693-015 Finish ● Black

Dimming
0-10V



Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming Protocols: 0-10V (120-277V)



Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb - Gross 3.08 lb
Package: 9 x 8.2 x 3.5 " - 3.08 lb - Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5



Rectangular Canopy 50W

Code A693-017 Finish ● Black

Dimming
0-10V

Materials

Structure: Painted iron

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: 0-10V



Product type: Accessory

Luminaire: 120 - 277 VAC 0-10V 58W (max.)

Weight: Net 4.6 lb - Gross 5.5 lb

Package: 16.3 x 8.3 x 2.8 " - 5.5 lb - Vol - 0.25 ft³

Product notes: Canopy for 24V luminaires.



Circular Canopy 50W

Code A693-019 Finish ● Black

Dimming
0-10V

Materials

Structure: Painted iron

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: 0-10V



Product type: Accessory

Luminaire: 120 - 277 VAC 0-10V 58W (max.)

Weight: Net 2.5 lb - Gross 5.5 lb

Package: 16 x 15.7 x 3 " - 5.5 lb - Vol - 0.38 ft³

Product notes: Canopy for 24V luminaires.



Circular Canopy 100W

Code A693-021 Finish ● Black

Dimming
0-10V

Materials

Structure: Painted iron

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: 0-10V



Product type: Accessory

Luminaire: 120 - 277 VAC 0-10V 114W (max.)

Weight: Net 7.2 lb - Gross 8.3 lb

Package: 16.5 x 15.7 x 3 " - 8.3 lb - Vol - 0.35 ft³

Product notes: Canopy for 24V luminaires.



Hook Accessory

Code A693-007 Finish ● Black

Materials



Structure: Painted iron

Product type: Accessory

Weight: Net 0.02 lb - Gross 0.02 lb

Package: 0.5 x 0.5 x 1.7 " - 0.02 lb - Vol - 0.035 ft³

Product notes: This accessory is included when purchasing the 24V pendants.






Discover more at masset.com

Copérnica M

Code	Finish
A686-047	● Graphite-Satin Nickel-Black
A686-048	● Graphite-Red-Black

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: Yes
Base: Steel	Dimming protocols: 3 positions dimmer
Counterweight: Steel	
Diffuser: Aluminum	

Product type: Table
 Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
 Luminaire: 85 - 264 VAC 7W 416lm
 Weight: Net 7.3 lb – Gross 11.7 lb
 Package: 44.4 x 9.8 x 6.7 " – 7.3 lb Vol – 1.68 ft³
 14.2 x 14.2 x 1.18 " – 4.4 lb Vol – 0.14 ft³
 LED included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: Underside of shade.




A686-047

Code A686-053 Finish Graphite-Satin Nickel-Black
A686-054 Finish Graphite-Red-Black

Materials
Structure: Steel
Base: Steel
Counterweight: Steel
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: 3 positions dimmer

Product type: Floor
Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
Luminaire: 85 - 264 VAC 7W 416lm
Weight: Net 10.1 lb – Gross 15.2 lb
Package: 64.6 x 9.8 x 6.7 " – 9 lb Vol – 2.3 ft³
14 x 14 x 1.2 " – 6.2 lb Vol – 0.14 ft³
LED included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Underside of shade.



A686-054



Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and an

eye-catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturizing the light.



Discover more at masset.com


Dipping Light

Code	Finish
A691-468-3515-27K	White - Brushed Brass
A691-468-4515-27K	Green - Brushed Brass
Ⓐ A691-468-3015-27K	Amber - Brushed Brass
A691-468-4015-27K	Burgundy - Brushed Brass
A691-468-4715-27K	Chocolate - Brushed Brass
A691-468-3715-27K	Cream - Brushed Brass

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: No
Body: Metal	
Diffuser: Brilliant white blown glass globe with layered paint	

Product type: Table
Light Source: LED SMD 700mA 2.2W 2700K CRI80 243lm
Luminaire: 120 - 240 VAC 4W 123lm
Weight: Net 2 lb - Gross 3.3 lb
Package: 13.7 x 13.7 x 7" - 3.3 lb Vol - 0.38 ft ³



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



A691-468-4515-27K

Dipping Light S

Code	Finish
A691-469-3515-27K	White - Brushed Brass
A691-469-4515-27K	Green - Brushed Brass
A691-469-3015-27K	Amber - Brushed Brass
A691-469-4015-27K	Burgundy - Brushed Brass
A691-469-4715-27K	Chocolate - Brushed Brass
A691-469-3715-27K	Cream - Brushed Brass

Materials	Dimmable: Yes
Body: Metal	Integrated dimmer: Yes
Diffuser: Brilliant white blown glass globe with layered paint	Dimming protocols: Progressive dimmer from 0 to 100


Product type: Table
Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm

Luminaire: 85 - 264 VAC 11W


Weight: Net 4.4 lb – Gross 5.5 lb

Package: 6.7 x 13 x 6.7 " – 3.1 lb Vol – 0.3 ft³
9.8 x 9.8 x 12.2 " – 2.4 lb Vol – 0.7 ft³

LED included



Cable length: 5.75 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



A691-469-4015-27K

Dipping Light M

Code	Finish
A691-470-3515-27K	White - Brushed Brass
A691-470-4515-27K	Green - Brushed Brass
A691-470-3015-27K	Amber - Brushed Brass
A691-470-4015-27K	Burgundy - Brushed Brass
A691-470-4715-27K	Chocolate - Brushed Brass
A691-470-3715-27K	Cream - Brushed Brass

Materials	Dimmable: Yes
Body: Metal	Integrated dimmer: Yes
Diffuser: Brilliant white blown glass globe with layered paint	Dimming protocols: Progressive dimmer from 0 to 100


Product type: Table
Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm

Luminaire: 85 - 264 VAC 11W 312lm

Weight: Net 7.3 lb – Gross 11.7 lb

Package: 13.4 x 10.2 x 10.2 " – 6.39 lb Vol – 0.078 ft³
16.1 x 16.1 x 16.1 " – 5.29 lb Vol – 2.4 ft³

LED included



Cable length: 5.75 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



A691-470-4715-27K



Dipping Light Portable

Code	Finish
A691-453-3515-27K	White - Brushed Brass
A691-453-4515-27K	Green - Brushed Brass
Ⓐ A691-453-3015-27K	Amber - Brushed Brass
A691-453-4015-27K	Burgundy - Brushed Brass
A691-453-4715-27K	Chocolate - Brushed Brass
A691-453-3715-27K	Cream - Brushed Brass

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Body: Metal

Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes

Integrated dimmer: Yes

Dimmer Type: 3-step dimmer

Product type: Table


Light source: LED SMD 1A 3.5W 2700K CRI90 216lm

Luminaire: in 5 Vdc 1.5A 123lm

Weight: Net 1.8 lb – Gross 2.4 lb

Package: 7 x 7 x 14 " – 2.4 lb Vol – 0.4 ft³

LED included



Switch location: Body

Charging time 10 h

Battery life time:

5 hours in peak power

10 hours in half power

20 hours in a quarter power



A691-453-3015-27K

Disk accessory + magnet

Code	Finish
A691-097	● Black


Materials

Structure: Metal counterweight

Product type: Accessory

Weight: Net 1.1 lb – Gross 1.3 lb

Package: 6 x 5.5 x 3.5 " - 1.3 lb – Vol - 0.07 ft³



Magnet accessory

Code	Finish
A680-008	● Inox


Materials

Structure: Neodymium magnet

Product type: Accessory

Weight: Net 0.04 lb – Gross 0.04 lb

Package: 4.72 x 6.89 x 0.39 " - 0.04 lb – Vol - 0.035 ft³



Dipping Light A1-13

Code

A691-471-3515-27K Finish
 A691-471-4515-27K White - Brushed Brass
 A691-471-3015-27K Green - Brushed Brass
 A691-471-4015-27K Amber - Brushed Brass
 A691-471-4715-27K Burgundy - Brushed Brass
 A691-471-3715-27K Chocolate - Brushed Brass
 A691-471-3715-27K Cream - Brushed Brass

Materials

Body: Metal Dimmable: Yes
 Diffuser: Brilliant white blown glass Integrated dimmer: No
 globe with layered paint Dimming protocols: Phase cut (ELV)

Product type: Wall

Light source: LED COB 500mA 5.68W 2700K CRI90 645lm


Luminaire: 120 VAC ELV 9W

Weight: Net 2 lb – Gross 3.3 lb

Package: 7 x 7 x 11" – 3.3 lb Vol – 0.04 ft³

Product notes: 0-10V dimming upon request.

LED included



Wire installation: Hardwired



A691-471-4515-27K

Dipping Light A2-13

Code

A691-472-3515-27K Finish
 A691-472-4515-27K White - Brushed Brass
 A691-472-3015-27K Green - Brushed Brass
 A691-472-4015-27K Amber - Brushed Brass
 A691-472-4715-27K Burgundy - Brushed Brass
 A691-472-3715-27K Chocolate - Brushed Brass
 A691-472-3715-27K Cream - Brushed Brass

Materials

Body: Metal Dimmable: Yes
 Diffuser: Brilliant white blown glass Integrated dimmer: No
 globe with layered paint Dimming protocols: Phase cut (ELV)

Product type: Wall

Light source: LED SMD 500mA 8.6W 2700K CRI90 765lm


Luminaire: 120 VAC ELV 7.5W

Weight: Net 2 lb – Gross 3.3 lb


Package: 7 x 7 x 11" – 3.3 lb Vol – 0.04 ft³

Product notes: 0-10V dimming upon request.

LED included



Wire installation: Hardwired



A691-472-3015-27K



Dipping Light 13

Code	Finish	Dimming
A691-473-35-27K	White	on/off
A691-473-45-27K	Green	on/off
A691-473-30-27K	Amber	on/off
A691-473-40-27K	Burgundy	on/off
A691-473-47-27K	Chocolate	on/off
A691-473-37-27K	Cream	on/off
A691-474-35-27K	White	0-10V
A691-474-45-27K	Green	0-10V
A691-474-30-27K	Amber	0-10V
A691-474-40-27K	Burgundy	0-10V
A691-474-47-27K	Chocolate	0-10V
A691-474-37-27K	Cream	0-10V

Materials

Diffuser: Brilliant white blown glass

globe with layered paint

Cover: Polycarbonate

Canopy: Metal

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: 0-10V

Product type: Pendant

Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm


Luminaire: 90 - 264 VAC 6W 203lm

110 - 127 VAC 0-10V 6W 203lm

Weight: Net 1.7 lb - Gross 2.86 lb

Package: 8.6 x 8.6 x 9 " - 2.86 lb Vol - 0.35 ft³

LED included



Cable length: 6.7 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A691-473-45-27K

Dipping Light 20

Code	Finish	Dimming
A691-475-35-27K	White	on/off
A691-475-45-27K	Green	on/off
A691-475-30-27K	Amber	on/off
A691-475-40-27K	Burgundy	on/off
A691-475-47-27K	Chocolate	on/off
A691-475-37-27K	Cream	on/off
A691-476-35-27K	White	0-10V
A691-476-45-27K	Green	0-10V
A691-476-30-27K	Amber	0-10V
A691-476-40-27K	Burgundy	0-10V
A691-476-47-27K	Chocolate	0-10V
A691-476-37-27K	Cream	0-10V

Materials

Diffuser: Brilliant white blown glass

globe with layered paint

Cover: Polycarbonate

Canopy: Metal

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: 0-10V

Product type: Pendant


Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm

Luminaire: 90 - 264 VAC 6W 231lm / 110 - 127 VAC 0-10V 6W 231lm

Weight: Net 2.6 lb - Gross 3.7 lb

Package: 13 x 10.2 x 10.2 " - 3.7 lb Vol - 0.7 ft³

LED included



Cable length: 6.7 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A691-476-40-27K

Dipping Light 30

Code	Finish	Dimming
A691-477-35-27K	White	ELV
A691-477-45-27K	Green	ELV
A691-477-30-27K	Amber	ELV
A691-477-40-27K	Burgundy	ELV
A691-477-47-27K	Chocolate	ELV
A691-477-37-27K	Cream	ELV
A691-478-35-27K	White	0-10V
A691-478-45-27K	Green	0-10V
A691-478-30-27K	Amber	0-10V
A691-478-40-27K	Burgundy	0-10V
A691-478-47-27K	Chocolate	0-10V
A691-478-37-27K	Cream	0-10V

Materials

Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes

Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm


Luminaire: 100 - 120 VAC ELV 14W 379lm

110 - 127 VAC 0-10V 14W 379lm

Weight: Net 5.2 lb – Gross 8 lb

Package: 16 x 15.7 x 16 " – 8 lb Vol – 2.47 ft³

LED included



Dimmable



Cable length: 6.7 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



Dipping Light 40

Code	Finish	Dimming
A691-551-35-27K	White	ELV + 0-10V
A691-551-45-27K	Green	ELV + 0-10V
A691-551-30-27K	Amber	ELV + 0-10V
A691-551-40-27K	Burgundy	ELV + 0-10V
A691-551-47-27K	Chocolate	ELV + 0-10V
A691-551-37-27K	Cream	ELV + 0-10V

Materials

Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes

Integrated dimmer: No
 Dimming protocols:
 ELV + 0-10V

Product type: Pendant


Light source: LED COB 700mA 23.7W 2700K CRI90 3280lm

Luminaire: 120 VAC 27.5W

Weight: Net 9.3 lb – Gross 14.3 lb

Package: 21.7 x 21.7 x 22.4 " – 14.33 lb Vol – 6 ft³


LED included



Dimmable



Cable length: 9.8 ft
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black



A691-551-30-27K



The cluster is a system that allows several pendant lamps to be connected to a single power point. It provides complete freedom to create with light, illuminate large spaces, or design compositions with multiple pendant lamps.

See the available clusters on pages 59 and 60.
Customize your space with our Dipping Light cluster configurator at: configurator.marsset.com/dipping-light


Dipping Light 13 - 24V

Code	Finish
A691-457-35-27K	White
A691-457-45-27K	Green
A691-457-30-27K	Amber
A691-457-40-27K	Burgundy
A691-457-47-27K	Chocolate
A691-457-37-27K	Cream

Materials
Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on purchased power supply. See Cluster accessory, pages 59, 60

Product type: Pendant
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 203lm
Weight: Net 1.3 lb – Gross 2.86 lb
Package: 8.6 x 8.6 x 9 " – 2.86 lb Vol – 0.35 ft³
Product notes: For 24Vdc canopies please see pages 59, 60.
1 pc. hook accessory included.
LED included



Cable length: 13.1 ft
Wire installation: Hardwired
Cord color: Black



Dipping Light 20 - 24V

Code	Finish
A691-459-35-27K	White
A691-459-45-27K	Green
A691-459-30-27K	Amber
A691-459-40-27K	Burgundy
A691-459-47-27K	Chocolate
A691-459-37-27K	Cream

Materials

Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dependent on purchased power supply. See Cluster accessory, pages 59, 60

Product type: Pendant

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm

Luminaire: (Power supply not included) 231lm


Weight: Net 2.4 lb – Gross 4.4 lb

Package: 13 x 10.2 x 10.2 " – 4.4 lb Vol – 0.7 ft³

Product notes: For 24Vdc canopies please see pages 59, 60.

1pc. hook accessory included.


LED included



Cable length: 13.1 ft

Wire installation: Hardwired

Cord color: Black



A691-459-30-27K

Dipping Light 30 - 24V

Code	Finish
A691-461-35-27K	White
A691-461-45-27K	Green
A691-461-30-27K	Amber
A691-461-40-27K	Burgundy
A691-461-47-27K	Chocolate
A691-461-37-27K	Cream

Materials

Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dependent on purchased power supply. See Cluster accessory, pages 59, 60

Product type: Pendant

Light source: LED SMD 24Vdc 11.5W 2700K CRI90 1024lm

Luminaire: (Power supply not included) 379lm


Weight: Net 4 lb – Gross 6.8 lb

Package: 16 x 15.7 x 16 " – 6.8 lb Vol – 2.47 ft³

Product notes: For 24Vdc canopies please see pages 59, 60.

1pc. hook accessory included.


LED included



Cable length: 13.1 ft

Wire installation: Hardwired

Cord color: Black



A691-461-47-27K

Spare parts

Code	Product	Finish	Spare part
R691-076-35	Dipping light / Dipping light A1	White	Glass
R691-076-45	Dipping light / Dipping light A1	Green	Glass
R691-076-30	Dipping light / Dipping light A1	Amber	Glass
R691-076-40	Dipping light / Dipping light A1	Burgundy	Glass
R691-076-47	Dipping light / Dipping light A1	Chocolate	Glass
R691-076-37	Dipping light / Dipping light A1	Cream	Glass
R691-077-35	Dipping light S	White	Glass
R691-077-45	Dipping light S	Green	Glass
R691-077-30	Dipping light S	Amber	Glass
R691-077-40	Dipping light S	Burgundy	Glass
R691-077-47	Dipping light S	Chocolate	Glass
R691-077-37	Dipping light S	Cream	Glass
R691-078-35	Dipping light M	White	Glass
R691-078-45	Dipping light M	Green	Glass
R691-078-30	Dipping light M	Amber	Glass
R691-078-40	Dipping light M	Burgundy	Glass
R691-078-47	Dipping light M	Chocolate	Glass
R691-078-37	Dipping light M	Cream	Glass
R691-079-35	Dipping light A2	White	Glass
R691-079-45	Dipping light A2	Green	Glass
R691-079-30	Dipping light A2	Amber	Glass
R691-079-40	Dipping light A2	Burgundy	Glass
R691-079-47	Dipping light A2	Chocolate	Glass
R691-079-37	Dipping light A2	Cream	Glass
R691-080-35	Dipping Light 13	White	Glass
R691-080-45	Dipping Light 13	Green	Glass
R691-080-30	Dipping Light 13	Amber	Glass
R691-080-40	Dipping Light 13	Burgundy	Glass
R691-080-47	Dipping Light 13	Chocolate	Glass
R691-080-37	Dipping Light 13	Cream	Glass
R691-081-35	Dipping Light 20	White	Glass
R691-081-45	Dipping Light 20	Green	Glass
R691-081-30	Dipping Light 20	Amber	Glass
R691-081-40	Dipping Light 20	Burgundy	Glass
R691-081-47	Dipping Light 20	Chocolate	Glass
R691-081-37	Dipping Light 20	Cream	Glass
R691-082-35	Dipping Light 30	White	Glass
R691-082-45	Dipping Light 30	Green	Glass
R691-082-30	Dipping Light 30	Amber	Glass
R691-082-40	Dipping Light 30	Burgundy	Glass
R691-082-47	Dipping Light 30	Chocolate	Glass
R691-082-37	Dipping Light 30	Cream	Glass
R691-083-35	Dipping Light 40	White	Glass
R691-083-45	Dipping Light 40	Green	Glass
R691-083-30	Dipping Light 40	Amber	Glass
R691-083-40	Dipping Light 40	Burgundy	Glass
R691-083-47	Dipping Light 40	Chocolate	Glass
R691-083-37	Dipping Light 40	Cream	Glass
R691-075	Dipping Light portable		Battery
R968-002-USA	Dipping Light portable		Black power adapter USB A (USA)
R961-057	Dipping Light portable		Black cable USB A to USB C
R968-011	Dipping Light portable		Black power adapter USB C (USA)
R961-075	Dipping Light portable		Black cable USB C to USB C




Discocó 35


Code	Finish
A620-055	White (RAL 9003)
A620-128	Matte Beige (RAL 1001)
A620-083	Black - Gold (RAL 9004 - Gold)

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: E12 LED TYPE G16.5 5W
 Weight: Net 3.3 lb – Gross 5.7 lb
 Package: 33.8 x 7 x 7.4 " -5.7 lb – Vol - 1.06 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: White
 Canopy color: White




A620-055

Discocó 53


Code	Finish
A620-005	White (RAL 9003)
A620-130	Matte Beige (RAL 1001)
A620-084	Black - Gold (RAL 9004 - Gold)

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: E26 LED TYPE A 11W
 Weight: Net 6.17 lb - Gross 10.4 lb
 Package: 42.5 x 10.2 x 10.6 " - 10.4 lb - Vol - 2.82 ft³
 Lamp not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: White
 Canopy color: White




A620-130

Discocó 68


Code	Finish
A620-122	White (RAL 9003)
A620-132	Matte Beige (RAL 1001)
A620-145	Black - Gold (RAL 9004 - Gold)
A620-162	American oak-Black chrome

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: 3x E26 LED TYPE A 11W
 Weight: Net 10.1 lb - Gross 16.5 lb
 Package: 49.2 x 12.9 x 11.02 " - 16.5 lb - Vol - 4.06 ft³
 Product notes: For the wood version, the discs are made of pressed American oak of 0.16". Black chrome sphere.
 Lamp not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black (American oak version), White (all the rest)
 Canopy Color: Black (American oak version), White (all the rest)



A620-162

Discocó 88


Code	Finish
A620-006	White (RAL 9003)
A620-134	Matte Beige (RAL 1001)
A620-085	Black - Gold (RAL 9004 - Gold)

Materials

Discs: ABS
Sphere: Chromed metal
Canopy: Metal


Product type: Pendant

Light source: 3x E26 LED TYPE A 11W
Weight: Net 14.8 lb - Gross 23.4 lb
Package: 52.7 x 12.2 x 16.5 " - 23.4 lb - Vol - 6 ft³
Lamping not included



Cable length: 9.8 ft

Wire installation: Hardwired
Cord color: White
Canopy color: White



A620-006

Discocó 132


Code	Finish
A620-047	White (RAL 9003)
A620-086	Black - Gold (RAL 9004 - Gold)

Materials

Discs: ABS
Sphere: Chromed metal
Canopy: Metal


Product type: Pendant

Light source: 6x E26 LED TYPE A 11W
Weight: Net 40.8 lb - Gross 52.9 lb
Package: 47.6 x 16.1 x 16.1 " - 30.9 lb - Vol - 7.06 ft³
17.7 x 16.5 x 16.5 " - 22 lb - Vol - 2.82 ft³
Lamping not included



Cable length: 11.5 ft

Wire installation: Hardwired
Cord color: White
Canopy color: White



A620-086

Using a rotomolding technique allowed the designer, Joan Gaspar, to design a fixture with vastly different interiors and exteriors: its outside recalls the texture of a stone, giving off a perception of great weight, emphasized by its volume. In the

spacious interior you'll find a smooth, white space perfect for the reflection of light. Djembé is a lamp designed for use in public spaces that seeks to bring beauty and an unbeatable quality of light.



Discover more at masset.com

Djembe 42.21

Code	Finish
A681-380	White (RAL 1013)
A681-381	Grey (RAL 7022)
A681-382	Red (RAL 3011)
A681-383	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: 90 - 135 VAC ELV 19W 955lm


120 - 277 VAC 0-10V 19W 955lm

Weight: Net 6.6 lb - Gross 9.7 lb

Package: 17.3 x 17.3 x 12 " - 9.7 lb Vol - 2.11 ft³

Product notes: 3000K available upon request

LED included



Cable length: 6.56 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A681-380

Djembe 42.28

Code	Finish
A681-384	White (RAL 1013)
A681-385	Grey (RAL 7022)
A681-386	Red (RAL 3011)
A681-387	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminum

Product type: Pendant

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: 90 - 135 VAC ELV 19W 925lm


120 - 277 VAC 0-10V 19W 925lm

Weight: Net 7.9 lb - Gross 10.8 lb

Package: 17.3 x 17.3 x 12.6 " - 10.8 lb Vol - 2.118 ft³

Product notes: 3000K available upon request

LED included



Cable length: 6.56 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A681-386

Djembe 65.23

Code	Finish
A681-388	White (RAL 1013)
A681-389	Grey (RAL 7022)
A681-390	Red (RAL 3011)
A681-391	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminum

Product type: Pendant

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1843lm


120 - 277 VAC 0-10V 26W 1843lm

Weight: Net 10.8 lb - Gross 15.9 lb

Package: 25.6 x 25.6 x 11 " - 15.9 lb Vol - 4.23 ft³

Product notes: 3000K available upon request

LED included



Cable length: 6.56 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A681-391

Djembé 65.35

Code	Finish
A681-392	White (RAL 1013)
A681-393	Grey (RAL 7022)
A681-394	Red (RAL 3011)
A681-395	Sky Blue (PANTONE 7542C)


Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 26W 1845lm
120 - 277 VAC 0-10V 26W 1845lm

Weight: Net 13.4 lb – Gross 18.7 lb
Package: 25.6 x 25.6 x 16.5 " – 18.7 lb Vol – 6.35 ft³
Product notes: 3000K available upon request

LED included



Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black



A681-392

Djembé 65.45

Code	Finish
A681-396	White (RAL 1013)
A681-397	Grey (RAL 7022)
A681-398	Red (RAL 3011)
A681-399	Sky Blue (PANTONE 7542C)


Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 26W 1770lm
120 - 277 VAC 0-10V 26W 1770lm

Weight: Net 15.2 lb – Gross 20.5 lb
Package: 25.6 x 25.6 x 19.3 " – 20.5 lb Vol – 7.06 ft³
Product notes: 3000K available upon request

LED included



Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black



A681-398

Code	Finish
A681-506	White (RAL 1013)
A681-507	Grey (RAL 7022)
A681-508	Red (RAL 3011)
A681-509	Sky Blue (PANTONE 7542C)

© Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminum

Product type: Pendant

Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm

Luminaire: Only 120 VAC ELV 42W 2519lm

120 - 277 VAC 0-10V 42W 2519lm

Weight: Net 24.3 lb – Gross 43 lb

Package: 45.2 x 45.2 x 20 " – 43 lb Vol – 24.7 ft³

Product notes: 3000K available upon request


LED included

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V



Cable length: 6.56 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A681-507



Djembé C42.13

Code	Finish
A681-312	White (RAL 1013)
A681-313	Grey (RAL 7022)
A681-314	Red (RAL 3011)
A681-315	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminum

Product type: Ceiling

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: Only 120 VAC ELV 19W 846lm


120 - 277 VAC 0-10V 19W 846lm

Weight: Net 5.3 lb – Gross 7.7 lb

Package: 17.3 x 17.3 x 7.4 " – 7.7 lb Vol – 1.41 ft³

Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



A681-313

Djembé C42.21

Code	Finish
A681-316	White (RAL 1013)
A681-317	Grey (RAL 7022)
A681-318	Red (RAL 3011)
A681-319	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminum

Product type: Ceiling

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: Only 120 VAC ELV 19W 955lm


120 - 277 VAC 0-10V 19W 955lm

Weight: Net 6.6 lb – Gross 9.4 lb

Package: 17.3 x 17.3 x 9.8 " – 9.4 lb Vol – 1.765 ft³

Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



A681-319

Djembé C 42.28

Code	Finish
A681-320	White (RAL 1013)
A681-321	Grey (RAL 7022)
A681-322	Red (RAL 3011)
A681-323	Sky Blue (PANTONE 7542C)

Materials	Dimmable: Yes
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)	Integrated dimmer: No
	Dimming protocols: Dual dimming driver
	Phase cut (ELV) or 0-10V

Diffuser: Aluminum

Product type: Ceiling
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: Only 120 VAC ELV 19W 925lm


120 - 277 VAC 0-10V 19W 925lm

Weight: Net 8.2 lb – Gross 11 lb

Package: 17.3 x 17.3 x 12.6 " – 11 lb Vol – 2.12 ft³

Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



A681-320

Djembé C 65.23

Code	Finish
A681-324	White (RAL 1013)
A681-325	Grey (RAL 7022)
A681-326	Red (RAL 3011)
A681-327	Sky Blue (PANTONE 7542C)

Materials	Dimmable: Yes
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)	Integrated dimmer: No
	Dimming protocols: Dual dimming driver
	Phase cut (ELV) or 0-10V

Diffuser: Aluminum

Product type: Ceiling
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC ELV 26W 1843lm


120 - 277 VAC 0-10V 26W 1843lm

Weight: Net 10.8 lb – Gross 15.4 lb

Package: 25.6 x 25.6 x 11.8 " – 15.4 lb Vol – 4.59 ft³

Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



A681-326

Djembe C 65.35

Code	Finish
A681-328	White (RAL 1013)
A681-329	Grey (RAL 7022)
A681-330	Red (RAL 3011)
A681-331	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminum

Product type: Ceiling

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1845lm

120 - 277 VAC 0-10V 26W 1845lm

Weight: Net 13.2 lb – Gross 18.7 lb

Package: 25.6 x 25.6 x 16.5 " – 18.7 lb Vol – 6.36 ft³

Product notes: 3000K available upon request


LED included

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V



Wire installation: Hardwired



A681-329

Djembe C 65.45

Code	Finish
A681-332	White (RAL 1013)
A681-333	Grey (RAL 7022)
A681-334	Red (RAL 3011)
A681-335	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1770lm

120 - 277 VAC 0-10V 26W 1770lm

Weight: Net 15.2 lb – Gross 20.3 lb

Package: 25.6 x 25.6 x 19.3 " – 20.3 lb Vol – 7.06 ft³


Product notes: 3000K available upon request

LED included

Dimmable: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V



A681-335

Wire installation: Hardwired


Code	Finish
681-514	White (RAL 1013)
681-515	Grey (RAL 7022)
681-516	Red (RAL 3011)
681-517	Sky Blue (PANTONE 7542C)

681 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Ceiling
 Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
 Luminaire: Only 120 VAC ELV 42W 2519lm
 120 - 277 VAC 0-10V 42W 2519lm
 Weight: Net 22.5 lb – Gross 41.9 lb
 Package: 45.3 x 45.3 x 20" - 41.9 lb Vol – 24.7 ft³
 Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired




A681-515

Accessory C2 Djembé 42

Code A681-424 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 1.8 lb – Gross 3 lb
Package: 24.4 x 7.8 x 3.5" - 3 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 2 Djembé 42 models for a single junction box.
Only compatible with ELV installation.





Accessory C3 Djembé 42

Code A681-425 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2.9 lb – Gross 3.7 lb
Package: 24.4 x 7.8 x 3.5" - 3.7 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 3 Djembé 42 models for a single junction box.
Only compatible with ELV installation.




Accessory C2 Djembé 65

Code A681-426 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2 lb – Gross 3.4 lb
Package: 33.4 x 7.8 x 3.5" - 3.4 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 2 Djembé 65 models for a single junction box.
Only compatible with ELV installation.





Accessory C3 Djembé 65

Code A681-427 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron



Product type: Accessory
Weight: Net 3.3 lb – Gross 4.2 lb
Package: 33.4 x 7.8 x 3.5" - 4.2 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 3 Djembé 65 models for a single junction box.
Only compatible with ELV installation.





Architecture, lines and distinctiveness. A bollard light that reveals its empty interior. Domus hides its light, refusing to reveal where it comes from, and projects a subtle angle of illumination. The beauty of this new bollard lies in how its form plays with

and defines its light. It can be installed individually but takes on a sculptural feel in combinations of two or three units, the beam of light spreading in different directions and achieving greater breadth.




Domus B26 NEW

Code	Finish
A734-103-31-27K	● Rust Brown
A734-103-35-27K	○ White (RAL 9003)
A734-103-39-27K	● Black (RAL 9005)

Materials	Dimmable: Yes
Body: Aluminium	Integrated dimmer: No
Base: Stainless Steel	Dimming protocols: Based on specified driver

Product type: Bollard
Light source: LED COB 24Vdc 7W 2700K CRI90 891 lm
Luminaire: (Power supply not included) 98 lm

Weight: Net 2.87 lb – Gross 4.19 lb
Package: 3.94 x 7.87 x 13.78 " – 4.19 lb Vol – 0.25 ft³
LED included



Dimmable

IP65

IK07

Wire installation: Hardwired




A734-103-35-27K

Code	Finish
A734-102-31-27K	● Rust Brown
A734-102-35-27K	● White (RAL 9003)
A734-102-39-27K	● Black (RAL 9005)

Materials	Dimmable: Yes
Body: Aluminium	Integrated dimmer: No
Base: Stainless Steel	Dimming protocols: Based on specified driver
Product type: Bollard	

Light source: LED COB 24Vdc 7W 2700K CRI90 891 lm
Luminaire: (Power supply not included) 107 lm

Weight: Net 3.53 lb – Gross 5.07 lb
Package: 3.94 x 7.87 x 17.72" – 5.07 lb Vol – 0.32 ft³
LED included



Wire installation: Hardwired




A-734-102-31-27K

Code	Finish
A734-101-31-27K	● Rust Brown
A734-101-35-27K	● White (RAL 9003)
A734-101-39-27K	● Black (RAL 9005)

Materials	Dimmable: Yes
Body: Aluminium	Integrated dimmer: No
Base: Stainless Steel	Dimming protocols: Based on specified driver
Product type: Bollard	

Light source: LED COB 24Vdc 7W 2700K CRI90 891 lm
Luminaire: (Power supply not included) 118 lm

Weight: Net 4.74 lb – Gross 6.61 lb
Package: 3.94 x 7.87 x 24.80" – 6.61 lb Vol – 0.44 ft³
LED included



Wire installation: Hardwired




A734-101-39-27K

Domus: Power Supply - Dimmable


Code Description Dimming
968-230 60W - 24V 0-10V

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.




968-233 100W - 24V 0-10V

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24 VDC 99.6W max.




A968-372 60W - 24V TRI-DIM (Triac / ELV, 0-10V)

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.



A968-373 96W - 24V TRI-DIM (Triac / ELV, 0-10V)

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 96W max.



Domus: Connector Accessory

Code Description
A963-001 2 way terminal block 4 poles IP68 H2O Stop.
(ø0.2/0.5" cable).



A963-002 3/4 way terminal block 4 poles IP68 H2O Stop.
(ø0.2/0.5" cable).




Ground fixation plate x1 NEW

Code Finish
A734-043 ● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0.33 lb - Gross 0.64 lb
Package: 7.68 x 11.42 x 0.67 " - VOL - 0.04 ft³




Ground fixation plate x2 NEW

Code Finish
A734-041 ● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0.66 lb - Gross 1.19 lb
Package: 12.20 x 12.20 x 0.67 " - VOL - 0.07 ft³




Ground fixation plate x3 NEW

Code Finish
A734-042 ● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0.99 lb - Gross 1.61 lb
Package: 12.01 x 13.58 x 0.67 " - VOL - 0.07 ft³




Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

The installation and location of the remote LED driver and any required enclosure must be in accordance with applicable codes and laws and will be the exclusive responsibility of the installer.



Charismatic, lightweight and compact, the new FollowMe in a glossy ivory-white finish incorporates technological details: three colour temperatures with different light tones; an on/off button that also acts as a progressive dimmer to adjust light

intensity; a longer-lasting battery; and, in addition to the USB-C cable, it offers an individual or multiple charging base as an accessory for recharging one or several units at the same time.



Discover more at maset.com

FollowMe NEW

Code
A657-001-35-3CCT

Finish
White

Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Diffuser: Glossy opal polycarbonate
Body: Glossy polycarbonate

Handle: Plywood with natural oak varnish

Integrated dimmer: Yes

Dimmer type: Progressive from 10%
to 100%

Product type: Table / Portable

Light source: LED SMD 1A 3W 2200K - 2600K - 3000K CRI90 240lm

Luminaire: in 5 Vdc 1,5A 135lm

Weight: Net 1.1 lb - Gross 2.4 lb


Package: 13.78 x 9.45 x 14.17 " - 2.4 lb Vol - 1.06 ft³ (1u)
20.08 x 13.78 x 14.17 " - 14.9 lb Vol - 2.26 ft³ (6u)

Product notes: Ships in multiples of 6 only.

Charging cable included. Power adapter not included.

Wireless charging accessories available.

LED included



Dimmer

Switch location: Body
Charging time: 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power



reddot award 2016
winner lighting design

A657-001-35-3CCT

Single battery charging base

Code A870-001 Finish ● Black (RAL 9005)



Product type: Accessory

Weight: Net 0.18 lb – Gross 0.26 lb

Package: 6.30 x 4.53 x 1.42 " – 0.26 lb Vol – 0.04 ft³

Product notes: Individual wireless charging accessory for FollowMe.

Charging cable included. Power adapter not included.



Multi battery charging base

Code A870-005 Finish ● Black (RAL 9005)


Product type: Accessory

Weight: Net 7.54 lb – Gross 9.61 lb

Package: 21.46 x 16.54 x 2.95 " – 9.61 lb Vol – 0.60 ft³

Product notes: Wireless charging accessory for 6 FollowMe units.

Charging cable and power adapter included.



FollowMe Plus E26 (NEW)

Code A657-087-35 Finish ● White

Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Diffuser: Glossy opal polycarbonate

Body: Glossy polycarbonate


Handle: Plywood with natural oak varnish

Product type: Table

Light source: E26 LED 10W (not included)

Weight: Net 2.3 lb – Gross 3.3 lb

Package: 8.86 x 8.86 x 19.09 " – 3.3 lb Vol – 0.88 ft³ (1u)



Cable length: 6.6 ft

Wire installation: Plug-in

Color cord: Black

Switch location: Body

A657-087-35

Spare parts

Code
R657-101

Product
FollowMe

R968-011
R961-075

FollowMe
FollowMe

Spare part
Battery

Black power adapter USB C (USA)
Black cable USB C to USB C





Fragile

Code
 A724-103-50-22K
 A724-103-46-22K


Finish
 Translucent
 Amber

Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials
 Diffuser: Blown Glass
 Base: Methacrylate

Product type: Table
 Light source: LED SMD 700mA 2.1W 2200K CRI80 226.5lm
 Luminaire: 85 - 264 VAC
 Weight: Net 4.6 lb - Gross 10.1 lb
 Package: 25.6 x 15.4 x 12.2 " - 10.1 lb - VOL - 2.8 ft³
 LED included

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive from 0 to 100



Cable length: 3.2 ft
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line



A724-103-50-22K

Spare parts

Code	Product	Finish	Spare part
R724-001-46	Fragile	Amber	Glass - Cone
R724-001-50	Fragile	Translucent	Glass - Cone
R724-002-46	Fragile	Amber	Glass - Sphere
R724-002-50	Fragile	Translucent	Glass - Sphere
R724-003	Fragile	-	Glass - Tube



Drawing thin beams of light in a space with each one of them pointing in any direction. This is why we have created Fris, a multi-purpose lighting system, available in a wall/ceiling or pendant version, which allows you to combine several units in different sizes and positions, each one aiming its own beam of light. What makes it

unique is that the glass not only protects the light, but also provides a mechanical function, suspending the whole system and allowing the lamp to rotate and the light to be steered in a certain direction. There is also a more technical Pro version where the light is distributed in cells with independent lenses, achieving a UGR of under 19.







Fris



- Diffuse decorative light.
- LED 2700K and 3000K CRI90
- 24V product, can be connected to each other.
Max. 5 Fris 80
Max. 3 Fris 155
Max. 2 Fris 215
- Power supply not included, order separately.





Fris Pro

- Direct light for tasks requiring higher luminance and increased glare control.
- LED 3000K CRI90 (4000K available upon request).
- Power supply not included, order separately.
- They cannot be connected to each other.
- LED beam angle: 55°
(30° and 65° available upon request)
- Tunable White 2700K 4000K version (available upon request).



Code A718-054-16-30K-W Finish ● Black
A718-054-18-30K-W ■ Bronze

Materials Dimmable: Yes
Structure: Aluminium Integrated dimmer: No
Diffuser: Glass Dimming protocols:
See canopy A666-256-16

Product type: Pendant

Light source: LED SMD 1050mA 40W 3000K CRI90 5495lm

Luminaire: 3991lm

LED beam angle: 55°

Product notes: 1050mA power supply and hooks (see the accessories section) to be ordered separately.

Tunable White (27K - 40K) available upon request.

4000K available upon request.


LED beam angle: 30° y 65° available upon request.

Weight: Net 8.82 lb - Gross 11.9 lb

Package: 6.69 x 6.69 x 66.93 in - 10.36 lb Vol - 1.77 ft³

2.76 x 8.27 x 13.39 in - 1.54 lb Vol - 0.18 ft³

LED included



Cable length: 9.8 ft.

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



A718-054-16-30K-W

Rectangular Canopy 50W ELV/0-10V (NEW)

Code A666-256-16 Finish ● Black Dimming ELV / Triac / 0-10V

Materials

Structure: Metal


Product type: Ceiling

INPUT: 120-277 VAC 50/60Hz (ELV / Triac only 120 VAC)

OUTPUT: CC 1050mA 44W max. (24VDC - 42VDC)

Weight: Weight 1.5 lb - Gross 2.2 lb

Package: 13.4 x 8.3 x 2.8 " - 2.2 lb - VOL - 0.35 ft³



A718-054-18-30K-W

Code	Finish	CCT
A718-055-16-27K	● Black	27K
A718-055-18-27K	● Bronze	27K
A718-055-16-30K	● Black	30K
A718-055-18-30K	● Bronze	30K


Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Diffuser: Glass	Dimming protocols: Based on specified driver/canopy.

Product type: Wall / Ceiling
 Light source: LED SMD 24Vdc 13.7W 2700K CRI90 1657lm
 Luminaire: (Power supply not included) 1165lm

Light source: LED SMD 24Vdc 13.7W 3000K CRI90 1612lm
 Luminaire: (Power supply not included) 1165lm

Weight: Net 2.87 lb – Gross 4.30 lb
 Package: 6.69 x 6.69 x 35.43 in – 4.30 lb Vol – 1.06 ft³

Product notes: 24V remote power supply and hooks (see the accessories section) to be ordered separately.
 LED included



Cable length: 9.8 ft.
 Wire installation: Hardwired
 Color cord: Black

Wire installation: Hardwired / Recessed



Fris 80 + Support 16 x2

A718-055-16-27K

Code	Finish	CCT
A718-056-16-27K	● Black	27K
A718-056-18-27K	● Bronze	27K
A718-056-16-30K	● Black	30K
A718-056-18-30K	● Bronze	30K


Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Diffuser: Glass	Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
 Light source: LED SMD 24Vdc 29.4W 2700K CRI90 3570lm
 Luminaire: (Power supply not included) 2258lm

Light source: LED SMD 24Vdc 29.4W 3000K CRI90 3472lm
 Luminaire: (Power supply not included) 2258lm

Weight: Net 5.73 lb – Gross 8.60 lb
 Package: 6.69 x 6.69 x 66.93 in – 8.60 lb Vol – 1.77 ft³

Product notes: 24V remote power supply and hooks (see the accessories section) to be ordered separately.
 LED included



Cable length: 9.8 ft.
 Wire installation: Hardwired
 Color cord: Black

Wire installation: Hardwired / Recessed



Fris 155 + Hook 47 x2

A718-056-18-27K



Fris 155 + Support 16 x2

A718-056-16-27K

MILÀ I FONTANALS, 14

BAJOS

B.1 MATCHAJEANS
B.2 ALDI SUPERMERCADOS

PLANTA 1

1.4 MIA I WOMEN'S HEALTH HUB
ESTABLISHMENT LABS
1.6 AEGP
MODACC
1.6 BEAUTY CLUSTER
1.6 HABITAT CLUSTER
CLÚSTER GOURMET
1.6 EDUTECH CLUSTER
CLUSTER MAV
1.6 CEEC
FOODSERVICE CLUSTER
1.6 CLUSTER MOTO
CLÚSTER DIGITAL
1.6 INDESCAT
CATALAN SPORTS CLUSTER

PLANTA 2

2.2 WOMEN'S HEALTH HUB
ESTABLISHMENT LABS
2.3 SANDRA BRUNA
AGÈNCIA LITERÀRIA
2.4 ALMA
ANDERS PRODUCCIONE
2.5 ESTUDIO DE PINTURA
2.8 DNA CREATIVE SOLUTIONS
2.9 BEAUTY HUB

 FABRICK

Code	Finish	CCT
A718-057-16-27K	● Black	27K
A718-057-18-27K	● Bronze	27K
A718-057-16-30K	● Black	30K
A718-057-18-30K	● Bronze	30K


Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Diffuser: Glass	Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
 Light source: LED SMD 24Vdc 42W 2700K CRI90 5100lm
 Luminaire: (Power supply not included) 3132lm

Light source: LED SMD 24Vdc 42W 3000K CRI90 4960lm
 Luminaire: (Power supply not included) 3132lm

Weight: Net 7.94 lb – Gross 11.90 lb
 Package: 6.69 x 6.69 x 90.55 " – 11.90 lb Vol – 2.47 ft³

Product notes: 24V remote power supply and hooks (see the accessories section) to be ordered separately.
 LED included



Cable length: 9.8 ft.
 Wire installation: Hardwired
 Color cord: Black

Wire installation: Hardwired / Recessed



Fris 215 + Hook 47 x2

A718-057-16-27K




Fris 215 + Support 16 x2

A718-057-16-27K

Rectangular Canopy

Code A666-213-16 Finish ● Black - 60W 24V Dimming 0-10V


INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 1.54 lb - Gross 2.2 lb
Package: 14.6 x 6.7 x 2.6 " - 2.2 lb - VOL - 0.14 ft³



④ A666-254-16 ● Black - 60W 24V ELV / Triac / 0-10V

④ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 2.9 lb - Gross 3.53 lb
Package: 14.6 x 6.7 x 2.6 " - 3.53 lb - VOL - 0.14 ft³



A666-255-16 ● Black - 90W 24V ELV / Triac / 0-10V

INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 90W max.
Weight: Net: 3.31 lb - Gross 3.97 lb
Package: 14.6 x 6.7 x 2.6 " - 3.97 lb - VOL - 0.14 ft³

Materials
Structure: Metal

Dimmable




Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

These canopies are not compatible with Fris Pro.

Remote LED Driver (ELV)


Code Description Dimming
A968-372 60W - 24V TRI-DIM (Triac / ELV, 0-10V)



Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.

Code Description Dimming
A968-373 96W - 24V TRI-DIM (Triac / ELV, 0-10V)



The installation and location of the remote LED driver and any required enclosure must be in accordance with applicable codes and laws and will be the exclusive responsibility of the installer.


Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 96W max.

Outlet box cover plate

Code Finish
④ A666-219-16 ● Black

④ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Weight: Net: 0.22 lb - Gross 0.44 lb
Package: 6.3 x 5.7 x 3.5 " - 0.44 lb - VOL - 0.07 ft³




Materials
Structure: Metal

Product type: Accessory
Product notes: Ceiling cover plate for 4" octagonal junction box.

Outlet box cover plate with hanging support

Code Finish
A666-258-39 ● Black

Weight: Net: 0.22 lb - Gross 0.44 lb
Package: 6.3 x 5.7 x 3.5 " - 0.44 lb - VOL - 0.07 ft³



Materials
Structure: Metal

Product type: Accessory
Product notes: Ceiling cover plate for 4" octagonal junction box.

Circular Canopy 60W 24V ELV/Triac/0-10V

Code A666-257-16 Finish ● Black

Dimming ELV / Triac / 0-10V

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No

Product type: Accessory
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.


Weight: Net 2.6 lb – Gross 3.5 lb

Dimmable

Package: 16.5 x 16.5 x 3.1 " - 3.5 lb – VOL - 0.4 ft³

Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 1



Support Fris A 16 x2


Code A718-040-39 Finish ● Black

Materials
Structure: Metal

Weight: Net 0.88 lb – Gross 1.10 lb

Package: 3.15 x 7.87 x 4.72 " – 1.10 lb Vol – 0.04 ft³

Product type: Accessory
Product notes: Accessory for wall installation.



Support Fris A 37 x2


Code A718-041-39 Finish ● Black

Materials
Structure: Metal

Weight: Net 1.98 lb – Gross 3.09 lb

Package: 3.15 x 3.15 x 39.37 " – 3.09 lb Vol – 0.21 ft³

Product type: Accessory
Product notes: Accessory for wall installation.



Side cover

Code A718-033-39 Finish ● Black

Materials
Structure: Metal

Weight: Net 0.18 lb – Gross 0.40 lb

Package: 3.15 x 4.72 x 7.87 " – 0.40 lb Vol – 0.07 ft³

Product type: Accessory
Product notes: End-cap with cable ports, to create compositions of numerous fixtures.



Hooks x2 Fris

Code
Hook 47 x2
A718-061-39

Finish
● Black

2 units included


Weight: Net 0.46 lb – Gross 2.20 lb
Package: 3.15 x 3.15 x 26.77 " – 2.20 lb Vol – 0.14 ft³

Double hook 96 x2
A718-062-39

● Black

2 units included

Weight: Net 0.88 lb – Gross 1.98 lb
Package: 3.15 x 3.15 x 26.77 " – 1.98 lb Vol – 0.21 ft³




Double hook 71 x2
A718-063-39

● Black

2 units included

Weight: Net 0.88 lb – Gross 1.76 lb
Package: 3.15 x 3.15 x 39.37 " – 1.76 lb Vol – 0.21 ft³




Double hook 146 x2
A718-064-39

● Black

2 units included

Weight: Net 1.65 lb – Gross 3.31 lb
Package: 3.15 x 3.15 x 62.20 " – 3.31 lb Vol – 0.35 ft³



Materials

Structure: Aluminium

Product notes: Hooks to make compositions.



Individual hook Fris

Code Finish

Hook 47 x1
A718-065-39

● Black

1 unit included

Weight: Net 0.22 lb – Gross 0.88 lb
Package: 3.15 x 3.15 x 26.57 " – 0.88 lb Vol – 0.14 ft³




Double hook 96 x1
A718-066-39

● Black

1 unit included

Weight: Net 0.44 lb – Gross 1.10 lb
Package: 3.15 x 3.15 x 39.37 " – 1.10 lb Vol – 0.21 ft³



Double hook 71 x1
A718-067-39

● Black

1 unit included

Weight: Net 0.22 lb – Gross 1.32 lb
Package: 3.15 x 3.15 x 39.37 " – 1.32 lb Vol – 0.21 ft³




Double hook 146 x1
A718-068-39

● Black

1 unit included

Weight: Net 0.88 lb – Gross 2.43 lb
Package: 3.15 x 3.15 x 62.01 " – 2.43 lb Vol – 0.21 ft³



Materials
Structure: Aluminium

Product notes: Hooks to make compositions.

Unions Fris

Code
Union 30
A718-069-39

Finish
● Black


1 unit included



Union 50
A718-070-39

● Black


1 unit included



Union 100
A718-071-39

● Black

1 unit included



Materials
Structure: Aluminium

Product notes: Unions to make compositions.

Ceiling support x2 Fris

Code
Support 13x2
A718-072-39

Finish
● Black

2 units included



Weight: Net 0.22 lb – Gross 0.44 lb


Package: 3.15 x 7.87 x 4.72 " – 0.44 lb Vol – 0.07 ft³



This system makes it possible to compose light structures and to join a set of lamps by means of different assembly and hanging accessories. In the pendant version, each Fris unit is supported by a strap, so that several can be placed horizontally, in line, one on top of the other, or perpendicularly, creating intersections of light. They can also function separately as an individual lamp. The other version can be fixed to the ceiling or wall.


Fris offers a very versatile and functional design for precise lighting of any type of project. An ingenious system that boldly tackles a previously unresolved issue: to have a set of lamps where each one directs the light individually.

(0.1)



3 units Fris 155 / Power supply to be defined
2 units Hook 47 x2 / 1 unit Hook 47 x1 / 1 unit Side cover / 1 unit Union 50

(0.2)




4 units Fris 155 / Power supply to be defined
4 units Support A 37 x2 / 2 units Side cover

(0.3)




3 units Fris 215 / Power supply to be defined
2 units Hook 47 x2 / 2 units Union 30

(0.4)




2 units Fris 215 / Power supply to be defined
1 unit Double Hook 146 x2

(0.5)




4 units Fris 155 / Power supply to be defined
4 units Hook 47 x2

(0.6)




4 units Fris 155 / Power supply to be defined
4 units Hook 47 x2

(0.7)



2 units Fris 215 / Power supply to be defined
2 units Support A 16 x2

(0.8)



3 units Fris 155 / Power supply to be defined
1 unit Hook 47 x2 / 1 unit Hook 71 x2 / 2 units Side cover

(0.9)



3 units Fris 155 / Power supply to be defined
1 unit Hook 47 x2 / 2 units Support A 37 x2

(0.10)



5 units Fris 155 / Power supply to be defined
5 units Hook 47 x2 / 3 units Side cover

(0.11)



1 unit Fris 215 / 2 units Fris 155 / Power supply to be defined
3 units Hook 47 x2 / 1 unit Side cover

Funiculí is a revamped edition of a lamp originally designed in 1979. Lluís Porqueras always sought an absolute simplicity in his designs, stripping everything superfluous to leave only the essence of the simple, useful object.



Using the same double-clip mechanism of the original, this scaled-down model allows easy height adjustment and 360 degree shade rotation to fit the needs of any room or user.



Discover more at masset.com

Funiculí

Code	Finish
Ⓐ A641-006	● Moss grey (RAL 7003)
Ⓐ A641-007	● Off-white (RAL 1013)
Ⓐ A641-008	● Black (RAL 9005)
A641-482	● Green (RAL 110 40 30)
A641-483	● Terracotta (RAL 050 40 50)
A641-484	● Mustard (RAL 075 60 70)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Base: Iron wrapped with black rubber

Stem: Iron

Shade: Aluminum

Product type: Floor


Light source: E26 LED TYPE A 11W

Weight: Net 7.3 lb - Gross 10.8 lb

Package: 14.9 x 21.2 x 4.7" - 7.7 lb Vol - 0.847 ft³

1.9 x 1.9 x 56.3" - 3.1 lb Vol - 0.14 ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line



A641-008

Funiculí Fabric

Code	Finish
Ⓐ A641-413	● Black - White
Ⓐ A641-414	● Black - Sand

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Base: Iron wrapped with black rubber
Stem: Iron
Shade: White or sand polyester
shade, made of a PVC-PET
laminated film


Product type: Floor

Light source: E26 LED Standard 8W

Weight: Net 11.5 lb – Gross 17 lb

Package: 20.4 x 16.5 x 5.1" - 14.1 lb Vol - 1.051 ft³
13.38 x 13.38 x 9" - 1.5 lb Vol - 0.706 ft³
47.2 x 1.6 x 1.6" - 1.3 lb Vol - 0.07 ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line



A641-414

Funiculí A

Code	Finish
Ⓐ A641-040	● Moss grey (RAL 7003)
Ⓐ A641-041	● Off-white (RAL 1013)
Ⓐ A641-042	● Black (RAL 9005)
A641-485	● Green (RAL 110 40 30)
A641-486	● Terracotta (RAL 050 40 50)
A641-487	● Mustard (RAL 075 60 70)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Stem: Iron

Shade: Aluminum


Product type: Wall

Light source: E12 LED TYPE G16.5 5W

Weight: Net 1.8 lb – Gross 2.6 lb

Package: 18.1 x 13.4 x 4.3" - 2.6 lb Vol - 0.6 ft³

Lamping not included



A641-485

Cable length: 5.4 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line

Funiculí A Fabric

Code

Ⓐ A641-415
Ⓐ A641-416

Finish

● Black - White
● Black - Sand

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Stem: Iron

Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Wall


Light source: E12 LED 5W

Weight: Net 1.5 lb - Gross 3.7 lb

Package: 25.6 x 11.4 x 3.9" - 3.09 lb Vol - 0.7 ft³

10.3 x 10.3 x 7" - 0.6 lb Vol - 042 ft³

Lamping not included



Cable length: 5.4 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line



A641-415

Funiculí S

Code

Ⓐ A641-030
Ⓐ A641-031
Ⓐ A641-032
A641-488
A641-489
A641-490

Finish

● Moss grey (RAL 7003)
● Off-white (RAL 1013)
● Black (RAL 9005)
● Green (RAL 110 40 30)
● Terracotta (RAL 050 40 50)
● Mustard (RAL 075 60 70)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Base: Iron wrapped with black rubber

Stem: Iron

Shade: Aluminum


Product type: Table

Light source: E12 LED 5W

Weight: Net 4 lb - Gross 6 lb

Package: 18.5 x 13.4 x 4.3" - 6 lb Vol - 0.6 ft³

Lamping not included



Cable length: 5.4 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line



A641-490

Funiculí S Fabric

Code	Finish
Ⓐ A641-417	● Black - White
Ⓐ A641-418	● Black - Sand

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Base: Iron wrapped with black rubber

Stem: Iron

Shade: White or sand polyester
shade, made of a PVC-PET
laminated film


Product type: Table

Light source: E12 LED 5W

Weight: Net 3.7 lb – Gross 6.6 lb

Package: 25.6 x 12.2 x 3.9" - 6 lb Vol - 0.706 ft³
10.2 x 10.2 x 7" - 0.6 lb Vol - 0.42 ft³

Lamping not included



Cable length: 5.4 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line




A641-417





Geometry, balance and colour. A table lamp that challenges traditional rigidity and looks like a sculpture. Its design, made of steel, is a combination of geometries in

balance that interact harmoniously with each other. Its varied palette of colours allows you to create versions that range from subdued to incredibly expressive.



Gambosa S NEW

Code	Finish
Ⓐ A735-025-3946	● Black - Orange (RAL 9005 - RAL 040 50 60)
Ⓐ A735-025-3947	● Black - Brown grey (RAL 9005 - RAL 7013)
Ⓐ A735-025-4446	● Pink - Orange (RAL 040 80 20 - RAL 040 50 60)
Ⓐ A735-025-4447	● Pink - Brown grey (RAL 040 80 20 - RAL 7013)
Ⓐ A735-026-5146	● Opal - Orange (RAL 040 50 60)
Ⓐ A735-026-5147	● Opal - Brown grey (RAL 7013)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Base: Painted steel – Beige (RAL 070 80 10)

Stem: Painted steel


Shade: Painted steel or opal polycarbonate

Product type: Table

Light source: 2x E12 LED TYPE G16.5, 4W max (not included)

Weight: Net 5.95 lb – Gross 9.92 lb

Package: 12.40 x 12.40 x 6.50 " – 3.97 lb Vol – 0.56 ft³
8.86 x 8.86 x 14.96 " – 5.95 lb Vol – 0.71 ft³



Cable length: 78 3/4"

Wire installation: Plug-in

Color cord: Black

Switch location: In-line, 23 5/8" from lamp



A735-025-4446

Code	Finish
Ⓐ A735-027-3946	● Black - Orange (RAL 9005 - RAL 040 50 60)
Ⓐ A735-027-3947	● Black - Brown grey (RAL 9005 - RAL 7013)
Ⓐ A735-027-4446	● Pink - Orange (RAL 040 80 20 - RAL 040 50 60)
Ⓐ A735-027-4447	● Pink - Brown grey (RAL 040 80 20 - RAL 7013)
Ⓐ A735-028-5146	● Opal - Orange (RAL 040 50 60)
Ⓐ A735-028-5147	● Opal - Brown grey (RAL 7013)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Base: Painted steel – Beige (RAL 070 80 10)

Stem: Painted steel

Shade: Painted steel or opal polycarbonate


Product type: Table

Light source: 4x E12 LED TYPE G16.5, 4W max (not included)

Weight: Net 9.70 lb – Gross 16.53 lb

Package: 16.73 x 16.73 x 7.68 " – 7.28 lb Vol – 1.24 ft³

11.61 x 11.61 x 19.88 " – 9.26 lb Vol – 1.56 ft³



Cable length: 78 3/4"

Wire installation: Plug-in

Color cord: Black

Switch location: In-line, 23 5/8" from lamp



A735-028-5147

Spare parts

Code	Product	Finish	Spare part
R735-001-39	Gambosa S	Black	Small Shade
R735-001-44	Gambosa S	Pink	Small Shade
R735-002-51	Gambosa S	Opal	Small Shade
R735-003-39	Gambosa M	Black	Big Shade
R735-003-44	Gambosa M	Pink	Big Shade
R735-004-51	Gambosa M	Opal	Big Shade



The LED-Ginger collection is notable for its great simplicity of form, its lightweight appearance and reflected direct light. A design for any type of project.

Available in two very different materials, wood or metal, it provides a warm glow with no glare, illuminating just the areas that need it.



Discover more at marset.com




LED-Ginger 20

Code	Finish
A662-189	 Oak-White
A662-190	 Wenge-White
A662-191	 Oak-Oak
A662-192	 Wenge-Wenge
A662-252	 Brushed brass-Brushed brass
A662-253	 Brushed brass-White
A662-254	 Black-White

Materials Dimmable: No
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 161lm
Weight: Net 1.3 lb - Gross 1.8 lb
Package: 9 x 8.26 x 3.93 " - 1.8 lb Vol - 0.35 ft³
LED included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A662-189

LED-Ginger 32

Code	Finish	Dimming
Ⓐ A662-035	Oak-White	ELV
A662-036	Wenge-White	ELV
A662-241	Brushed brass-Brushed brass	ELV
A662-242	Brushed brass-White	ELV
Ⓐ A662-243	Black-White	ELV
A662-318	Oak-White	0-10V
A662-319	Wenge-White	0-10V
A662-245	Brushed brass-Brushed brass	0-10V
A662-246	Brushed brass-White	0-10V
A662-247	Black-White	0-10V

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Phase cut (ELV) 0-10V
Product type: Pendant	

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm

Luminaire: 100 - 120 VAC ELV 14W 350lm

120 - 277 VAC 0-10V 14W 350lm

Weight: Net 3 lb - Gross 5.5 lb

Package: 18.9 x 18.9 x 6.7" - 5.5 lb Vol - 1.4 ft³

LED included



A662-036

LED-Ginger 42

Code	Finish
Ⓐ A662-320	Oak-White
A662-321	Wenge-White
A662-280	Brushed brass-Brushed brass
A662-281	Brushed brass-White
Ⓐ A662-282	Black-White

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Dual dimming driver
Product type: Pendant	Phase cut (ELV) or 0-10V

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm


Luminaire: 90 - 135 VAC ELV 21W 698lm

120 - 277 VAC 0-10V 21W 698lm

Weight: Net 4.4 lb - Gross 7.7 lb

Package: 22.44 x 20.87 x 6.69" - 7.7 lb Vol - 1.8 ft³

LED included



A662-280

Code

Finish

- Ⓐ A662-746-2035-27K Oak-White
- Ⓐ A662-746-2135-27K Wenge-White
- Ⓐ A662-749-1515-27K Brushed brass-Brushed brass
- Ⓐ A662-749-1535-27K Brushed brass-White
- Ⓐ A662-749-3935-27K Black-White

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes

Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm


Luminaire: Only 120 VAC ELV 28W 1165lm

120 - 277 VAC 0-10V 28W 1165lm

Weight: Net 7.7 lb - Gross 13.7 lb

Package: 26.37 x 26.37 x 9.4" - 13.7 lb Vol - 3.46 ft³

LED included



Cable length: 10 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A662-746-2035-27K



The cluster is a system that allows several pendant lamps to be connected to a single power point. It provides complete freedom to create with light,

Illuminate large spaces, or design compositions with multiple pendant lamps. See the available clusters on pages 59 and 60.

LED-Ginger 20 - 24V

Code	Finish
A662-392	● Oak-White
A662-393	● Wenge-White
A662-394	● Oak-Oak
A662-395	● Wenge-Wenge
A662-344	● Brushed brass-Brushed brass
A662-345	● Brushed brass-White
A662-346	● Black-White

Materials

Diffuser: Pressed wood or brushed aluminum

Dissipater: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dependent on purchased power supply. See Cluster accessory, pages 59, 60.

Product type: Pendant

Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm

Luminaire: (Power supply not included) 161lm


Weight: Net 0.7 lb – Gross 1.1 lb

Package: 9 x 8.26 x 3.93 " – 1.1 lb Vol – 0.35 ft³

Product notes: For 24Vdc canopies please see pages 59, 60.

1 pc. hook accessory included.

LED included



Dimmable



Cable length: 13.1 ft

Wire installation: Hardwired

Cord color: Black



LED-Ginger 20 M

Code	Finish
Ⓐ A662-560	Oak-White
Ⓐ A662-561	Wenge-White
A662-562	Brushed brass-Brushed brass
A662-563	Brushed brass-White

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Integrated dimmer: Yes
Diffuser and base: Pressed wood or brushed aluminum	Dimmer Type: 3-step dimmer
Dissipater: Aluminum	
Stem: Aluminum	

Product type: Table / Portable

Light source: LED SMD 1A 3.5W 2700K CRI90 395lm

Luminaire: in 5 Vdc 1.5A 290lm


Weight: Net 1.1 lb – Gross 1.8 lb

Package: 15.7 x 8.2 x 6.7" - 1.8 lb Vol - 0.35 ft³ (1u)

15.3 x 8.6 x 16.1" - 4.1 lb Vol - 1.4 ft³ (2u)

Product notes: Ships in multiples of 2 only (can mix colours).

Charging cable included (USB to USB-C). Power adapter not included.



Switch location: Base
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power



LED-Ginger S

Code	Finish
A662-039	Oak-White
A662-040	Wenge-White

Materials	Integrated dimmer: Yes
Diffuser and base: Pressed wood or brushed aluminum	Dimmer Type: Progressive from 0 to 100

Dissipater: Aluminum
Stem: Aluminum

Product type: Table


Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm

Luminaire: 85 - 264 VAC 14W 350lm

Weight: Net 5.7 lb – Gross 9.92 lb

Package: 22.44 x 20.87 x 6.69" - 9.92 lb Vol - 1.8 ft³

LED included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



LED-Ginger P

Code	Finish
A662-041	Oak-White
A662-042	Wenge-White

Materials

Diffuser and base: Pressed wood or brushed aluminum

Dissipater: Aluminum

Stem: Aluminum

Product type: Floor

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm


Luminaire: 90 - 264 VAC 21W 698lm

Weight: Net 10.8 lb - Gross 18.8 lb

Package: 22.44 x 20.87 x 6.69" - 14.4lb Vol - 1.8 ft³

7.4 x 7.4 x 52.4" - 4.41 lb Vol - 1.6 ft³

LED included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



A662-041

LED-Ginger XL 42

Code	Finish
A662-120	Oak-White
A662-121	Wenge-White

Materials

Diffuser and base: Pressed wood or brushed aluminum

Dissipater: Aluminum

Stem: Metal

Arm: Carbon fiber

Product type: Floor

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: 85 - 264 VAC 21W 698lm


Weight: Net 52.5 lb - Gross 61.3 lb

Package: 22.44 x 20.87 x 6.69" - 6.171 lb Vol - 1.8 ft³

75.2 x 7.87 x 4.3" - 22.04 lb Vol - 1.41 ft³

24.8 x 24.4 x 15.7" - 33.06 lb Vol - 0.7 ft³

LED included



Cable length: 8.2 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



A662-121

LED-Ginger 20 A


Code	Finish	Dimmer
Plug-in		
A662-199	● Oak-White	Progressive
A662-200	● Wenge-White	Progressive

Hardwired		
A662-201	● Oak-White	No
A662-202	● Wenge-White	No

Materials	Integrated dimmer: Yes (Plug-in version)
Diffuser and base: Pressed wood or brushed aluminum	Dimmer Type:
Dissipater: Aluminum	Plug-in version, Progressive in-line dimmer from 0 to 100.
Structure: Metal	

Product type: Wall
 Light source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaria: 85 - 264 VAC 5.7W 161lm
 Weight: Net 1.3 lb – Gross 3.3 lb
 Package: 18.1 x 11 x 9.4 " - 3.3 lb Vol - 1.06 ft³
 Product notes: Plug-in: Progressive dimmer from 0 to 100.
 Hardwired: Canopy with switch on/off.

LED included



Cord color: Black
 Wire installation: Plug-in / Hardwired



A662-199

LED-Ginger A


Code	Finish	Dimmer
Plug-in		
A662-087	● Oak-White	Progressive
A662-088	● Wenge-White	Progressive

Hardwired (Canopy)		
A662-095	● Oak-White	ELV / on-off
A662-096	● Wenge-White	ELV / on-off

Materials	Integrated dimmer: Yes (Plug-in version)
Diffuser and base: Pressed wood or brushed aluminum	Dimmer Type:
Dissipater: Aluminum	Plug-in version: progressive in-line dimmer from 0 to 100.
Structure: Metal	Hardwired version: Phase cut (ELV) dimming driver
Product type: Wall	

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaria: 85 - 264 VAC 14W 350lm (Plug-in)
 100 - 120 VAC ELV 14W 350lm (Canopy)

Weight: Net 3.3 lb – Gross 6.61 lb
 Package: 22.4 x 20.8 x 6.69" - 6.61 lb Vol - 1.8 ft³
 LED included



Cord color: Black
 Wire installation: Plug-in / Hardwired



A662-088

Code	Finish
A662-288	Oak-White
A662-289	Wenge-White
A662-290	Oak-Oak
A662-291	Wenge-Wenge
A662-292	Brushed brass-Brushed brass
A662-293	Black-White
A662-576-36-27K	Mauve (RAL 010 70 10)
A662-576-37-27K	Sand (RAL 050 85 10)
A662-576-38-27K	Stone Grey (RAL 000 65 00)

Materials Dimmable: No

Diffuser: Pressed wood or brushed

aluminum

Dissipater: Aluminum

Canopy: Metal

Product type: Wall / Ceiling


Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm

Luminaire: 100 - 240 VAC 6W 161lm

Weight: Net 0.9 lb - Gross 1.5 lb


Package: 9.4 x 8.3 x 3.9" - 1.5 lb Vol - 0.35 ft³

LED included




Canopy color: Black

Wire installation: Hardwired



A662-290



Code	Finish	Dimming
Ⓐ A662-203	Oak-White	ELV
A662-204	Wenge-White	ELV
Ⓐ A662-205	Oak-Oak	ELV
Ⓐ A662-206	Wenge-Wenge	ELV
A662-294	Brushed brass	ELV
A662-295	Black-White	ELV
A662-577-36-27K	Mauve (RAL 010 70 10)	ELV
A662-577-37-27K	Sand (RAL 050 85 10)	ELV
A662-577-38-27K	Stone Grey (RAL 000 65 00)	ELV
A662-324	Oak-White	0-10V
A662-325	Wenge-White	0-10V
A662-326	Oak-Oak	0-10V
A662-327	Wenge-Wenge	0-10V
A662-296	Brushed brass	0-10V
A662-297	Black-White	0-10V
A662-578-36-27K	Mauve (RAL 010 70 10)	0-10V
A662-578-37-27K	Sand (RAL 050 85 10)	0-10V
A662-578-38-27K	Stone Grey (RAL 000 65 00)	0-10V

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Phase cut (ELV)
Canopy: Metal	0-10V

Product type: Wall / Ceiling

Light Source: LED SMD 700mA 8,2W 2700K CRI90 913lm


Luminaire: 100 - 120 VAC ELV 14W 350lm

120 - 277 VAC 0-10V 14W 350lm

Weight: Net 2.2 lb - Gross 4.41 lb

Package: 16.9 x 18.9 x 6.7" - 4.41 lb Vol - 1.4 ft³

LED included



Canopy color: Black

Wire installation: Hardwired




A662-206

LED-Ginger 42C


Code	Finish
A662-328	Oak-White
A662-329	Wenge-White
A662-330	Oak-Oak
A662-331	Wenge-Wenge
A662-448	Brushed brass
A662-449	Black-White
A662-580-36-27K	Mauve (RAL 010 70 10)
A662-580-37-27K	Sand (RAL 050 85 10)
A662-580-38-27K	Stone Grey (RAL 000 65 00)

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols:
Canopy: Metal	Dual dimming driver
	Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Lumenaire: 90 - 135 VAC ELV 21W 698lm
 120 - 277 VAC 0-10V 21W 698lm
 Weight: Net 4.2 lb - Gross 7.71 lb
 Package: 22.4 x 20.8 x 6.7 " - 7.71 lb Vol - 1.80 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired




A662-580-38-27K

LED-Ginger 60C

Code	Finish
A662-332	Oak-White
A662-333	Wenge-White
A662-334	Oak-Oak
A662-335	Wenge-Wenge
A662-450	Brushed brass-Brushed brass
A662-451	Black-White
A662-581-36-27K	Mauve (RAL 010 70 10)
A662-581-37-27K	Sand (RAL 050 85 10)
A662-581-38-27K	Stone Grey (RAL 000 65 00)

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Dual dimming driver
Canopy: Metal	Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Lumenaire: Only 120 VAC ELV 28W 1165lm
 120 - 277 VAC 0-10V 28W 1165lm
 Weight: Net 7.3 lb - Gross 13.8 lb
 Package: 26.3 x 26.3 x 9.44" - 13.8 lb Vol - 3.53 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired




A662-450

Accessory C2 LED-Ginger 32/42

Code A662-215 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron




Product type: Accessory
Weight: Net 3.9 lb – Gross 4.4 lb
Package: When ordered, this item is shipped coupled with the Ginger 42C.
Product notes: Must be specified together with Ginger 32C + 42C.



Accessory C2 LED-Ginger 42/60

Code A662-273 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron



Product type: Accessory
Weight: Net 3.9 lb – Gross 4.8 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 42C + 60C.




Accessory C3 LED-Ginger 32/42/60

Code A662-216 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron



Product type: Accessory
Weight: Net 5.9 lb – Gross 6.6 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 32C + 42C + 60C.



Code Finish

Structure
A662-518

● Black

Shades 20

A662-519	● Oak-White
A662-520	● Wenge-White
A662-521	● Oak-Oak
A662-522	● Wenge-Wenge
A662-523	● Brushed brass-Brushed brass
A662-524	● Black-White
A662-582-36-27K	● Mauve (RAL 010 70 10)
A662-582-37-27K	● Sand (RAL 050 85 10)
A662-582-38-27K	● Stone Grey (RAL 000 65 00)

Shades 32

A662-525	● Oak-White
A662-526	● Wenge-White
A662-527	● Oak-Oak
A662-528	● Wenge-Wenge
A662-529	● Brushed brass-Brushed brass
A662-530	● Black-White
A662-583-36-27K	● Mauve (RAL 010 70 10)
A662-583-37-27K	● Sand (RAL 050 85 10)
A662-583-38-27K	● Stone Grey (RAL 000 65 00)

Materials

Canopy: Metal

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling


Luminaire: Only 120 VAC ELV 20W (max.)

120 - 277 VAC 0-10V 20W (max.)

Weight: Net 9.9 lb - Gross 13.2 lb

Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft³22.4 x 20.9 x 6.7" - 6.6 lb Vol - 1.8 ft³24.4 x 7.8 x 3.5" - 4.4 lb Vol - 0.35 ft³


LED included



Dimmable
 ADA
 UL us

Canopy color: Black

Wire installation: Hardwired



A662-518 / A662-522 / A662-527

Code	Finish
Structure	
A662-539	● Black
Shades 20	
A662-519	● Oak-White
A662-520	● Wenge-White
A662-521	● Oak-Oak
A662-522	● Wenge-Wenge
A662-523	● Brushed brass-Brushed brass
A662-524	● Black-White
A662-582-36-27K	● Mauve (RAL 010 70 10)
A662-582-37-27K	● Sand (RAL 050 85 10)
A662-582-38-27K	● Stone Grey (RAL 000 65 00)

Shades 32	
A662-525	● Oak-White
A662-526	● Wenge-White
A662-527	● Oak-Oak
A662-528	● Wenge-Wenge
A662-529	● Brushed brass-Brushed brass
A662-530	● Black-White
A662-583-36-27K	● Mauve (RAL 010 70 10)
A662-583-37-27K	● Sand (RAL 050 85 10)
A662-583-38-27K	● Stone Grey (RAL 000 65 00)

Shades 42	
A662-532	● Oak-White
A662-533	● Wenge-White
A662-534	● Oak-Oak
A662-535	● Wenge-Wenge
A662-536	● Brushed brass-Brushed brass
A662-537	● Black-White
A662-584-36-27K	● Mauve (RAL 010 70 10)
A662-584-37-27K	● Sand (RAL 050 85 10)
A662-584-38-27K	● Stone Grey (RAL 000 65 00)


Materials	Dimmable: Yes
Canopy: Metal	Integrated dimmer: No
	Dimming protocols: Dual dimming driver
	Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Luminaires: Only 120 VAC ELV 30W (max.)
 120 - 277 VAC 0-10V 30W (max.)

Weight: Net 17.2 lb - Gross 22 lb

Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft³
 22.4 x 20.8 x 6.7" - 7.7 lb Vol - 1.8 ft³
 22.4 x 20.8 x 6.7" - 6.6 lb Vol - 1.8 ft³
 20.9 x 20.9 x 4.7" - 5.5 lb Vol - 1.1 ft³

LED included



Canopy color: Black
 Wire installation: Hardwired

Code	Product	Finish	Spare part
R662-013	LED-Ginger 20	Oak-White	Shade
R662-014	LED-Ginger 20	Wenge-White	Shade
R662-015	LED-Ginger 20	Oak	Shade
R662-016	LED-Ginger 20	Wenge	Shade
R662-017	LED-Ginger 20	Brushed brass	Shade
R662-018	LED-Ginger 20	Brushed brass-White	Shade
R662-019	LED-Ginger 20	Black-White	Shade
R662-211-36	LED-Ginger 20	Mauve	Shade
R662-211-37	LED-Ginger 20	Sand	Shade
R662-211-38	LED-Ginger 20	Stone Grey	Shade
R662-039	LED-Ginger 32	Oak-White	Shade
R662-040	LED-Ginger 32	Wenge-White	Shade
R662-038	LED-Ginger 32	Oak	Shade
R662-041	LED-Ginger 32	Wenge	Shade
R662-042	LED-Ginger 32	Brushed brass	Shade
R662-043	LED-Ginger 32	Brushed brass-White	Shade
R662-044	LED-Ginger 32	Black-White	Shade
R662-212-36	LED-Ginger 32	Mauve	Shade
R662-212-37	LED-Ginger 32	Sand	Shade
R662-212-38	LED-Ginger 32	Stone Grey	Shade
R662-032	LED-Ginger 42	Oak-White	Shade
R662-024	LED-Ginger 42	Wenge-White	Shade
R662-046	LED-Ginger 42	Oak	Shade
R662-047	LED-Ginger 42	Wenge	Shade
R662-048	LED-Ginger 42	Brushed brass	Shade
R662-049	LED-Ginger 42	Brushed brass-White	Shade
R662-050	LED-Ginger 42	Black-White	Shade
R662-213-36	LED-Ginger 42	Mauve	Shade
R662-213-37	LED-Ginger 42	Sand	Shade
R662-213-38	LED-Ginger 42	Stone Grey	Shade
R662-052	LED-Ginger 60	Oak-White	Shade
R662-025	LED-Ginger 60	Wenge-White	Shade
R662-053	LED-Ginger 60	Oak	Shade
R662-054	LED-Ginger 60	Wenge	Shade
R662-055	LED-Ginger 60	Brushed brass	Shade
R662-056	LED-Ginger 60	Brushed brass-White	Shade
R662-037	LED-Ginger 60	Black-White	Shade
R662-214-36	LED-Ginger 60	Mauve	Shade
R662-214-37	LED-Ginger 60	Sand	Shade
R662-214-38	LED-Ginger 60	Stone Grey	Shade
R662-240	LED-Ginger 20M		Battery
R968-002-USA	LED-Ginger 20M		Black power adapter USB A (USA)
R961-057	LED-Ginger 20M		Black cable USB A to USB C
R968-011	LED-Ginger 20M		Black power adapter USB C (USA)
R961-075	LED-Ginger 20M		Black cable USB C to USB C



The LED-Ginger collection is moving outdoors, with numerous sizes of wall sconce and bollard as well as a large-scale lamppost style light. This outdoor collection also

introduces a unique new rust brown finish, with a deep, warm glow, alongside the standard black-white metal finish familiar to the indoor version.



Discover more at maset.com

LED-Ginger 15C IP65


Code
A662-649-31
A662-649-39

Finish
● Rust Brown
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 67 lm - Black-White
(Power supply not included) 27 lm - Rust brown
Weight: Net 0.8 lb - Gross 1.1 lb
Package: 9.4 x 8.3 x 3.9" - 1.1lb Vol - 0.3 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 130.
LED included




Suitable for
wet locations

IP65



Canopy color: Black
Wire installation: Hardwired




A662-649-31

LED-Ginger 20C IP65


Code A662-650-31 Finish Rust Brown
A662-650-39 Finish Black-White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No
Dissipater: Aluminum Dimming protocols: Based on specified
driver.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161 lm - Black-White
(Power supply not included) 29 lm - Rust brown
Weight: Net 1.1 lb - Gross 1.5 lb
Package: 9.4 x 8.3 x 3.9" - 1.5 lb Vol - 0.4 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 130.
LED included



Canopy color: Black



A662-650-39


LED-Ginger 32C IP65

Code Finish Dimming
A662-651-31 Rust Brown ELV
A662-651-39 Black-White (RAL 9005-9010) ELV


[✉] Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No
Dissipater: Aluminum Dimming protocols:
Phase cut (ELV)

Product type: Wall / Ceiling
Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm
Luminaire: 100 - 120 VAC ELV 14W 350 lm - Black-White
100 - 120 VAC ELV 14W 81 lm - Rust Brown
Weight: Net 1.9 lb - Gross 4.4 lb
Package: 16.9 x 18.9 x 6.7" - 4.4 lb Vol - 1.4 ft³
LED included



Canopy color: Black



A662-651-31

LED-Ginger 42C IP65

Code Finish
A662-654-31 Rust Brown
A662-654-39 Black-White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No
Dissipater: Aluminum Dimming protocols:
Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling

Light source: LED SMD 700mA 15.4W 2700K CRI90 1873 lm

Luminaire: 90 - 135 VAC ELV 21W 698 lm - Black-White

120 - 277 VAC 0-10V 21W 698 lm - Black-White


90 - 135 VAC ELV 21W 186 lm - Rust brown

120 - 277 VAC 0-10V 21W 186 lm - Rust brown


Weight: Net 4 lb - Gross 7.7 lb

Package: 22.4 x 20.9 x 6.7" - 7.7 lb Vol - 1.8 ft³

LED included



Canopy color: Black



A662-654-31

LED-Ginger 60C IP65

Code Finish
A662-655-31 Rust Brown
A662-655-39 Black-White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No
Dissipater: Aluminum Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling

Light source: LED SMD 700mA 21W 2700K CRI90 2933 lm

Luminaire: Only 120 VAC ELV 28W 1165 lm - Black-White

120 - 277 VAC 0-10V 28W 1165 lm - Black-White


Only 120 VAC ELV 28W 245 lm - Rust brown

120 - 277 VAC 0-10V 28W 245 lm - Rust brown


Weight: Net 7.9 lb - Gross 13.9 lb

Package: 26.4 x 26.4 x 9.5" - 13.9 lb Vol - 3.5 ft³

LED included



Canopy color: Black




A662-655-39

Code A662-663-31-27K Finish ● Rust Brown
A662-663-39-27K □ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Wall
Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm
Luminaire: 100 - 120 VAC ELV 14W 350 lm - Black-White
Weight: Net 3.3 lb - Gross 6.2 lb
Package: 20.5 x 16.5 x 9.5 " - 6.2 lb Vol - 1.8 ft³
LED included



A662-663-39-27K

Code Finish
 A662-585-31 Rust Brown-White
 A662-585-39 Black-White (RAL 9005-9010)

Materials Dimmable: Yes
 Diffuser: Aluminum Integrated dimmer: No
 Structure: Aluminum Dimming protocols: Based on specified
 driver.


Product type: Bollard
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm

Luminaire: (Power supply not included) 161 lm

Weight: Net 1.8 lb – Gross 2.9 lb

Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
 5.9 x 5.1 x 18.9" – 1.3 lb Vol – 0.3 ft³

Product notes: 24V remote power supply to be ordered separately, see pg 130.
 LED included



Cable length: 8.5 ft



A662-585-31

Code Finish
 A662-586-31 Rust Brown-White
 A662-586-39 Black-White (RAL 9005-9010)

Materials Dimmable: Yes
 Diffuser: Aluminum Integrated dimmer: No
 Structure: Aluminum Dimming protocols: Based on specified
 driver.

Product type: Bollard


Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm

Luminaire: (Power supply not included) 161 lm

Weight: Net 1.9 lb – Gross 3 lb

Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
 5.9 x 5.1 x 26.2" – 1.5 lb Vol – 0.35 ft³

Product notes: 24V remote power supply to be ordered separately, see pg 130.
 LED included



Cable length: 7.9 ft



A662-586-39

Code A662-587-31 Finish
 A662-587-39  Rust Brown-White
 Black-White (RAL 9005-9010)

Materials Dimmable: Yes
 Diffuser: Aluminum Integrated dimmer: No
 Structure: Aluminum Dimming protocols: Based on specified
 driver.

Product type: Bollard
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm

Luminaire: (Power supply not included) 161 lm


Weight: Net 2.2 lb – Gross 3.5 lb

Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³

5.9 x 5.1 x 38.8" – 2 lb Vol – 0.7 ft³

Product notes: 24V remote power supply to be ordered separately, see pg 130.

LED included



Cable length: 6.9 ft



A662-587-31



Code	Finish
A662-760-31-27K	● Rust Brown - White
A662-760-39-27K	● Black - White (RAL 9005-9010)

Materials	Dimmable: Yes
Diffuser: Aluminium	Integrated dimmer: No
Structure: Stainless steel	Dimming protocols: Based on specified driver.

Product type: Bollard
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm

Luminaire: (Power supply not included) 350lm

Weight: Net 3.7 lb – Gross 6.8 lb

Package: 5.5 x 5.1 x 25.6 " - 2.6 lb – VOL - 0.35 ft³
17 x 18.9 x 6.3 " - 4.2 lb – VOL - 1.06 ft³

Product notes: 24V remote power supply to be ordered separately, see pg 130.

LED included



Cable length: 8.5 ft.

Code	Finish
A662-761-31-27K	● Rust Brown - White
A662-761-39-27K	● Black - White (RAL 9005-9010)

Materials	Dimmable: Yes
Diffuser: Aluminium	Integrated dimmer: No
Structure: Stainless steel	Dimming protocols: Based on specified driver.

Product type: Bollard

Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm


Luminaire: (Power supply not included) 350lm

Weight: Net 4.2 lb – Gross 7.3 lb

Package: 5.5 x 5.1 x 34.6 " - 3.1 lb – VOL - 0.7 ft³
17 x 18.9 x 6.3 " - 4.2 lb – VOL - 1.06 ft³

Product notes: 24V remote power supply to be ordered separately, see pg 130.

LED included



Cable length: 7.6 ft.

Code A662-762-31-27K Finish
 A662-762-39-27K ● Rust Brown - White
● Black - White (RAL 9005-9010)

Materials Diffuser: Aluminium
 Structure: Stainless steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver.

Product type: Bollard
 Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm


Luminaire: (Power supply not included) 350lm

Weight: Net 4.6 lb - Gross 7.9 lb

Package: 5.5 x 4.7 x 43.7 " - 3.7 lb - VOL - 0.7 ft³
 17 x 18.9 x 6.3 " - 4.2 lb - VOL - 1.06 ft³

Product notes: 24V remote power supply to be ordered separately, see pg 130.

LED included



Cable length: 6.9 ft.




A662-762-39-27K

Post accessory

Code A662-555 Finish
● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
Weight: Net 0.7 lb - Gross 0.9 lb
Package: 5.5 x 5.5 x 11" - 0.9 lb - Vol - 0.2 ft³





Concrete fixation plate

Code A662-556 Finish
● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
For fixing luminaire location in wet concrete/cement.


Weight: Net 0.7 lb - Gross 0.9 lb
Package: 5.9 x 5.9 x 5.1" - 0.9 lb - Vol - 0.1 ft³



LED-Ginger: Power Supply - Dimmable


Code 968-230 Description 60W - 24V Dimming 0-10V

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.




968-233 100W - 24V 0-10V

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 99.6W max.




A968-372 60W - 24V TRI-DIM (Triac / ELV, 0-10V)

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.



A968-373 96W - 24V TRI-DIM (Triac / ELV, 0-10V)

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 96W max.



Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.

Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.


The installation and location of the remote LED driver and any required enclosure must be in accordance with applicable codes and laws and will be the exclusive responsibility of the installer.

LED-Ginger: Connector Accessory

Code A963-001 Description 2 way terminal block 4 poles IP68 H2O Stop.
(ø0.2/0.5" cable).



A963-002 3/4 way terminal block 4 poles IP68 H2O Stop.
(ø0.2/0.5" cable).



Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.



Code **A662-686-39-27K** Finish **Black-White (RAL 9005-9010)**

▀▀ Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials	Dimmable: Yes
Diffuser: Aluminum	Integrated dimmer: No
Structure: Stainless Steel	Dimming: Depending on the connection
Dissipater: Aluminum	ON / OFF
	1-10V

Product type: Lamppost

Light source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm

Luminaire: 90 - 305 VAC 1-10V 35.8W 1463lm


Weight: Net 29.2 lb - Gross 44 lb

Package: 26.8 x 27.2 x 9.4" - 12.6 lb Vol - 3.9 ft³

24 x 6.3 x 100.4" - 24.5 lb Vol - 8.8 ft³

9.8 x 9.8 x 17.3" - 7.2 lb Vol - 1.1 ft³

LED included



Wire installation: Hardwired

A662-686-39-27K



Concrete fixation plate



Code **A662-733** Finish **Stainless steel**

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger 60/298
For fixing luminaire location in wet concrete/cement.

Weight: Net 3.5 lb - Gross 5.3 lb

Package: 13.8 x 9.4 x 9.4 " - 5.3 lb - Vol - 0.7 ft³






For Ihana customized configurations, get in contact with us.

Ihana x2 80

Code	Finish	Dimming	CCT
A709-157-39-27K	Opal	ELV	27K
A709-158-39-22/30K	Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 28W
 Weight: Net 11.2 lb - Gross 21.2 lb
 Package: (2x) 8.3 x 16.5 x 16.5" - 6.2 lb Vol - 1.41 ft³
 9.5 x 5.5 x 45" - 8.8 lb Vol - 1.41 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



A709-157-39-27K

Ihana x2 100

Code	Finish	Dimming	CCT
A709-111-39-27K	Opal	ELV	27K
A709-112-39-22/30K	Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 16W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 28W 994lm

Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90


Luminaire DTW: 100 - 120 VAC ELV 28W

Weight: Net 11.9 lb - Gross 22 lb

Package: (2x) 8.3 x 16.5 x 16.5" - 6.2 lb Vol - 1.41 ft³
9.5 x 5.5 x 45" - 9.7 lb Vol - 1.41 ft³

Product notes: 0-10V upon request

LED included



Wire installation: Hardwired

Canopy color: Black



A709-111-39-27K

Ihana x2 150

Code	Finish	Dimming	CCT
A709-109-39-27K	Opal	ELV	27K
A709-110-39-22/30K	Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 16W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 28W 994lm

Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90


Luminaire DTW: 100 - 120 VAC ELV 28W

Weight: Net 13.2 lb - Gross 24.5 lb

Package: (2x) 8.3 x 16.5 x 16.5" - 6.2 lb Vol - 1.41 ft³
7 x 7 x 66" - 12.1 lb Vol - 1.76 ft³


Product notes: 0-10V upon request

LED included



Wire installation: Hardwired

Canopy color: Black



A709-109-39-27K

Ihana x3 80


Code	Finish	Dimming	CCT
A709-156-39-27K	Opal	ELV	27K
A709-113-39-22/30K	Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 42W
 Weight: Net 17.2 lb - Gross 34.4 lb
 Package: (3x) 8.3 x 16.5 x 16.5" - 6.2 lb Vol - 1.41 ft³
 9.5 x 5.5 x 45" - 9 lb Vol - 1.41 ft³
 9.5 x 5.5 x 45" - 6.8 lb Vol - 1.41 ft³

Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



A709-156-39-27K


Ihana x3 100

Code	Finish	Dimming	CCT
A709-105-39-27K	Opal	ELV	27K
A709-106-39-22/30K	Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 42W
 Weight: Net 18.1 lb - Gross 35.7 lb
 Package: (3x) 8.3 x 16.5 x 16.5" - 6.2 lb Vol - 1.41 ft³
 9.5 x 5.5 x 45" - 9.7 lb Vol - 1.41 ft³
 9.5 x 5.5 x 45" - 7.5 lb Vol - 1.41 ft³

Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



A709-105-39-27K

Ihana x3 150

Code	Finish	Dimming	CCT
A709-103-39-27K	Opal	ELV	27K
A709-104-39-22/30K	Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling

Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm

Luminaire: 100 - 120 VAC ELV 42W 1491lm

Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90

Luminaire DTW: 100 - 120 VAC ELV 42W

Weight: Net 20.1 lb – Gross 39.7 lb


Package: (3x) 8.3 x 16.5 x 16.5" – 6.2 lb Vol – 1.41 ft³

7 x 7 x 65.8" – 12.1 lb Vol – 1.76 ft³

7 x 7 x 65.8" – 9 lb Vol – 1.76 ft³

Product notes: 0-10V upon request

LED included



Wire installation: Hardwired

Canopy color: Black



A709-103-39-27K










DESIGN PLUS
powered by: light+building

Jaima 43 E26

Code	Finish
A683-047	● Beige
A683-048	● Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 4 lb – Gross 8.1 lb
Package: 17.3 x 17.7 x 15.4" – 8.1 lb Vol – 2.8 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A683-047

Jaima 54 E26

Code	Finish
A683-051	Beige
A683-052	Grey

Materials

Shade: Textilene, inner part in white


Product type: Pendant

Light Source: E26 LED Globe (ø120) 22W

Weight: Net 4.85 lb – Gross 11 lb

Package: 21.5 x 21.5 x 18.1" – 11 lb Vol – 4.95 ft³

Lamping not included



A683-052

Cable length: 6.6 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black

Jaima 71 E26

Code	Finish
A683-055	Beige
A683-056	Grey

⚠️ Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials

Shade: Textilene, inner part in white


Product type: Pendant

Light Source: E26 LED Globe (ø120) 22W

Weight: Net 6.17 lb – Gross 16.5 lb

Package: 27.5 x 27.5 x 24.8" – 16.5 lb Vol – 10.6 ft³

Lamping not included



A683-055

Cable length: 6.6 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black

Jaima 43 IP65

Code A683-059 Finish Beige
A683-060 Finish Grey

Materials Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant


Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm

Luminaire: 120 VAC ELV 15W 528lm

Weight: Net 4 lb – Gross 8.1lb

Package: 17.3 x 17.7 x 15.4" – 8.1 lb Vol – 2.8 ft³

LED included



Dimmable
Suitable for wet locations
IP65
cULus



A683-059

Jaima 54 IP65

Code A683-063 Finish Beige
A683-064 Finish Grey

Materials Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant


Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm

Luminaire: 120VAC ELV 15W 513lm

Weight: Net 4.85 lb – Gross 11 lb

Package: 21.5 x 21.5 x 18.1" – 11 lb Vol – 4.95 ft³

LED included



Dimmable
Suitable for wet locations
IP65
cULus



A683-064

Jaima 71 IP65

Code	Finish
2 A683-067	● Beige
2 A683-068	● Grey

2 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials

Shade: Textilene, inner part in white

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (ELV)

Product type: Pendant


Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm

Luminaire: 120VAC ELV 15W 530lm

Weight: Net 6.17 lb – Gross 16.5 lb

Package: 27.5 x 27.5 x 24.8" – 16.5 lb Vol – 10.6 ft³

LED included




Dimmable

Suitable for
wet locations

IP65



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A683-067

Jaima P207 + Shade 43

Code	Finish
Structure E26	
2 A683-070	● Black (RAL 9005)
Structure LED IP65	
2 A683-071	● Black (RAL 9005)
Shade 43	
A683-029	● Beige
A683-030	● Grey

2 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials

Shade: Textilene, inner part in white

Dimmable: Based on specified lamping

Integrated dimmer: No

Structure: Stainless steel

Extensible stem: Carbon fiber

Product type: Floor


Light Source: E26 LED Globe (ø120) 22W

Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm

Luminaire: 120VAC ELV 15W 528lm

Weight: Net 9 lb – Gross 22.7 lb

Package: 85.4 x 18.9 x 9" – 17.2 lb Vol – 8.47 ft³



Suitable for
wet locations

IP65



Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 161.

Cable length: 9.2 ft
Wire installation: Plug-in
Cord color: Black



A683-071 / A683-030

Code	Finish
Structure E26	
A683-072	● Black (RAL 9005)
Structure LED IP65	
A683-073	● Black (RAL 9005)
Shade 54	
A683-037	● Beige
A683-038	● Grey


☒ Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials	Dimmable: Based on specified lamping
Shade: Textilene, inner part in white	Integrated dimmer: No
Structure: Stainless steel	
Extensible stem: Carbon fiber	

Product type: Floor

Light Source: E26 LED Globe (ø120) 22W
 Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
 Luminaires: 120VAC ELV 15W 513lm
 Weight: Net 10.36 lb – Gross 27.5 lb
 Package: 109 x 19 x 9" – 19.82 lb Vol – 10.59 ft³
 21.7 x 21.7 x 17.7" – 7.7 lb Vol – 14.8 ft³

LED included



Suitable for
wet locations

IP65



Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 161.

Cable length: min 6.6 ft - max 9.2 ft
 Wire installation: Plug-in
 Cord color: Black



A683-072 / A683-037

Jaima P307 + Shade 71

Code	Finish
Structure E26	
A683-072	● Black (RAL 9005)
Structure LED IP65	
A683-073	● Black (RAL 9005)
Shade 71	
A683-041	● Beige
A683-042	● Grey


☒ Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials	Dimmable: Based on specified lamping
Shade: Textilene, inner part in white	Integrated dimmer: No
Structure: Stainless steel	
Extensible stem: Carbon fiber	

Product type: Floor

Light Source: E26 LED Globe (ø120) 22W
 Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
 Luminaires: 120VAC ELV 15W 530lm
 Weight: Net 10.5 lb – Gross 33 lb
 Package: 109 x 27.5 x 24.6" – 15.4 lb Vol – 10.947 ft³
 27.9 x 27.9 x 24.8" – 13.2 lb Vol – 10.6 ft³

LED included



Suitable for
wet locations

IP65



Product notes: a floor base 70 or a fixed stem needs to be purchased. See page 161.

Cable length: min 6.6 ft - max 9.2 ft
 Wire installation: Plug-in
 Cord color: Black



A683-072 / A683-041


49 base + stem

Code A683-033 Finish ● Concrete - Black (RAL 9005)
Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials
Base: Concrete
Stem: Stainless steel



Product type: Accessory
Weight: Net 31.5 lb – Gross 37.91 lb
Package: 12.2 x 7.1 x 6.7" - 4.8 lb – Vol -0.31 ft³
24.8 x 24.8 x 2.7" - 33.1 lb – Vol -0.95 ft³
Product notes: Base only compatible with Jaima P207




70 base + stem

Code A683-044 Finish ● Concrete and black (RAL 9005)
Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials
Base: Concrete
Stem: Stainless steel



Product type: Accessory
Weight: Net 81.1 lb – Gross 115.1 lb
Package: 29.5 x 29.5 x 7.48" - 110.2 lb – Vol -3.7 ft³
12.2 x 7.08 x 6.69" - 4.85 lb – Vol -0.31 ft³
Product notes: Base only compatible with Jaima P307




Fixed stem

Code A683-032 Finish ● Black (RAL 9005)

Materials
Stem: Stainless steel



Product type: Accessory
Weight: Net 4.18 lb – Gross 5.07 lb
Package: 12.2 x 7.08 x 6.69" - 5.07 lb – Vol -0.31 ft³
Product notes: Compatible with Jaima P207 and P307.





Konoha is a simple, discreet wall lamp with a shade over a directed spotlight that turns through 330°. The shade, like a hat, covers the spotlight, allowing the light to be directed upwards, bounce off the inside and project a beam of soft light, creating

warm ambient lighting. If instead the spotlight is focused downwards, it projects a beam of direct light, turning the fixture into a reading lamp.




Konoha

Code	Finish
A716-002-39-27K	● Matt Black (RAL 9005)
A716-002-35-27K	● White chalk (RAL 085 80 10)
A716-002-41-27K	● Terracotta (RAL 050 50 40)
A716-002-45-27K	● Moss grey (RAL 7003)

Materials
Structure: Steel
Tube: Aluminium

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm
Luminaire: 120-277VAC 60Hz 3.1W 137lm
Weight: Net 2.5 lb – Gross 4.2 lb
Package: 13.8 x 13.1 x 9 " – 4.2 lb Vol – 1.05 ft³
Product notes: The ON/OFF switch is located at the base of the structure
LED included



Wire installation: Hardwired



A716-002-39-27K

Konoha wide

Code
A716-003-39-27K
A716-003-35-27K
A716-003-41-27K
A716-003-45-27K

Finish
● Matt Black (RAL 9005)
● White chalk (RAL 085 80 10)
● Terracotta (RAL 050 50 40)
● Moss grey (RAL 7003)

Materials
Structure: Steel
Tube: Aluminium

Dimmable: No

Product type: Wall

Light source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm


Luminaire: 120-277VAC 60Hz 3.1W 137lm

Weight: Net 2.5 lb – Gross 4.2 lb

Package: 13.8 x 13.1 x 9 " – 4.2 lb Vol – 1.05 ft³

Product notes: The ON/OFF switch is located at the base of the structure

LED included



Wire installation: Hardwired



A716-003-45-27K



Lab 2 2020

Code
A646-191

Finish
● Graphite grey (RAL 7024)


Materials
Structure: Injected aluminum
Lids: Metal, wood (see next page)

Dimmable: No

Product type: Wall
Light source: LED SMD 24Vdc 7.4W 2700K CRI90 378lm
Luminaire: 100 - 240 VAC 8.47W 322lm
Weight: Net 1.91 lb – Gross 2.20 lb
Package: 5.9 x 5.9 x 5.1" – 2.2 lb Vol – 0,106 ft³



Suitable for
wet locations



ADA

IP65



Under approval process. For latest
certification status check the spec sheet.


Wire installation: Hardwired



A646-191

Lid

Code	Finish
A646-005	White (RAL 9003)
A646-022	Brown (RAL 8019)
A646-023	Rust brown
A646-007	Dark iroko




Materials

Structure: Injected aluminum
Lids: Metal, wood

Product type: Accessory

Signage Lid

Code	Finish
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units



Product type: Accessory


Product Notes: Minimum order of 3pcs.
Available upon request, Lab 2 only.

Lab B 35

Code	Finish
A646-170	Graphite grey - White (RAL 7024-9003)
A646-171	Graphite grey - Brown (RAL 7024-8019)
A646-172	Graphite grey - Rust brown
A646-173	Graphite grey - Dark iroko

Materials
Structure: Aluminum
Lids: Metal, wood

Product type: Bollard
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 3.08 lb – Gross 5.07 lb
Package: 6.89 x 5.11 x 18.11" – 5.07 lb Vol – 0.35 ft³



Wire installation: Hardwired




A646-170


Concrete fixation plate

Code A646-067 Finish ● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
For fixing luminaire location in wet concrete/cement.
Weight: Net 0.57 lb – Gross 0.7 lb
Package: 9 x 10 x 21" - 0.7 lb – Vol - 0.70 ft³





Volume, solidity, and legacy. Lauro is the reissue of an iconic lamp made of steel and methacrylate, first launched in 1973. Its structure and materials connect us with the emotional language of the past.

Its shade allows the light to be directed by rotating it and adjusting its height along the structure. This luminaire is striking in its presence, a true example of how good design endures over time.



Lauro M (NEW)

Code	Finish
Ⓐ A731-020-4751	● Dark Brown (NCS S 8505-Y20R) - White
Ⓐ A731-020-4765	● Dark Brown (NCS S 8505-Y20R) - Black
Ⓐ A731-020-0951	● Chromed Steel - White
Ⓐ A731-020-0965	● Chromed Steel - Black

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Shade: Chromed steel and methacrylate


Structure: Steel

Product type: Table


Light source: E26 LED TYPE A19 7.5W max. (not included)

Weight: Net 11.46 lb - Gross 21.16 lb

Package: 16.14 x 16.14 x 9.06 " - 6.39 lb Vol - 1.38 ft³
16.54 x 16.54 x 20.47 " - 14.77 lb Vol - 3.25 ft³



Cable length: 98 7/16 "
Wire installation: Plug-in
Color cord: Black
Switch location: Shade



A731-020-0951

Lauro P NEW

Code

- Ⓐ A731-021-4751 ● Dark Brown (NCS S 8505-Y20R) - White
- Ⓐ A731-021-4765 ● Dark Brown (NCS S 8505-Y20R) - Black
- Ⓐ A731-021-0951 ● Chromed Steel - White
- Ⓐ A731-021-0965 ● Chromed Steel - Black

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Shade: Chromed steel and methacrylate

Structure: Steel

Product type: Floor


Light source: E26 LED TYPE A19 7.5W max. (not included)

Weight: Net 16.76 lb – Gross 26.01 lb

Package: 16.14 x 16.14 x 9.06 " – 6.39 lb Vol – 1.38 ft³

16.54 x 16.54 x 9.45 " – 15.43 lb Vol – 1.52 ft³

3.15 x 3.15 x 51.18 " – 4.41 lb Vol – 0.32 ft³



Cable length: 98 7/16 "

Wire installation: Plug-in

Color cord: Black

Switch location: Shade



A731-021-4765

Lauro A NEW

Code

- Ⓐ A731-022-4751 ● Dark Brown (NCS S 8505-Y20R) - White
- Ⓐ A731-022-4765 ● Dark Brown (NCS S 8505-Y20R) - Black
- Ⓐ A731-022-0951 ● Chromed Steel - White
- Ⓐ A731-022-0965 ● Chromed Steel - Black

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Shade: Chromed steel and methacrylate

Structure: Steel


Product type: Wall

Light source: E26 LED TYPE A19 7.5W max. (not included)

Weight: Net 6.83 lb – Gross 11.24 lb

Package: 16.14 x 16.14 x 9.06 " – 6.39 lb Vol – 1.38 ft³

9.06 x 21.46 x 4.53 " – 4.85 lb Vol – 0.53 ft³



Cable length: 98 7/16 "

Wire installation: Plug-in

Color cord: Black

Switch location: Shade



A731-022-0965



Its ergonomic design beckons you to move it in any direction, up to 360°, and its use is very intuitive. When opened, it turns on automatically; when closed, it turns off and hides away in the wall, like camouflage. It's so versatile it can be installed vertically

or horizontally, adapting to the needs of your space. Now we present a new surface edition, just as functional but more compact. The switch is integrated in the base, maximum ergonomic design, with absolute flexibility to move it in any direction.



Ledtube RSC

Code	Finish
Ⓐ A622-221-17-27K	● Aluminum
Ⓐ A622-221-18-27K	● Bronze
Ⓐ A622-221-35-27K	● Matte white (RAL 9010)
Ⓐ A622-221-39-27K	● Matte black (RAL 9005)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Structure: Injected aluminum

Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall

Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm


Luminaria: 100 - 240 VAC 3.6W 131lm

Weight: Net 1.43 lb – Gross 1.7 lb

Package: 7.9 x 4.7 x 3.1" – 1.7 lb Vol – 0.075 ft³

Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.

LED included



Wire installation: Hardwired




A622-221-17-27K

Ledtube R right

Code	Finish
A622-223-17-27K	Aluminum
A622-223-18-27K	Bronze
A622-223-35-27K	Matte white (RAL 9010)
A622-223-39-27K	Matte black (RAL 9005)

Materials: Injected aluminum
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb - Gross 2 lb
Package: 6.3 x 5.9 x 3.5" - 2 lb Vol - 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired




A622-223-17-27K

Ledtube R left

Code	Finish
A622-224-17-27K	Aluminum
A622-224-18-27K	Bronze
A622-224-35-27K	Matte white (RAL 9010)
A622-224-39-27K	Matte black (RAL 9005)

Materials: Injected aluminum
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb - Gross 2 lb
Package: 6.3 x 5.9 x 3.5" - 2 lb Vol - 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



A622-224-35-27K

Wire installation: Hardwired

Ledtube A

Code	Finish
A622-225-17-27K	Aluminum
Ⓐ A622-225-18-27K	Bronze
A622-225-35-27K	Matte white (RAL 9010)
Ⓐ A622-225-39-27K	Matte black (RAL 9005)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials Dimmable: No

Structure: Injected aluminum

Frontal: Transparent polycarbonate

Product type: Wall

Light source: LED SMD 700mA 2.1W 2700K CRI90 226.5lm

Luminaire: 100 - 240 VAC 4.25W 131lm


Weight: Net 1.3 lb - Gross 1.5 lb

Package: 8.26 x 4.72 x 3.54" - 1.5 lb Vol - 0.07 ft³

Product notes: Lens at 25° with a honeycomb grill to reduce glare.

Integrated switch

LED included



Wire installation: Hardwired



A622-225-17-27K

Disk accessory



Code	Finish
A622-181-17	Aluminum
Ⓐ A622-181-18	Bronze
A622-181-35	Matte white (RAL 9010)
Ⓐ A622-181-39	Matte black (RAL 9005)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials
Structure: Metal

Product type: Accessory

Accessory used for installation with the junction box.



Ledtube mini

Code	Finish
Ⓐ A622-215-17-27K	Aluminum
Ⓐ A622-215-18-27K	Bronze
Ⓐ A622-215-35-27K	Matte white (RAL 9010)
Ⓐ A622-215-39-27K	Matte black (RAL 9005)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials Dimmable: No

Structure: Injected aluminum

Frontal: Transparent polycarbonate

Product type: Wall

Light Source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm

Luminaire: 100 - 277 VAC 3.6W 45lm

Weight: Net 1.1 lb – Gross 1.3 lb

Package: 8.26 x 4.72 x 3.54" – 1.3 lb Vol – 0.07 ft³

Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Lens at 25° with a honeycomb grill to reduce glare.

LED included



Wire installation: Hardwired




A622-215-39-27K

The beauty of the Mercer stems not only from its essential shape, but also from how its materials blend together. The transparent blown glass structure surrounds the

textile shade, which seems to float, conveying a sense of airiness and sophistication.



© Javier Bravo




Mercer M

Code	Finish
A89-018	● Pleated white cotton
A89-079	● Pearl white

Materials	
Shade: Textile	Integrated dimmer: Yes
Structure: Blown glass	Dimmer Type: Progressive in-line dimmer
Diffuser: Opal disc	

Product type: Table
 Light source: E26 TYPE A19 100W
 Weight: Net 11 lb – Gross 9.9 lb
 Package: 22 x 14.9 x 15.7" – 9.9 lb Vol – 3.17 ft³
 Lamping not included



Cable length: 5 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



A89-018

Mercer

Code A89-006 Finish Pleated white cotton
A89-078 Finish Pearl white


Materials

Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table

Light source: E26 TYPE A21100W
Weight: Net 11 lb – Gross 15.4 lb
Package: 26 x 19.2 x 19.2" – 15.4 lb Vol – 5.579 ft³
Lamping not included



A89-078

Mercer 30


Code A89-054 Finish Pleated white cotton
A89-082 Finish Pearl white

Quick ship item. Ships within 3 days. See Quick Ship on page 254.

Materials

Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 6.17 lb – Gross 8.1 lb
Package: 14.9 x 14.9 x 17" – 8.1 lb Vol – 2.1 ft³
Lamping not included



A89-054

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White


Mercer 44

Code	Finish
Ⓐ A89-020	● Pleated white cotton
Ⓐ A89-083	● Pearl white

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: 2x E26 LED TYPE A 11W
Weight: Net 17.2 lb – Gross 22 lb
Package: 22 x 22 x 18.9" – 22 lb Vol – 5.29 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




A89-083

Mercer A

Code	Finish
A89-065	● Pleated white cotton
A89-084	● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Wal bracket: Chromed iron

Product type: Wall
Light source: E12 LED candle 5W
Weight: Net 3 lb – Gross 4.4 lb
Package: 12.6 x 13 x 11" – 4.4 lb Vol – 1.06 ft³
Lamping not included



Wire installation: Hardwired



A89-084

Mercer C

Code	Finish
Ⓐ A89-067	Pleated white cotton
Ⓐ A89-085	Pearl white

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Shade: Textile

Structure: Blown glass


Product type: Ceiling

Light source: 2x E26 LED TYPE A 11W

Weight: Net 9.92 lb – Gross 13.2 lb

Package: 22.8 x 22.8 x 14.2" – 13.2 lb Vol – 3.5 ft³

Lamping not included



Wire installation: Hardwired



A89-067

Spare parts

Code	Product	Finish	Spare part
A89-501	Mercer M	-	Glass
A89-500	Mercer	-	Glass
A89-505	Mercer 30	-	Glass
A89-503	Mercer 44	-	Glass
A89-504	Mercer A	-	Glass
A89-506	Mercer C	-	Glass





The Milana is a sleek, versatile form with an almost imperceptible point of light. The base lamp offers an impeccable downward-directed light, but when a shade

is added, the light escapes upward, illuminating the lamp itself. An additional counterweight version gives the user complete control over the light.



© Misnomo Studio

Milana

Code	Finish
A699-101	Off-white (RAL 1013)
A699-102	Black (RAL 9005)

Materials	Dimmable: Yes
Shade: Aluminum	Integrated dimmer: No
Diffuser: Polycarbonate	Dimming protocols: Phase cut (ELV)


Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm

Luminaire: 100 - 120 VAC ELV 11W 340lm

Weight: Net 1.14 lb - Gross 1.54 lb

Package: 8.8 x 2.7 x 1.6" - 0.7 lb Vol - 0.02 ft³
7.8 x 4.7 x 3.1" - 0.88 lb Vol - 0.2 ft³

LED included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A699-101 / A699-102


Milana 32

Code A699-106 Finish Off-white (RAL 1013)
A699-107 Finish Black (RAL 9005)

Materials Aluminum Dimmable: Yes
Shade: Aluminum Integrated dimmer: No
Diffuser: Polycarbonate Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 1.91 lb – Gross 3.35 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
14.3 x 14.3 x 2.8" – 1.8 lb Vol – 0.98 ft³
7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³

LED included



A699-107


Milana 47

Code A699-111 Finish Off-white (RAL 1013)
A699-112 Finish Black (RAL 9005)

Materials Aluminum Dimmable: Yes
Shade: Aluminum Integrated dimmer: No
Diffuser: Polycarbonate Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 2.9 lb – Gross 6.2 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
20.7 x 20.7 x 3.9" – 3.5 lb Vol – 0.98 ft³
7.8 x 4.7 x 3.1" – 2 lb Vol – 0.2 ft³

LED included



A699-111

Milana 8

Code A699-163-35-27K Finish Off-white (RAL 1013)
A699-163-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Glass Dimming protocols: Phase cut (ELV)


Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm

Luminaire: 100 - 120 VAC ELV 11W 340lm

Weight: Net 1.3 lb – Gross 1.5 lb

Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
7.8 x 4.7 x 3.1" – 0.8 lb Vol – 0.2 ft³

LED included



Cable length: 9.8 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A699-163-39-27K



The cluster is a system that allows several pendant lamps to be connected to a single power point. It provides complete freedom to create with light,

illuminate large spaces, or design compositions with multiple pendant lamps. See the available Clusters on pages 59 and 60.


Milana - 24V

Code	Finish
A699-200-35-27K	Off-white (RAL 1013)
A699-200-39-27K	Black (RAL 9005)

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on purchased power supply. See Cluster accessory, pages 59, 60.

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0.55 lb – Gross 1.34 lb
Package: 9.45 x 9.45 x 2.76 " – 1.34 lb Vol – 0.14 ft³
Product notes: For 24Vdc canopies please see pages 59, 60.
1pc. hook accessory included
LED included



Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black




A699-200-39-27K / A699-200-35-27K

Milana 32 - 24V

Code A699-201-35-27K Finish Off-white (RAL 1013)
A699-201-39-27K ● Black (RAL 9005)

Materials Shade: Aluminium Diffuser: Glass
Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on purchased power supply. See Cluster accessory, pages 59, 60.

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 1.3 lb – Gross 3.2 lb
Package: 9.45 x 9.45 x 2.76 " – 1.3 lb Vol – 0.14 ft³
14.37 x 14.37 x 2.95 " – 1.8 lb Vol – 0.32 ft³
Product notes: For 24Vdc canopies please see pages 59, 60.
1 pc. hook accessory included
LED included




Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black

Milana 47 - 24V

Code A699-202-35-27K Finish Off-white (RAL 1013)
A699-202-39-27K ● Black (RAL 9005)

Materials Shade: Aluminium Diffuser: Glass
Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on purchased power supply. See Cluster accessory, pages 59, 60.

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 2.2 lb – Gross 5.1 lb
Package: 9.45 x 9.45 x 2.76 " – 1.7 lb Vol – 0.14 ft³
20.67 x 20.67 x 3.94 " – 3.4 lb Vol – 0.99 ft³
Product notes: For 24Vdc canopies please see pages 59, 60.
1 pc. hook accessory included
LED included



Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black



A699-201-39-27K




A699-202-35-27K

Code A699-136-35-27K Finish Off-white (RAL 1013)
 A699-136-39-27K Black (RAL 9005)

Materials Shade: Aluminium
 Diffuser: Glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster accessory, pages 59, 60.

Product type: Pendant
 Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
 Luminaire: (Power supply not included)
 Weight: Net 0.77 lb – Gross 1.57 lb
 Package: 9.45 x 9.45 x 2.76 " – 1.57 lb Vol – 0.14 ft³
 Product notes: For 24Vdc canopies please see pages 59, 60.
 1 pc. hook accessory included
 LED included



Cable length: 9.8 ft.
 Wire installation: Hardwired
 Color cord: Black



A699-136-35-27K


Spare parts

Code	Product	Finish	Spare part
R699-025	Milana 32	White	Shade
R699-024	Milana 32	Black	Shade
R699-029	Milana 47	White	Shade
R699-028	Milana 47	Black	Shade





Nº8, Christophe Mathieu



N. Ocho

Code Finish

- Ⓐ A670-003 Oak
- Ⓐ A670-004 Wenge

Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials Dimmable: No

Plate: Metal

Arm: Metal covered in braided fabric

Diffuser: Wood

Product type: Wall

Light Source: LED SMD 700mA 2.1W 2700K CRI80 226,5lm

Luminaire: 120 - 277 VAC 3.5W

Weight: Net 1.36 lb – Gross 2.2 lb

Package: 27.2 x 6.7 x 4" – 2.2 lb Vol – 0.35 ft³


LED included



Wire installation: Hardwired

Switch location: Canopy

Canopy color: Black



A670-003



A good design is one that endures. So it is with Plaff-on!, a lamp that has been illuminating walls and ceilings for almost ten years. Its hand-blown white glass diffuser appears to float, detaching from the ceiling and the circumference that

surrounds it, and its light filters upward to create a luminous halo. Indoors, outdoors, with or without signage, the Plaff-on! now offers multiple options in one lamp that can now conquer the outdoors as well, now with a new finishing in rust brown.




Plaff-on! 16 IP65

Code	Finish	Dimming
A628-051	● Black (RAL 9005)	ELV
A628-079-31-27K	● Rust Brown	ELV
A628-079-35-27K	● White (RAL 9010)	ELV
A628-069	● Black (RAL 9005)	0-10V
A628-080-31-27K	● Rust Brown	0-10V
A628-080-35-27K	● White (RAL 9010)	0-10V

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV) 0-10V (120-277V)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 225lm
120-277 VAC 0-10V 8.7W 225lm
Weight: Net 1.76 lb - Gross 2.65 lb
Package: 8.6 x 8.6 x 6.7" - 2.6 lb Vol - 0.28 ft³
LED included



Dimmable
ADA
Suitable for wet locations
IP65

Wire installation: Hardwired



A628-079-35-27K


Signage Lid

Code	Description
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory

Product Notes: Minimum order of 3pcs.

Available upon request.



Plaff-on! 33 IP54

Code	Finish	CCT
Ⓐ A628-062-3CCT	● Black (RAL 9005)	27K - 30K - 40K
Ⓐ A628-062-31-3CCT	● Rust Brown	27K - 30K - 40K

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling

Light source: LED SMD 700mA 23W 2700-4000K CRI90 2654lm


Luminaire: Only 120 VAC ELV 28W 1941lm

120 - 277 VAC 0-10V 28W 1941lm

Weight: Net 6.8 lb – Gross 9.9 lb

Package: 15.7 x 15.7 x 8.3" – 9.9 lb Vol – 1.05 ft³

LED included



Dimmable

Suitable for
damp locations

IP65



Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.



A628-062-3CCT

Plaff-on! 33 E26

Code	Finish
Ⓐ A628-059	● Black (RAL 9005)
A628-059-31	● Rust Brown

Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Structure: Aluminum
Shade: Opal blown glass


Product type: Wall / Ceiling

Light source: 2x E26 LED TYPE A 11W

Weight: Net 6.2 lb – Gross 9 lb

Package: 15.7 x 15.7 x 8.3" – 9 lb Vol – 1.05 ft³

Lamping not included



Wire installation: Hardwired



A628-059-31

Plaff-on! 50 IP54

Code	Finish	CCT
Ⓐ A628-063-3CCT	● Black (RAL 9005)	27K - 30K - 40K
A628-063-31-3CCT	● Rust Brown	27K - 30K - 40K

Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling

Light source: LED SMD 700mA 29W 2700K CRI90 3318lm

Luminaire: Only 120 VAC ELV 36W 2172lm

120 - 277 VAC 0-10V 36W 2172lm

For 3CCT

Light source: LED SMD 700mA 29W 2700-4000K CRI90 3318lm


Luminaire: Only 120 VAC ELV 36W 2172lm

120 - 277 VAC 0-10V 36W 2172lm

Weight: Net 12.6 lb – Gross 18.7 lb

Package: 23.6 x 23.6 x 9.8" – 18.7 lb Vol – 3.18 ft³

LED included



Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.



A628-063

Plaff-on! 50 E26

Code	Finish
A628-060	● Black (RAL 9005)
A628-060-31	● Rust Brown

 Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Structure: Aluminum
Shade: Opal blown glass


Product type: Wall / Ceiling

Light source: 4x E26 LED TYPE A 11W

Weight: Net 11.2 lb – Gross 17.4 lb

Package: 23.6 x 23.6 x 9.8" - 17.4 lb Vol - 3.18 ft³

Lamping not included



Wire installation: Hardwired



A628-060

Plaff-on! A 16 IP65

Code	Finish	Dimming
A628-161	● Black (RAL 9005)	ELV
A628-082-31-27K	● Rust Brown	ELV
A628-082-35-27K	● White (RAL 9010)	ELV
A628-084-39-27K	● Black (RAL 9005)	0-10V
A628-084-31-27K	● Rust Brown	0-10V
A628-084-35-27K	● White (RAL 9010)	0-10V

 Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
0-10V (120-277V)

Product type: Wall

Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm


Luminaire: 120 VAC ELV 8.7W 225lm

120-277 VAC 0-10V 8.7W 225lm

Weight: Net 1.76 lb – Gross 2.64 lb

Package: 8.7 x 8.7 x 6.5" - 2.64 lb Vol - 0.28 ft³

LED included



Wire installation: Hardwired



A628-161




Plaff-on! S 16 IP65 with canopy

Code A628-091-31-27K Finish
 A628-091-39-27K • Rust Brown
 A628-091-39-27K • Black-White

Materials Dimmable: Yes
 Structure: Aluminium Integrated dimmer: No
 Shade: Opal blown glass Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light source: LED COB 120 VAC 8W 2700K CRI90 571lm
 Luminaire: 120 VAC ELV 8,47W 225lm
 Weight: Net 2.9 lb – Gross 4.2 lb
 Package: 8.6 x 8.6 x 9.8 " – 4.2 lb Vol – 0.4 ft³
 LED included



Dimmable
Suitable for wet locations
IP65

Wire installation: Hardwired
 Steel wire length: 6.6 ft.
 Cable length: 13.1 ft.
 Color cord: Black



A628-091-39-27K

Plaff-on! S 16 IP65

Code A628-089-31-27K Finish
 A628-089-39-27K • Rust Brown
 A628-089-39-27K • Black-White

Product type: Pendant
 Light source: LED COB 120 VAC 8W 2700K CRI90 571lm
 Luminaire: 120 VAC ELV 8,47W 225lm
 Weight: Net 2.9 lb – Gross 4.2 lb
 Package: 8.6 x 8.6 x 9.8 " – 4.2 lb Vol – 0.4 ft³
 LED included


Garland accessory

Code A628-074 Finish
 A628-074 • Stainless steel

Product type: Accessory



A628-089-39-27K



Plaff-on! B 16 IP65

Code	Finish
A628-164	● Black
A628-085-31-27K	● Rust Brown

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)


Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm

Luminaire: 120 VAC ELV 8.7W 225lm

Weight: Net 4 lb – Gross 7.5 lb

Package: 9.25 x 32.7 x 13.2 " – 7.5 lb Vol – 2.47 ft³

LED included



Wire installation: Hardwired



A628-085-31-27K

Concrete fixation plate


Code	Finish
A628-071	● Stainless steel

Materials
Structure: Stainless steel 316L

Product type: Accessory for Plaff-on! B IP65
For fixing luminaire location in wet concrete/cement.

Weight: Net 0.45 lb – Gross 1.85 lb

Package: 10.2 x 10.2 x 7.9" - 1.85 lb – Vol - 4.6 ft³



Spare parts

Code	Product	Finish	Spare part
R628-002	Plaff-on! 16 IP65	-	Glass
R628-010	Plaff-on! 33 IP54	-	Glass
R628-011	Plaff-on! 50 IP54	-	Glass



Pleat Box, Xavier Mañosa & Mashallah

The idea behind the Pleat Box is a sophisticated combination between a digitally designed crease in a piece of cloth and a silhouette that is applied to a ceramic base. The alchemy of the craft process leaves unpredictable traces, small marks in the

metal glaze, tiny cracks in the polish... little flaws that mark the unique personality of every lamp.



Pleat Box 13

Code	Finish
A636-408-3535	White - White
A636-408-3549	White - Gold
A636-408-3835	Grey - White
A636-408-4135	Terracotta - White
A636-408-3949	Black - Gold
A636-408-4235	Ocher - White
A636-408-4535	Dark Green - White
A636-408-4549	Dark Green - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold

Canopy: Ceramic


Product type: Pendant

Light source: E26 LED TYPE A 11W

Weight: Net 3.1 lb – Gross 4.4 lb

Package: 9.4 x 9.4 x 20.8" – 4.4 lb Vol – 1.06 ft³

Lamping not included




Cable length: 6.6 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Same color as chosen shade



A636-408-3549

Pleat Box 13 LED

Code	Finish
A636-409-3535-27K	White - White
A636-409-3549-27K	White - Gold
A636-409-3835-27K	Grey - White
A636-409-4135-27K	Terracotta - White
A636-409-3949-27K	Black - Gold
A636-409-4235-27K	Ocher - White
A636-409-4535-27K	Dark Green - White
A636-409-4549-27K	Dark Green - Gold

Materials Dimmable: No

Shade: Ceramic with the inner part in brilliant white enamel or gold

Canopy: Ceramic

Cord: Fabric

Product type: Pendant


Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm

Luminaire: 90 - 264 VAC 6W 165lm

Weight: Net 3.63 lb - Gross 5 lb

Package: 9.4 x 9.4 x 20.8" - 5 lb Vol - 1.06 ft³

LED included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Same color as chosen shade



A636-409-3949-27K

Pleat Box 24

Code	Finish
A636-410-3535	White - White
A636-410-3549	White - Gold
A636-410-3835	Grey - White
A636-410-4135	Terracotta - White
A636-410-3949	Black - Gold
A636-410-4235	Ocher - White
A636-410-4535	Dark Green - White
A636-410-4549	Dark Green - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold

Canopy: Ceramic

Cord: Fabric


Product type: Pendant

Light source: E26 LED TYPE A 11W

Weight: Net 4.2 lb - Gross 5.5 lb

Package: 14.2 x 14.2 x 11.8" - 5.5 lb Vol - 1.412 ft³

Lamping not included



A636-410-4135

Cable length: 6.6 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Same color as chosen shade

Pleat Box 24 LED

Code
 A636-411-3535-27K
 A636-411-3549-27K
 A636-411-3835-27K
 A636-411-4135-27K
 A636-411-3949-27K
 A636-411-4235-27K
 A636-411-4535-27K
 A636-411-4549-27K

Finish
 White - White
 White - Gold
 Grey - White
 Terracotta - White
 Black - Gold
 Ocher - White
 Dark Green - White
 Dark Green - Gold

Materials

Shade: Ceramic with the inner part
 in brilliant white enamel or gold

Canopy: Ceramic
 Cord: Fabric

Product type: Pendant

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm

Luminaire: 100 - 120 VAC ELV 14W 113lm

Weight: Net 4.9 lb - Gross 6.2 lb

Package: 14.2 x 14.2 x 11.8" - 6.2 lb Vol - 1.412 ft³

LED included

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (ELV)



A636-411-4235-27K

Pleat Box 36

Code
 A636-412-3535
 A636-412-3549
 A636-412-3835
 A636-412-4135
 A636-412-3949
 A636-412-4235
 A636-412-4535
 A636-412-4549

Finish
 White - White
 White - Gold
 Grey - White
 Terracotta - White
 Black - Gold
 Ocher - White
 Dark Green - White
 Dark Green - Gold

Materials

Shade: Ceramic with the inner part
 in brilliant white enamel or gold

Canopy: Ceramic

Product type: Pendant

Light source: E12 LED TYPE G16.5 5W

Weight: Net 5.7 lb - Gross 9.5 lb

Package: 19.3 x 19.3 x 11.4" - 9.5 lb Vol - 2.47 ft³

Lamping not included



A636-412-4549

Pleat Box 36 LED

Code	Finish
A636-413-3535-27K	White - White
A636-413-3549-27K	White - Gold
A636-413-3835-27K	Grey - White
A636-413-4135-27K	Terracotta - White
A636-413-3949-27K	Black - Gold
A636-413-4235-27K	Ocher - White
A636-413-4535-27K	Dark Green - White
A636-413-4549-27K	Dark Green - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold

Canopy: Ceramic

Cord: Fabric

Product type: Pendant

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm

Luminaire: 100 - 120 VAC ELV 14W 233lm

Weight: Net 6.6 lb – Gross 8.8 lb

Package: 19.3 x 19.3 x 11.4" – 8.8 lb Vol – 2.47 ft³

LED included

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (ELV)



A636-413-3535-27K

Pleat Box 47

Code	Finish
A636-414-3535	White - White
A636-414-3549	White - Gold
A636-414-3835	Grey - White
A636-414-4135	Terracotta - White
A636-414-3949	Black - Gold
A636-414-4235	Ocher - White
A636-414-4535	Dark Green - White
A636-414-4549	Dark Green - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold

Canopy: Ceramic

Product type: Pendant

Light source: E26 LED TYPE A 11W

Weight: Net 10.2 lb – Gross 13.2 lb

Package: 22.4 x 22.4 x 14.2" – 13.2 lb Vol – 3.5 ft³

Lamping not included




A636-414-4549

Pleat Box 47 LED

Code	Finish
A636-415-3535-27K	White - White
A636-415-3549-27K	White - Gold
A636-415-3835-27K	Grey - White
A636-415-4135-27K	Terracotta - White
A636-415-3949-27K	Black - Gold
A636-415-4235-27K	Ocher - White
A636-415-4535-27K	Dark Green - White
A636-415-4549-27K	Dark Green - Gold

Materials	Dimmable: Yes
Shade: Ceramic with the inner part in brilliant white enamel or gold	Integrated dimmer: No
Canopy: Ceramic	Dimming protocols: Phase cut (ELV)
Cord: Fabric	

Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaria: 90 - 135 VAC ELV 21W 625lm
 Weight: Net 11.9 lb - Gross 13.9 lb
 Package: 22.4 x 22.4 x 14.2" - 13.9 lb Vol - 3.5 ft³
 LED included



A636-415-3535-27K

Spare parts

Code	Product	Finish	Spare part
R636-027	Pleat Box 13	White - White	Shade
R636-026	Pleat Box 13	White - Gold	Shade
R636-028	Pleat Box 13	Grey - White	Shade
R636-030	Pleat Box 13	Terracotta - White	Shade
R636-034	Pleat Box 13	Black - Gold	Shade
R636-123	Pleat Box 13	Ocher - White	Shade
R636-124	Pleat Box 13	Dark Green - White	Shade
R636-125	Pleat Box 13	Dark Green - Gold	Shade
R636-017	Pleat Box 24	White - White	Shade
R636-016	Pleat Box 24	White - Gold	Shade
R636-018	Pleat Box 24	Grey - White	Shade
R636-019	Pleat Box 24	Terracotta - White	Shade
R636-022	Pleat Box 24	Black - Gold	Shade
R636-126	Pleat Box 24	Ocher - White	Shade
R636-127	Pleat Box 24	Dark Green - White	Shade
R636-128	Pleat Box 24	Dark Green - Gold	Shade
R636-041	Pleat Box 36	White - White	Shade
R636-046	Pleat Box 36	White - Gold	Shade
R636-042	Pleat Box 36	Grey - White	Shade
R636-043	Pleat Box 36	Terracotta - White	Shade
R636-049	Pleat Box 36	Black - Gold	Shade
R636-129	Pleat Box 36	Ocher - White	Shade
R636-130	Pleat Box 36	Dark Green - White	Shade
R636-131	Pleat Box 36	Dark Green - Gold	Shade
R636-014	Pleat Box 47	White - White	Shade
R636-055	Pleat Box 47	White - Gold	Shade
R636-051	Pleat Box 47	Grey - White	Shade
R636-052	Pleat Box 47	Terracotta - White	Shade
R636-058	Pleat Box 47	Black - Gold	Shade
R636-132	Pleat Box 47	Ocher - White	Shade
R636-133	Pleat Box 47	Dark Green - White	Shade
R636-134	Pleat Box 47	Dark Green - Gold	Shade



The fluidity of its movements and its integrated LED technology make the Polo a light source with a great precision and versatility.

The Polo comes with a diffuser made from injected aluminum and a rotary switch located at the top of the shade.




Polo

Code A642-011 Finish ● Black (RAL 9005)

Materials Diffuser: Aluminum
Body: Aluminum

Dimmable: No

Product type: Table
Light Source: LED SMD 350mA 6.3W 3000K CRI80 532.4lm
Luminaire: 100 - 240 VAC 9W 441lm
Weight: Net 1.55 lb – Gross 4 lb
Package: 20.8 x 14 x 4.3" – 4 lb Vol – 0.67 ft³
Product notes: Reflector with 80° degree aperture.
Must be combined with base or floor base.
LED included



Cable length: 7.25 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the shade



A642-011

Base

Code A642-003 Finish ● Black (RAL 9005)



Materials

Base: Metal with a polycarbonate cover

Product type: Accessory

Weight: Net 8.6 lb - Gross 8.8 lb

Package: 9.4 x 9.4 x 4.7" - 8.8 lb - Vol - 0.24 ft³



Floor base

Code A642-020 Finish ● Black (RAL 9005)

Materials


Structure: Aluminum

Product type: Accessory

Weight: Net 11.90 lb - Gross 15.4 lb

Package: 13.4 x 13.4 x 1.18" - 13.2 lb - Vol - 0.11 ft³

Ø1.57 x 26" - 2.2 lb - Vol - 0.01 ft³





A large pendant or ceiling lamp that accentuates material rather than form. Its large size is in keeping with its function, since it's been designed to illuminate large spaces with considerably high ceilings and contemporary architectural projects requiring

a great deal of light. Switched off it's a forceful object with a strong presence; switched on it manages to make the material less dense and its design weightless.



Ringo 70

Code	Finish
732-102-53-3CCT	Smoked
732-102-62-3CCT	Dark smoked
732-102-63-3CCT	Rosé
732-102-57-3CCT	Green

732 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.


The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Materials
Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: TRI-DIM driver:
TRIAC (min. 1%) / ELV / 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 26.8W 2700K/3000K/4000K CRI90 3205lm
Luminaire: 120-277VAC 60Hz 31W 2363lm

Weight: Net 25.1 lb – Gross 42.8 lb
Package: 32.28 x 32.28 x 16.34 " – 42.8 lb Vol – 9.85 ft³
LED included



Dimmable



Cable length: 98.4"
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



A732-102-62-3CCT

Ringo 90

Code	Finish
732-105-53-3CCT	Smoked
732-105-62-3CCT	Dark smoked
732-105-63-3CCT	Rosé
732-105-57-3CCT	Green

732 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Materials

Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver: ELV (min. 10%) / 0-10V (min. 10%)


Product type: Pendant

Light Source: LED SMD 1400mA 49.7W 2700K/3000K/4000K CRI90 6250lm
Luminaire: 120-277VAC 60Hz 53W 4746lm

Weight: Net 43.03 lb – Gross 68.05 lb

Package: 40.16 x 40.16 x 17.72 " – 68.05 lb Vol – 16.53 ft³

LED included



Dimmable



Cable length: 98.4"
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



A732-105-53-3CCT

Ringo C 70

Code	Finish
732-101-53-3CCT	Smoked
732-101-62-3CCT	Dark smoked
732-101-63-3CCT	Rosé
732-101-57-3CCT	Green

732 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Materials

Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: TRI-DIM driver: TRIAC (min. 1%) / ELV / 0-10V


Product type: Ceiling

Light Source: LED SMD 700mA 26.8W 2700K/3000K/4000K CRI90 3205lm
Luminaire: 120-277VAC 60Hz 31W 2363lm

Weight: Net 23.8 lb – Gross 41 lb

Package: 32.28 x 32.28 x 16.34 " – 41 lb Vol – 9.85 ft³

LED included



Dimmable



Wire installation: Hardwired



A732-101-57-3CCT



Ringo C 90

Code	Finish
A732-104-53-3CCT	Smoked
A732-104-62-3CCT	Dark smoked
A732-104-63-3CCT	Rosé
A732-104-57-3CCT	Green

☒ Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Materials

Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver: ELV (min. 10%) / 0-10V (min. 10%)


Product type: Ceiling

Light Source: LED SMD 1400mA 49.7W 2700K/3000K/4000K CRI90 6250lm
Luminaire: 120-277VAC 60Hz 53W 4746lm

Weight: Net 41.9 lb – Gross 67.2 lb

Package: 40.16 x 40.16 x 17.72 " – 67.2 lb Vol – 16.53 ft³

LED included



Dimmable



Wire installation: Hardwired



A732-104-62-3CCT

Ringo C 70 Fixed Stem

Code	Finish
A732-103-53-3CCT	Smoked
A732-103-62-3CCT	Dark smoked
A732-103-63-3CCT	Rosé
A732-103-57-3CCT	Green

☒ Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Materials

Shade: Rotomoulded polycarbonate
Diffuser: Opal methacrylate
Structure: Black painted Steel

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: TRI-DIM driver: TRIAC (min. 1%) / ELV / 0-10V


Product type: Ceiling

Light Source: LED SMD 700mA 26.8W 2700K/3000K/4000K CRI90 3205lm
Luminaire: 120-277VAC 60Hz 31W 2363lm

Weight: Net 26 lb – Gross 43.4 lb

Package: 32.28 x 32.28 x 16.34 " – 43.4 lb Vol – 9.85 ft³

LED Included.



Dimmable



Product Notes: LED included.
The height can be increased by means of the 16 " or 24 " poles (max. 3 units). They can be combined.
Wire installation: Hardwired
Canopy color: Black



A732-103-63-3CCT

Ringo C 90 Fixed Stem

Code	Finish
732-106-53-3CCT	Smoked
732-106-62-3CCT	Dark smoked
732-106-63-3CCT	Rosé
732-106-57-3CCT	Green

732 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Materials

Shade: Rotomoulded polycarbonate

Diffuser: Opal methacrylate

Structure: Black painted Steel

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver:

ELV (min. 10%) / 0-10V (min. 10%)

Product type: Ceiling


Light Source: LED SMD 1400mA 49.7W 2700K/3000K/4000K CRI90 6250lm

Luminaire: 120-277VAC 60Hz 53W 4746lm

Weight: Net 44.3 lb – Gross 70.5 lb

Package: 40.16 x 40.16 x 17.72 " – 70.5 lb Vol – 16.53 ft³

LED included



Product Notes: LED included.

The height can be increased by means of the 16 " or 24 " poles (max. 3 units). They can be combined.

Wire installation: Hardwired

Canopy color: Black



A732-106-57-3CCT

Pole Ringo 16

Code	Finish
A732-013-39	● Black

Materials

Structure: Metal

Product type: Accessory



Pole Ringo 24

Code	Finish
A732-014-39	● Black

Materials

Structure: Metal

Product type: Accessory





Wall light for indoor and outdoor use, with a pressed glass diffuser. Its wavy shade covers the light, softens it, and creates an inviting atmosphere. Now, Roc evolves to provide even more light and expands its collection with two new sizes and a white

finish. All versions include an accessory that acts as a filter to reduce glare and screen the light. Roc resembles a shining block of ice, with an irregular texture that begs you to touch it.



Roc Mini (NEW)

Code	Finish	CCT
Ⓐ A701-520-35-27K	White (RAL 9003)	27K
A701-520-35-30K	White (RAL 9003)	30K
Ⓐ A701-520-39-27K	Black (RAL 9005)	27K
A701-520-39-30K	Black (RAL 9005)	30K

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Shade: Pressed glass	Dimming protocols: Based on specified driver

Product type: Wall

Light Source: LED SMD 24Vdc 2.95W 2700K CRI90 291 lm

LED SMD 24Vdc 2.95W 3000K CRI90 305 lm


Luminaire 27K: (Power supply not included) 2700K - 108.6 lm

Luminaire 30K: (Power supply not included) 3000K - 113.8 lm

Weight: Net 1.1 lb – Gross 1.5 lb

Package: 8.3 x 13.4 x 3.1" – 1.5 lb Vol – 0.18 ft³

LED included



Wire installation: Hardwired




A701-520-35-27K

Roc Mini remote power supply

Code Description Dimming
968-230 60W - 24V 0-10V


Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.



The installation and location of the remote LED driver and any required enclosure must be in accordance with applicable codes and laws and will be the exclusive responsibility of the installer.


Code Description Dimming
A968-372 60W - 24V TRI-DIM (Triac / ELV, 0-10V)

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.



Code Description Dimming
A968-373 96W - 24V TRI-DIM (Triac / ELV, 0-10V)

Product type: Power supply
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 96W max.



Downward anti-glare accessory - Roc Mini



Code Finish
A701-514 ● Black

Materials

Structure: Stainless steel

Product type: Accessory

Product notes: Accessory to reduce glare and guide light downward



Roc Mini without Downward
anti-glare accessory



Roc Mini with Downward
anti-glare accessory

Roc NEW


Code Finish CCT
A701-501-39-27K ● Black (RAL 9005) 27K
A701-501-39-30K ● Black (RAL 9005) 30K

QC Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials Dimmable: Yes
Structure: Aluminum Integrated dimmer: No
Shade: Pressed glass Dimming protocols:
TRIAC / ELV

Product type: Wall
Light Source: LED SMD 500mA 7.1W 2700K CRI90 928 lm
LED SMD 500mA 7.1W 3000K CRI90 972 lm
Luminaire 27K: 120 VAC 8.5W 421.6 lm
Luminaire 30K: 120 VAC 8.5W 441.6 lm

Weight: Net 3.62 lb – Gross 4.48 lb
Package: 7.48 x 7.48 x 7.48 " – 4.48 lb Vol – 0.24 ft³
LED included



Wire installation: Hardwired


A701-501-39-27K

Roc Plus (NEW)

Code	Finish	CCT
A701-503-39-27K	● Black (RAL 9005)	27K
A701-503-39-30K	● Black (RAL 9005)	30K
= Quick ship item. Ships within 3 days. See <i>Quick Ship</i> on page 254.		
Materials		
Structure: Aluminum		
Shade: Pressed glass		
Dimmable: Yes		
Integrated dimmer: No		
Dimming protocols:		
TRIAC / ELV		

Product type: Wall
 Light Source: LED SMD 500mA 8.3W 2700K CRI90 1115 lm
 LED SMD 500mA 8.3W 3000K CRI90 1170lm
 Luminaire 27K: 120 VAC 9.5W 540.5 lm
 Luminaire 30K: 120 VAC 9.5W 566 lm

Weight: Net 5.29 lb – Gross 6.30 lb
 Package: 8.86 x 8.86 x 7.48 in – 6.30 lb Vol – 0.34 ft³
 LED included



Wire installation: Hardwired



A701-503-39-27K


Roc Low Voltage (NEW)

Code	Finish	CCT
A701-515-39-27K	● Black (RAL 9005)	27K
A701-515-39-30K	● Black (RAL 9005)	30K

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Shade: Pressed glass	Dimming protocols:
	Based on specified driver

Product type: Wall
 Light Source: LED SMD 500mA 7.1W 2700K CRI90 928 lm
 LED SMD 500mA 7.1W 3000K CRI90 972 lm
 Luminaire 27K: (Power supply not included) 421.6 lm
 Luminaire 30K: (Power supply not included) 441.6 lm

Weight: Net 3.62 lb – Gross 4.48 lb
 Package: 7.48 x 7.48 x 7.48 " – 4.48 lb Vol – 0.24 ft³
 LED included



Wire installation: Hardwired

A701-515-39-27K

Code	Finish
A701-516-39-27K	● Black (RAL 9005)
A701-516-39-30K	● Black (RAL 9005)

Materials

Structure: Aluminum
Shade: Pressed glass


Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Based on specified driver

Product type: Wall


Light Source: LED SMD 500mA 8.3W 2700K CRI90 1115 lm
LED SMD 500mA 8.3W 3000K CRI90 1170 lm
Luminaire 27K: (Power supply not included) 540.5 lm
Luminaire 30K: (Power supply not included) 566 lm

Weight: Net 5.29 lb – Gross 6.30 lb

Package: 8.86 x 8.86 x 7.48 in – 6.30 lb Vol – 0.34 ft³
LED included



Wire installation: Hardwired



A701-516-39-27K

Roc Low Voltage and Roc Plus Low Voltage remote power supply

Code	Description	Dimming
A968-366-500MA	10W CC LED Driver	0-10V (1-100%)

Product type: CLASS 2 Power supply


INPUT: 120-277 VAC 50/60Hz

OUTPUT: CC 500mA 10W max.

Product notes: Suitable for powering one Roc Low Voltage or Roc Plus Low Voltage fixture. Not suitable for use with Roc Mini.



Dimmable



The installation and location of the remote LED driver and any required enclosure must be in accordance with applicable codes and laws and will be the exclusive responsibility of the installer.

The installation and location of the remote LED driver and any required enclosure must be in accordance with applicable codes and laws and will be the exclusive responsibility of the installer.

Spare parts

Code	Product	Spare part
R701-022	Roc Mini	Glass
R701-009	Roc	Glass
R701-016	Roc Plus	Glass



Santorini

Code	Finish
A654-011	White (RAL 9003)
A654-012	Grey (RAL 7039)
A654-013	Mustard (RAL 1032)

Materials

Structure: Polycarbonate

Shade: Blown pressed glass


Product type: Pendant

Light source: E26 TYPE A19 8W

Weight: Net 3.1 lb – Gross 4.9 lb

Package: 16.1 x 10.2 x 9.4" – 4.9 lb Vol – 0.81 ft³

Lamping not included



Suitable for
wet locations

IP65



Cable length: 15 ft
Wire installation: Plug-in
Cord color: Black




A654-012

Garland accessory

Code A654-045 Finish ● Grey


Product type: Accessory



Wall bracket

Code A654-005 Finish ● Graphite grey (RAL 7024)


Materials
Structure: Metal with stainless anti-oxidant cataphoresis treatment



Floor accessory

Code A654-009 Finish ● Grey (RAL 7039)

Materials
Structure: Metallic structure with stainless anti-oxidant cataphoresis treatment




Santorini A Fixed Stem

Code	Finish
A654-030	White (RAL 9003)
A654-031	Grey (RAL 7039)
A654-032	Mustard (RAL 1032)

Materials

Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant
cataphoresis treatment

Product type: Wall
Light source: E26 LED TYPE A19 8W
Weight: Net 4 lb – Gross 5.7 lb
Package: 20.8 x 13 x 9.4" – 5.7 lb Vol – 1.48 ft³
Lamping not included



Suitable for
wet locations

IP65



A654-032

Wire installation: Hardwired


Santorini with Canopy IP65

Code	Finish
A654-039	White (RAL 9003)
A654-040	Grey (RAL 7039)
A654-041	Mustard (RAL 1032)

Materials


Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E26 TYPE A19 8W
Weight: Net 3.1 lb – Gross 4.9 lb
Package: 20.47 x 12.99 x 9.84" - 4.41 lb Vol - 1.48ft³
6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³
Lamping not included



Suitable for
wet locations

IP65



A654-040

Cable length: 14.76 ft
Wire installation: Hardwired
Cord color: Black

Santorini Indoor

Code	Finish
A654-054	Light green (PANTONE 5517U)
A654-055	Sand (RAL 1001)

Materials

Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant


Light source: E26 LED TYPE A19 8W

Weight: Net 3.3 lb - Gross 4.9 lb

Package: 20.47 x 12.99 x 9.84" - 4.3 lb Vol - 1.48ft³

6.2 x 4.7 x 4.7" - 0.6 lb Vol - 0.07ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Hardwired

Cord color: Black fabric electrical cord

Canopy color: Black



A654-054

Spare parts

Code	Product	Finish	Spare part
R654-001	Santorini Outdoor	-	Glass
R654-005	Santorini Outdoor	White	Big Shade
R654-006	Santorini Outdoor	Grey	Big Shade
R654-007	Santorini Outdoor	Mustard	Big Shade
R654-010	Santorini Outdoor	White	Small Shade
R654-011	Santorini Outdoor	Grey	Small Shade
R654-012	Santorini Outdoor	Mustard	Small Shade
R654-009	Santorini Outdoor	White	Cylindrical Shade




Scantling P73

Code A626-009 Finish White (RAL 9001)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminum

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 16.5 lb – Gross 23.5 lb
Package: 18.1 x 57.7 x 6.7" – 12.2 lb Vol – 4.04 ft³
11.8 x 11.8 x 8.6" – 12.2 lb Vol – 0.69 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black fabric electrical cord
Switch location: Shade



A626-009


Scantling A

Code
A626-015

Finish
White (RAL 9001)

Materials
Structure: Iron
Arm: Oak
Shade: Aluminum

Product type: Wall
Light source: E26 LED TYPE A 11W
Weight: Net 1.76 lb – Gross 3.1lb
Package: 13.8 x 11.8 x 7" – 3.1lb Vol – 0.7 ft³
Lamping not included



Wire installation: Hardwired
Switch location: Canopy



A626-015

Ingenious, minimal and decisive, this is the Sips portable lamp. An understated, timeless design with a very clear purpose: to create a distinctive, intimate lighted space, even outdoors.

With a small opaque shade, the Sips illuminates the table directly but without dazzling or overpowering the space.



Sips

Code	Finish
Ⓐ A721-001-3534-27K	White - Silver (RAL 9001 - RAL 9006)
Ⓐ A721-001-4749-27K	Chocolate - Gold (RAL 8017 - RAL 1036)
Ⓐ A721-001-4549-27K	Green - Gold (RAL 6009 - RAL 1036)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials	Dimmable: Yes
Diffuser: Polycarbonate	Integrated dimmer: Yes
Base: Polycarbonate	Dimmer Type: 3 positions dimmer
Stem: Steel	

Product type: Table / Portable

Light source: LED SMD 2,2W 1,5 A 2700K CRI90 327lm

Luminaire: in 5 Vdc 1,5A


Weight: Net 0.75 lb – Gross 1.3 lb

Package: 14.5 x 5.3 x 4.7 " – 1.3 lb Vol – 0.2 ft³(1u)
15.35 x 14.96 x 11.42 " – 8.16 lb – Vol 1.41 ft³(6u)

Product notes: Ships in multiples of 6 only (can mix colours).

Charging cable included (USB to USB-C). Power adapter not included.

LED included



Dimmer

Suitable for
wet locations

IP43

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power

Switch location: Body
Charging time 10 h



Spare parts

Code	Product	Spare part
R721-001	Sips	Battery
R968-002-USA	Sips	Black power adapter USB A (USA)
R961-057	Sips	Black cable USB A to USB C
R968-011		Black power adapter USB C (USA)
R961-075	Sips	Black cable USB C to USB C



Soho, Joan Gaspar

The striking, industrial shapes in the Soho collection are reminiscent of the lamps that were traditionally used in markets and taverns, but they contrast through the use of thoroughly contemporary materials and textures.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.




Soho 38 IP44 LED

Code	Finish
A631-245	White
A631-246	Stone grey
A631-247	Black

Materials	Dimmable: Yes
Shade: Rotary moulded polyethylene	Integrated dimmer: No
Diffuser: Methacrylate opal	Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm
Luminaire: 100 - 120 VAC ELV 16W 1051lm
Weight: Net 5.95 lb – Gross 7.71 lb
Package: 17.7 x 17.3 x 9.84" – 7.71 lb Vol – 1.76 ft³
LED included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




A631-246

Soho 57 IP44 LED

Code	Finish
A631-362	White
A631-363	Stone grey
A631-364	Black

Materials	Dimmable: Yes
Shade: Rotary moulded polyethylene	Integrated dimmer: No
Diffuser: Methacrylate opal	Dimming protocols: Dual dimming driver
	Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
 Luminaire: Only 120 VAC ELV 36W 2086lm
 120 - 277 VAC 0-10V 36W 2086lm
 Weight: Net 15.4 lb – Gross 18.9 lb
 Package: 23.6 x 24 x 14.2" – 18.9 lb Vol – 4.6 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable
 Suitable for wet locations
IP65
 cULus

Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: White



A631-362


Soho 112 IP44 LED

Code	Finish
A631-379	Black

⚠️ Oversized item. Special freight policy applies. See Freight Exceptions on page 254.

Materials	Dimmable: Yes
Shade: Rotary moulded polyethylene	Integrated dimmer: No
Diffuser: Methacrylate opal	Dimming protocols: 0-10V

Product type: Pendant
 Light Source: LED SMD 350mA 79.2W 2700K CRI90 15648lm
 Luminaire: 120 - 277 VAC 0-10V 95W 8085lm
 Weight: Net 60.9 lb – Gross 68.3 lb
 Package: 45.2 x 45.2 x 28.3" – 68.3 lb Vol – 33.62 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable
 Suitable for wet locations
IP65
 cULus

Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: White



A631-379


Soho A LED

Code A631-367 Finish ● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Wall
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120V VAC ELV 36W 2086lm
120 - 277V VAC 0-10V 36W 2086lm
Weight: Net 17.2 lb - Gross 21.4 lb
Package: 23.62 x 24 x 14.2" - 21.4 lb Vol - 4.6 ft³
Product notes: 3000K available upon request
LED included



Wire installation: Hardwired
Canopy color: Black



A631-367


Soho C Fixed Stem LED

Code A631-370 Finish ● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120 VAC ELV 36W 2086lm
120 - 277 VAC 0-10V 36W 2086lm
Weight: Net 16.8 lb - Gross 17.6 lb
Package: 23.62 x 23.62 x 14.56" - 17.6 lb Vol - 4.6 ft³
Product notes: 3000K available upon request
LED included



Wire installation: Hardwired
Canopy color: Black



A631-370

Code
A631-257Finish
● Black

Materials

Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-
oxidant cataphoresis

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (ELV)

Product type: Floor


Light Source: LED SMD 700mA 8.1W 2700K CRI90 913lm

Luminaire: 120 VAC ELV 14W

Weight: Net 26 lb – Gross 32 lb

Package: 17.32 x 17.32 x 9.84" – 6.61 lb Vol – 1.76 ft³
18.1 x 18.1 x 1.18" – 19.84 lb Vol – 0.21 ft³
69.29 x 11.8 x 2.56" – 6.6 lb Vol – 1.05 ft³

LED included



Cable length: 6.6 ft

Wire installation: Plug-in

Cord color: Black



A631-257



The Tam Tam is a festive and versatile collection that offers several options to add color and originality to all types of interior design projects. The idea is to be able to aim the light in any direction, making this fixture perfect for long or narrow spaces.

This year, the collection is updated with new colors and a semi-matt finish on all models.



Tam Tam 3

Code Finish

Central shade	● Black semi-matt (RAL 9011)
A633-176 39	● Off-White semi-matt (RAL 1013)
A633-176 35	● Blue grey semi-matt (RAL 7031)
A633-176 48	● Khaki semi-matt (RAL 7008)
A633-176 43	

Satellite shade

A633-177 39	● Black semi-matt (RAL 9011)
A633-177 35	● Off-white semi-matt (RAL 1013)
A633-177 37	● Sand semi-matt (RAL 7032)
A633-177 38	● Silver Grey semi-matt (RAL 7001)
A633-177 42	● Olive Yellow semi-matt (RAL 1020)
A633-177 46	● Orange semi-matt (RAL 2000)
A633-177 47	● Brown Grey semi-matt (RAL 7013)

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant

Light source: 9x E26 LED TYPE A 11W


Weight: Net 10.4 lb – Gross 27.6 lb

Package: 22.4 x 22.4 x 15.3" – 13.2 Vol – 4.485 ft³


(3x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³

Product notes: Combine 1 central shade and 3 satellite shades.

Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A633-176 43 / (x3) A633-177 42

Tam Tam 5

Code Finish

Central shade A633-178 35 Off-White semi-matt (RAL 1013)

Satellite shade

A633-177 39 ● Black semi-matt (RAL 9011)
 A633-177 35 ○ Off-white semi-matt (RAL 1013)
 A633-177 37 ■ Sand semi-matt (RAL 7032)
 A633-177 38 ▲ Silver Grey semi-matt (RAL 7001)
 A633-177 42 ▲ Olive Yellow semi-matt (RAL 1020)
 A633-177 46 ▲ Orange semi-matt (RAL 2000)
 A633-177 47 ● Brown Grey semi-matt (RAL 7013)

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant


Light source: 13x E26 LED TYPE A 11W

Weight: Net 9.7 lb – Gross 37.2 lb


Package: 22.4 x 22.4 x 15.3" – 13.2 lb Vol – 4.48 ft³
 (5x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³

Product notes: Combine 1 central shade and 5 satellite shades.

Lamping not included



Cable length: 11.5 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



A633-178 35 / (x4) A633-177 35 / A633-177 46

Tam Tam Mini

Code Finish

Central shade A633-179 39 ● Black semi-matt (RAL 9011)
 A633-179 35 ○ Off-White semi-matt (RAL 1013)
 A633-179 48 ■ Blue grey semi-matt (RAL 7031)
 A633-179 43 ▲ Khaki semi-matt (RAL 7008)

Satellite shade

A633-130 39 ● Black semi-matt (RAL 9011)
 A633-130 35 ○ Off-white semi-matt (RAL 1013)
 A633-130 37 ■ Sand semi-matt (RAL 7032)
 A633-130 38 ▲ Silver Grey semi-matt (RAL 7001)
 A633-130 42 ▲ Olive Yellow semi-matt (RAL 1020)
 A633-130 46 ▲ Orange semi-matt (RAL 2000)
 A633-130 47 ● Brown Grey semi-matt (RAL 7013)

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant


Light source: 5x E26 LED TYPE A 11W

Weight: Net 7.7 lb – Gross 12.1 lb


Package: 17.3 x 17.3 x 11" – 7.5 lb Vol – 1.9 ft³
 (3x) 9.4 x 9.4 x 6.7" – 1.5 lb Vol – 0.317 ft³

Product notes: Combine 1 central shade and 3 satellite shades.

Lamping not included



Cable length: 8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



A633-179 48 / (x3) A633-130 38



Tam Tam 4

Code	Finish
Structure	● Black semi-matt (RAL 9011)
Shades	
Ⓐ A633-130 39	● Black semi-matt (RAL 9011)
Ⓐ A633-130 35	○ Off-white semi-matt (RAL 1013)
Ⓐ A633-130 37	■ Sand semi-matt (RAL 7032)
Ⓐ A633-130 38	■ Silver Grey semi-matt (RAL 7001)
Ⓐ A633-130 42	■ Olive Yellow semi-matt (RAL 1020)
Ⓐ A633-130 46	■ Orange semi-matt (RAL 2000)
Ⓐ A633-130 47	■ Brown Grey semi-matt (RAL 7013)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant

Light source: 4x E26 LED TYPE A 11W


Weight: Net 7.1 lb – Gross 16.8 lb

Package: 65.7 x 7 x 7" – 10.6 lb Vol – 1.9 ft³

(4x) 9.4 x 9.4 x 6.7" – 1.5 lb Vol – 0.317 ft³

Product notes: Combine structure with 4 satellite shades.

Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A633-180 39 / (x4) A633-130 47

Tam Tam 6

Code	Finish
Structure	● Black semi-matt (RAL 9011)
Shades	
Ⓐ A633-130 39	● Black semi-matt (RAL 9011)
Ⓐ A633-130 35	○ Off-white semi-matt (RAL 1013)
Ⓐ A633-130 37	■ Sand semi-matt (RAL 7032)
Ⓐ A633-130 38	■ Silver Grey semi-matt (RAL 7001)
Ⓐ A633-130 42	■ Olive Yellow semi-matt (RAL 1020)
Ⓐ A633-130 46	■ Orange semi-matt (RAL 2000)
Ⓐ A633-130 47	■ Brown Grey semi-matt (RAL 7013)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant

Light source: 6x E26 LED TYPE A 11W

Weight: Net 11 lb – Gross 21.8 lb

Package: 65.7 x 7 x 7" – 12.6 lb Vol – 1.9 ft³

(6x) 9.4 x 9.4 x 6.7" – 1.5 lb Vol – 0.317 ft³

Product notes: Combine structure with 6 satellite shades.

Lamping not included




A633-181 39 / (x6) A633-130 37

Tam Tam P

Code	Finish
Stem	
A633-182 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: E26 LED TYPE A 11W
 Weight: Net 8.6 lb - Gross 11.2 lb
 Package: 50 x 3.1 x 3.1" - 3.3 lb Vol - 0.28 ft³
 13 x 13 x 1.18" - 6.4 lb Vol - 0.1 ft³
 9.4 x 9.4 x 6.7" - 1.5 lb Vol - 0.317 ft³
 Lamping not included




Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line

Tam Tam P2

Code	Finish
Stem	
A633-183 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: 2x E26 LED TYPE A 11W
 Weight: Net 15.4 lb - Gross 23.8 lb
 Package: 66.14 x 7 x 7" - 8.8 lb Vol - 0.28 ft³
 13 x 13 x 1.18" - 11.9 lb Vol - 0.1 ft³
 (2x) 9.4 x 9.4 x 6.7" - 1.5 lb Vol - 0.317 ft³
 Product notes: Combine stem with 2 satellite shades.
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



A633-182 39 / A633-130 35



A633-183 39 / (x2) A633-130 37

Tam Tam P3

Code	Finish
Stem	
A633-184 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Structure: Metal

Product type: Floor

Light source: 3x E26 LED TYPE A 11W

Weight: Net 16.8 lb – Gross 25.4 lb


Package: 66.14 x 7 x 7" – 8.8 lb Vol – 0.28 ft³

13 x 13 x 1.18" – 11.9 lb Vol – 0.1 ft³

(3x) 9.4 x 9.4 x 6.7" – 1.5 lb Vol – 0.317 ft³

Product notes: Combine stem with 3 satellite shades.

Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



A633-184 39 / (x3) A633-130 38

Tam Tam A

Code	Finish
Base 1	
⊕ A633-145 35	● Off-white semi-matt (RAL 1013)
Shade	
⊕ A633-130 39	● Black semi-matt (RAL 9011)
⊕ A633-130 35	● Off-white semi-matt (RAL 1013)
⊕ A633-130 37	● Sand semi-matt (RAL 7032)
⊕ A633-130 38	● Silver Grey semi-matt (RAL 7001)
⊕ A633-130 42	● Olive Yellow semi-matt (RAL 1020)
⊕ A633-130 46	● Orange semi-matt (RAL 2000)
⊕ A633-130 47	● Brown Grey semi-matt (RAL 7013)

⊕ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Plate: Metal

Product type: Wall

Light source: E26 LED TYPE A 11W

Weight: Net 2.7 lb – Gross 4.40 lb

Package: 12.2 x 12.2 x 5.1" – 2.2 lb Vol – 0.317 ft³

9.4 x 9.4 x 6.2" – 2.2 lb Vol – 0.247 ft³

Lamping not included



Wire installation: Hardwired
Switch location: Backplate



A633-145 35 / A633-130 38

Code	Finish
Base	
Ⓐ A633-146 35	Off-white semi-matt (RAL 1013)
Shade	
Ⓐ A633-130 39	Black semi-matt (RAL 9011)
Ⓐ A633-130 35	Off-white semi-matt (RAL 1013)
Ⓐ A633-130 37	Sand semi-matt (RAL 7032)
Ⓐ A633-130 38	Silver Grey semi-matt (RAL 7001)
Ⓐ A633-130 42	Olive Yellow semi-matt (RAL 1020)
Ⓐ A633-130 46	Orange semi-matt (RAL 2000)
Ⓐ A633-130 47	Brown Grey semi-matt (RAL 7013)

Ⓐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 254.

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Plate: Metal

Product type: Wall

Light source: 2x E26 LED TYPE A 11W


Weight: Net 6.4 lb – Gross 9.7 lb

Package: 12.2 x 12.2 x 5.1" – 6.6 lb Vol – 0.1 ft³

(2x) 9.4 x 9.4 x 6.7" – 1.5 lb – 0.317 ft³

Product notes: Combine base with 2 satellite shades

Lamping not included



Wire installation: Hardwired



A633-146 35 / A633-130 46 / A633-130 47




The W, PerezOchando

Unfold the light or fold it. The new design of Estudio Perez Ochando proposes a lamp of large format, flexible, thought to adapt to the different necessities of lighting big spaces.



A large black vertical structure is the main shaft from which a number of rods emerge; some can be moved upwards to expand the light and others downwards to focus it.




The W

Code	Finish
A705-011-3949-27K	● Black - Gold
A705-011-3937-27K	● Black - Ivory (RAL 1015)
A705-011-3941-27K	● Black - Terracotta (RAL 8023)
Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Diffusers: Aluminium, Polycarbonate	Dimming protocols: 0-10V

Product type: Pendant
 Light source: LED SMD 36V 90W 2700K CRI90 8400lm
 Luminaire: 120-277 VAC 0-10V 103W 5600lm

Weight: Net 29.3 lb – Gross 33.8 lb
 Package: 8.3 x 8.3 x 44 " – 9.5 lb Vol – 1.8 ft³
 10.2 x 7.9 x 20.1 " – 16 lb Vol – 1.05 ft³
 16.5 x 16.5 x 3.1 " – 8.3 lb Vol – 0.35 ft³
 LED included



A705-011-3937-27K


Anti-rotation accessory

Code
A705-010

Finish
● Black

Materials
Structure: Steel

Product type: Accessory






Theia M

Code A672-006 Finish ● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 14.3 lb - Gross 15.9 lb
Package: 14.1 x 14.1 x 9.44" - 12.8 lb Vol - 1.06 ft³
17.3 x 7 x 4.7" - 3.1 lb Vol - 0.35 ft³
LED included



Dimmer




UL Listed

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater



A672-006

Code
A672-008Finish
● Black (RAL 9005)Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylateIntegrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100Product type: Floor
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 15.4 lb – Gross 18.7 lb
Package: 14.6 x 14.6 x 9" – 12.8 lb Vol – 1.06 ft³
42.7 x 6.7 x 4.7" – 6 lb Vol – 0.7 ft³
LED includedCable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater

A672-008



TXL 2019 170

Code A605-078 Finish Beige

Materials

Base: Concrete

Stem: Stainless steel

Diffuser: White acid etched glass

Shade: Textilene with the inner part
always in white

Product type: Floor

Light source: 3x E26 LED TYPE A 8W

Weight: Net 46.7 lb – Gross 51.1 lb


Package: 10.6 x 11 x 14.9" – 4.4 lb Vol – 0.7 ft³

23.6 x 23.6 x 17.7" – 7.9 lb Vol – 5.6 ft³

70.8 x 3.9 x 3.9" – 6.8 lb Vol – 0.63 ft³

22.8 x 22.8 x 5.9" – 31.9 lb Vol – 1.7 ft³

Lamping not included



Suitable for
wet locations

IP65



Cable length: 8 ft
Wire installation: Plug-in
Cord color: Black



A605-078

Code A605-076 Finish Beige

 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 254.

Materials

Base: Concrete
Stem: Stainless steel
Diffuser: White acid etched glass
Shade: Textilene with the inner part
always in white


Product type: Floor

Light source: 2x E26 LED TYPE A 11W

Weight: Net 63.5 lb – Gross 70.5 lb

Package: 16 x 13 x 13" – 5.5 lb Vol – 1.41 ft³
27.6 x 27.6 x 19.7" – 9.7 lb Vol – 8.8 ft³
86.6 x 3.9 x 3.9" – 7.9 lb Vol – 0.7 ft³
26 x 26 x 5.9" – 47.3 lb Vol – 2.11 ft³

Lamping not included



Cable length: 8 ft

Wire installation: Plug-in

Cord color: Black



A605-076

Spare parts

Code	Product	Finish	Spare part
R605-102	Txl 205	-	Glass
R605-112	Txl 170	-	Glass
R605-004	Txl 2019 205	Beige	Shade
R605-006	Txl 2019 170	Beige	Shade



Vetra 43

Code
A689-023
A689-044

Finish
White
Amber

Materials

Shade: Blown glass
Dissipater: Aluminum

Dimmable: Yes

Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm


Luminaire: 120 VAC ELV 19W 881lm

120 - 277 VAC 0-10V 19W 881lm

Weight: Net 12.6 lb – Gross 16.5 lb

Package: 22.4 x 22.4 x 14.6" – 16.5 lb Vol – 4.23 ft³

LED included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A689-023

Spare parts

Code	Product	Finish	Spare part
R689-001	Vetra 43	White	Glass
R689-006	Vetra 43	Amber	Glass



Zenc

Code	Finish
A715-002-35	White (RAL 1013)
A715-002-38	Grey (RAL 7022)
A715-002-40	Red (RAL 3011)
A715-002-48	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene


Product type: Pendant

Light source: E26 Globe (Ø95) 12W

Weight: Net 4.9 lb – Gross 6.6 lb

Package: 20.4 x 20.42 x 14.6" – 6.6 lb Vol – 3.53 ft³

Lamping not included



Cable length: 8 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A715-002-48





Discover the selection of items with fast shipping, a service that better suits your needs.

- These designs will be ready to ship in just three days.
- For more efficient delivery of these items, request a partial shipment or place this type of order separately.
- You can purchase up to 3 units of each design per order.

The usual shipping and minimum order conditions apply.

Model	Variant	Code
Ambrosia 120	Black 27K	A704-101-16-27K
Ambrosia 120	Black 30K	A704-101-16-30K
Ambrosia 180	Matt Gold 30K	A704-102-15-30K
Ambrosia 180	Black 30K	A704-102-16-30K
Ambrosia 210	Matte Gold 30K	A704-103-15-30K
Ambrosia 210	Black 30K	A704-103-16-30K
Ambrosia 315	Matt Gold 30K	A704-104-15-30K
Ambrosia 315	Black 30K	A704-104-16-30K
Ambrosia Extension Pole 16	Matte Gold	A704-005-15
Ambrosia Extension Pole 16	Matte Black	A704-005-16
Ambrosia Extension Pole 24	Matte Gold	A704-006-15
Ambrosia Extension Pole 24	Matte Black	A704-006-16
Ambrosia Junction Box Cover Plate	Matte Gold	A666-219-15
Ambrosia Junction Box Cover Plate	Matte Black	A666-219-16
Ambrosia Canopy - 60W 24Vdc - TRIAC/ELV/0-10V	Matte Gold	A666-254-15
Ambrosia Canopy - 60W 24Vdc - TRIAC/ELV/0-10V	Matte Black	A666-254-16
Remote Driver 24Vdc ELV 60W	-	A968-333
Aura	Transparent	A676-008
Aura	Opal	A676-009
Aura	Smoked	A676-010
Aura Plus	Transparent	A676-019
Aura Plus	Opal	A676-020
Aura Plus	Smoked	A676-021
Bicoca	Off-white	A680-055
Bicoca	Anthracite	A680-056
Bicoca	Red wine	A680-057
Bicoca	Yellow	A680-058
Chispa	Black	A703-001
Chispa	Blue	A703-002
Chispa	Green	A703-003
Chispa	Orange	A703-004
Dipping Light	Amber - Brushed Brass	A691-468-3015-27K
Dipping Light Portable	Amber - Brushed Brass	A691-453-3015-27K
FollowMe	White	A657-001-35-3CCT
FollowMe Plus E26	White	A657-087-35
Fragile	Amber	A724-103-46-22K
Fragile	Transparent	A724-103-50-22K
Funiculi	Moss grey	A641-006
Funiculi	Off-white	A641-007
Funiculi	Black	A641-008
Funiculi Fabric	Black - White	A641-413
Funiculi Fabric	Black - Sand	A641-414
Funiculi A	Moss grey	A641-040
Funiculi A	Off-white	A641-041
Funiculi A	Black	A641-042
Funiculi A Fabric	Black - White	A641-415
Funiculi A Fabric	Black - Sand	A641-416
Funiculi S	Moss grey	A641-030
Funiculi S	Off-white	A641-031
Funiculi S	Black	A641-032
Funiculi S Fabric	Black - White	A641-417
Funiculi S Fabric	Black - Sand	A641-418
Gambosa S	Black - Orange	A735-025-3946
Gambosa S	Black - Brown grey	A735-025-3947

Model	Variant	Code
Gambosa S	Pink - Orange	A735-025-4446
Gambosa S	Pink - Brown grey	A735-025-4447
Gambosa S	Opal - Orange	A735-026-5146
Gambosa S	Opal - Brown grey	A735-026-5147
Gambosa M	Black - Orange	A735-027-3946
Gambosa M	Black - Brown grey	A735-027-3947
Gambosa M	Pink - Orange	A735-027-4446
Gambosa M	Pink - Brown grey	A735-027-4447
Gambosa M	Opal - Orange	A735-028-5146
Gambosa M	Opal - Brown grey	A735-028-5147
Ginger 32	Oak - White	A662-035
Ginger 32	Black - White	A662-243
Ginger 42	Oak - White	A662-320
Ginger 42	Black - White	A662-282
Ginger 60	Black - White	A662-749-3935-27K
Ginger 60	Oak - White	A662-746-2035-27K
Ginger 20 M	Oak - White	A662-560
Ginger 20 M	Wengue - White	A662-561
Ginger 32C	Oak - Oak	A662-205
Ginger 32C	Oak - White	A662-203
Ginger 32C	Wengue - Wengue	A662-206
Ginger 32C IP65	Rust Brown	A662-651-31
Lauro M	Dark brown - White	A731-020-4751
Lauro M	Dark brown - Black	A731-020-4765
Lauro M	Chromed Steel - White	A731-020-0951
Lauro M	Chromed Steel - Black	A731-020-0965
Lauro P	Dark brown - White	A731-021-4751
Lauro P	Dark brown - Black	A731-021-4765
Lauro P	Chromed Steel - White	A731-021-0951
Lauro P	Chromed Steel - Black	A731-021-0965
Lauro A	Dark brown - White	A731-022-4751
Lauro A	Dark brown - Black	A731-022-4765
Lauro A	Chromed Steel - White	A731-022-0951
Lauro A	Chromed Steel - Black	A731-022-0965
Ledtube RSC	Aluminium	A622-221-17-27K
Ledtube RSC	Bronze	A622-221-18-27K
Ledtube RSC	Matte White	A622-221-35-27K
Ledtube RSC	Matte Black	A622-221-39-27K
Ledtube A	Bronze	A622-225-18-27K
Ledtube A	Matte Black	A622-225-39-27K
Ledtube A Cover Plate Accessory	Bronze	A622-181-18
Cover Plate Disk Accessory	Matte Black	A622-181-39
Ledtube Mini	Aluminium	A622-215-17-27K
Ledtube Mini	Bronze	A622-215-18-27K
Ledtube Mini	White	A622-215-35-27K
Ledtube Mini	Matte Black	A622-215-39-27K
Mercer 30	Pleated with cotton	A89-054
Mercer 30	Pearl white	A89-082
Mercer 30	Pleated with cotton	A89-020
Mercer 30	Pearl white	A89-083
Merce C	Pleated with cotton	A89-067
Merce C	Pearl white	A89-085
N.Ocho	Oak	A670-003
N.Ocho	Wenge	A670-004
Plaff-on! 33 IP54	Black - CCT	A628-062-3CCT
Plaff-on! 33 IP54	Rust brown - CCT	A628-062-31-3CCT
Plaff-on! 33 E26	Black	A628-059
Plaff-on! 50 IP54	Black - CCT	A628-063-3CCT
Plaff-on! 50 E26	Black	A628-060
Plaff-on! A 16 IP65	Black	A628-161
Roc	Black - 27K	A701-501-39-27K
Roc Plus	Black - 27K	A701-503-39-27K
Roc Mini	White - 27K	A701-520-35-27K

Model	Variant	Code
Roc Mini	Black - 27K	A701-520-39-27K
Sips	White - Silver	A721-001-3534-27K
Sips	Chocolate - Gold	A721-001-4549-27K
Sips	Green - Gold	A721-001-4749-27K
Tam Tam Shade Mini	Black semi-matte	A633-130 35
Tam Tam Shade Mini	Off-white semi-matte	A633-130 37
Tam Tam Shade Mini	Sand semi-matte	A633-130 38
Tam Tam Shade Mini	Silver grey semi-matte	A633-130 39
Tam Tam Shade Mini	Olive yellow semi-matte	A633-130 42
Tam Tam Shade Mini	Orange semi-matte	A633-130 46
Tam Tam Shade Mini	Brown grey semi-matte	A633-130 47
Tam Tam 4 Structure	Black semi-matte	A633-180 39
Tam Tam 6 Structure	Black semi-matte	A633-181 39
Tam Tam A Base	Off-white semi-matte	A633-145 35
Tam Tam A2 Base	Off-white semi-matte	A633-146 35

 Dimmer

Dimmer on the unit.

 Dimmable

Product which can be dimmed.



Quick ship item. Ships within 3 days.
See *Quick Ship* on page 254.

Technical note

The watts shown on the pricelist are the actual watts of the luminaire (including both LED and driver); otherwise, the watts are expressly shown as being for the light source. Similarly, the lumens may be for the luminaire or light source, as shown on the pricelist. For more information, you can find lighting data on our website.



Oversized item. Special freight policy applies.
See *Freight Exceptions* on page 254.

Shipping Policy

- a. Shipping Origin: Barcelona, Spain
- b. Marset ships product directly from our factory in Barcelona Spain to the U.S. and Canada only.
- c. Orders are typically shipped by air with FedEx and have travel times of 2 days.
- d. Marset reserves the right to reject shipping requests to any locations not within the U.S. or Canada.
- e. Marset reserves the right to only allow shipments to the country in which the purchasing entity is registered.
- f. Marset orders ship on Marset accounts, and Marset cannot accommodate ex-works or third-party pickup from factory.
- g. Orders/goods unable to be delivered due to client/site restrictions and/or the inability of the recipient of the order/goods to coordinate with the courier may incur storage fees as calculated by the courier. These fees will be billed to the original purchaser of the affected order/goods.


Freight Exceptions

- a. Oversized items
 - i. Standard freight charges apply to all Marset products with the exception of oversized products as indicated in the pricelist. These include but are not limited to: Soho 112, Bohemia, Djembe 100.38, Djembe C100.38, Ginger XL 42, Jaima 71, Jaima P207 and P307 floor lamps, and Ginger 60/298.
 - ii. Orders containing 1-3 oversized items will incur an additional flat fee of \$250 per oversized item, in addition to the standard shipping charges outlined in the table under section five above.
 - iii. For orders containing more than three oversized items, or containing a mix of oversized and standard items, Marset reserves the right to quote freight separately. These shipments may be made via air or ocean depending on logistical necessity and/or client preference.
- b. Special Discounts
 - i. Standard freight charges do not apply to orders with special discounts. Any specially discounted orders may have the freight charge assessed separately.

Quick Ship

- a. Items marked as Quick Ship have a maintained stock level and will generally be available to ship within 1 week.
- b. An order can contain no more than three units of any Quick Ship SKU, and these items cannot be combined with non-quick-ship items on the same PO.

Notes



Marsset USA Inc.
202 N 10th Street
Brooklyn, NY 11211
T +1 646 727 4250
marssetusa@marsset.com

Milan Showroom
Via dell'Annunciata 29
20121 Milan (Italy)
C +39 366 6059083
milano-showroom@mdaitalia.it



Factory & Headquarters
Carretera de Rubí 284
08228 Terrassa (Spain)
T +34 934 600 107
info@marsset.com

Portugal Showroom
R. da Aliança 369
4250-029 Porto
T. +351 934 705 605
mail@design-minder.com





8 400000171304

