



# LED - Ginger

## Joan Gaspar

**marset**

The combination of sheets of wood, paper and resins pressed together under high pressure achieves a laminate that appears almost entirely flat, which discreetly lights up spaces with indirect light. With the introduction of new metal

shades, in black, white, or brushed brass finish, the LED - Ginger offers the same warm, glare-free light to help emphasize your spaces. These metal shades offer a more refined option that is almost sculptural in its appearance.



**LED - Ginger 15C IP65**

Code  
 A662-649-31  
 A662-649-39

Finish  
 ● Rust brown  
 ● Black - White (Ral 9005 - Ral 9010)


Electrical  
 Electrical Rating: 24Vdc 5W  
 Luminaire Rust Brown: 27lm  
 Luminaire Black-White: 67lm  
 CCT: 2700K  
 CRI: 90

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Based on specified driver

Materials  
 Diffuser: Aluminum  
 Dissipater: Aluminum  
 Structure: Stainless steel

LED included

Suitable for wet locations




**LED - Ginger 20C IP65**

Code A662-650-31  
 A662-650-39

Finish  
 ● Rust brown  
 ▲ Black - White (Ral 9005 - Ral 9010)

Electrical  
 Electrical Rating: 24Vdc 5W  
 Luminaire Rust Brown: 29lm  
 Luminaire Black-White: 161lm  
 CCT: 2700K  
 CRI: 90




Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Based on specified driver

Materials  
 Diffuser: Aluminum  
 Dissipater: Aluminum

LED included

Suitable for wet locations




**LED - Ginger 32C IP65**

Code A662-651-31  
 A662-651-39

Finish  
 ● Rust brown  
 ▲ Black - White (Ral 9005 - Ral 9010)

Electrical  
 Electrical Rating: 100-120VAC 50-60Hz 14W  
 Luminaire Rust Brown: 81lm  
 Luminaire Black-White: 350lm  
 CCT: 2700K  
 CRI: 90



Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (ELV)

Materials  
 Diffuser: Aluminum  
 Dissipater: Aluminum

LED included

Suitable for wet locations

COVERED CEILING MOUNT ONLY when ceiling installation




**LED - Ginger 42C IP65**

Code A662-653-31  
 A662-653-39

Finish  
 ● Rust Brown  
 ▲ Black-White (RAL 9005-9010)

Dimming  
 ELV  
 ELV

Electrical  
 Electrical Rating: 90-135VAC 50-60Hz 21W  
 Luminaire Rust Brown: 186lm  
 Luminaire Black-White: 698lm



A662-654-31  
 A662-654-39

Finish  
 ● Rust Brown  
 ▲ Black-White (RAL 9005-9010)

0-10V  
 0-10V

Electrical Rating: 120-277VAC 50-60Hz 21W  
 Luminaire Rust Brown: 186lm  
 Luminaire Black-White: 698lm

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut ELV and 0-10V

CCT: 2700K  
 CRI: 90

Materials  
 Diffuser: Aluminum  
 Dissipater: Aluminum

LED included

Suitable for wet locations

COVERED CEILING MOUNT ONLY when ceiling installation



LED - Ginger 60C IP65

Code  
A662-655-31  
A662-655-39

Finish  
● Rust Brown  
▲ Black-White (RAL 9005-9010)

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: Dual dimming driver  
Phase cut (ELV) or 0-10V

Materials  
Diffuser: Aluminum  
Dissipater: Aluminum

LED included


Suitable for wet locations

COVERED CEILING MOUNT ONLY when ceiling installation



Electrical  
Dual dimming  
ELV: 120VAC 50-60Hz 28W  
0-10V: 120-277VAC 50-60Hz 28W

Luminaire Rust Brown: 245lm  
Luminaire Black-White: 1165lm  
CCT: 2700K  
CRI: 90



**⚠ WARNING.** California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Video** [marsetusa@marset.com](mailto:marsetusa@marset.com)  
[www.marset.com](http://www.marset.com)

**Download** Photometric data file (LDT or IES)  
2D, 3D, Photometric Data  
Assembly instructions

Collection

