



# **Jaima**

## **Joan Gaspar**

**marset**



Through the language of textiles, Joan Gaspar has designed a light of flexible, ductile materials that sifts the light as readily as it moves with the wind. In the Jaima collection, the light is the shade and weaver of emotions. This new

collection takes its name from the Bedouin tents of North Africa, and is inspired by their varied fabrics and forms. The textile shade is available in three sizes and four different colors, with a blank interior to optimize the quality of the light.



**DESIGN PLUS**

powered by: light+building

#### Jaima P207 + Shade43

Code	Finish
Structure LED IP65 A683-071	● Black
Shade 43 A683-029	● Beige
A683-030	● Grey

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: Phase cut (ELV)

Materials  
Shade: Textile, inner part in white  
Structure: Stainless steel  
Extensible stem: Carbon fiber

Product details  
Cable length: 9.2 ft  
Wire installation: Plug-in  
Cord color: Black


Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 106.

#### Suitable for wet locations

LED included



Electrical  
Electrical Rating: LED COB 120VAC 15W  
Luminaire: 528lm  
CCT: 2700K  
CRI: 90



Jaima P307 + Shade54

Code  
Structure LED IP65  
A683-073

Finish  
● Black

Shade 54  
A683-037  
A683-038

● Beige  
● Grey

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: Phase cut (ELV)

Materials  
Shade: Textilene, inner part in white  
Structure: Stainless steel  
Extensible stem: Carbon fiber

Product details  
Cable length: min 6.6 ft - max 9.2 ft  
Wire installation: Plug-in  
Cord color: Black


Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 106.

Suitable for wet locations

LED included



Electrical  
Electrical Rating: LED COB 120VAC 15W  
Luminaire: 513lm  
CCT: 2700K  
CRI: 90



Jaima P307 + Shade71

Code  
Structure LED IP65  
A683-073

Finish  
● Black

Shade 71  
A683-041  
A683-042

● Beige  
● Grey

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: Phase cut (ELV)

Materials  
Shade: Textilene, inner part in white  
Structure: Stainless steel  
Extensible stem: Carbon fiber

Product details  
Cable length: min 6.6 ft - max 9.2 ft  
Wire installation: Plug-in  
Cord color: Black


Product notes: a floor base 70 or a fixed stem needs to be purchased. See page 106.

Suitable for wet locations

LED included



Electrical  
Electrical Rating: LED COB 120VAC 15W  
Luminaire: 530lm  
CCT: 2700K  
CRI: 90



Accessories Guide

The shades can be combined with two versatile stands to make various sizes of adjustable, rotating floor lamps; the fixture can also be affixed directly to the floor.


49 Base + Stem

Code A683-033  
Finish ● Concrete and black (RAL 9005)

Materials  
Base: Concrete  
Stem: Stainless steel

Producte Notes: Base  
only compatible with  
Jaima P207

Suitable for wet locations




70 Base + Stem

Code A683-044  
Finish ● Concrete and black (RAL 9005)

Materials  
Base: Concrete  
Stem: Stainless steel

Producte Notes: Base  
only compatible with  
Jaima P307

Suitable for wet locations




Fixed Stem

Code A683-032  
Finish ● Black (RAL 9005)

Materials  
Stem: Stainless steel

Producte Notes:  
Compatible with Jaima  
P207 & P307

Suitable for wet locations



**⚠ WARNING.** California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Video** [marsetusa@marset.com](mailto:marsetusa@marset.com)  
[www.marset.com](http://www.marset.com)

**Download** Photometric data file (LDT or IES)  
2D, 3D, Photometric Data  
Assembly instructions

Collection

