

Roc
Joan Gaspar

marset

Wall light for indoor and outdoor use, with a pressed glass diffuser. Its wavy shade covers the light, softens it, and creates an inviting atmosphere. Now, Roc evolves to provide even more light and expands its collection with two new sizes and a white

finish. All versions include an accessory that acts as a filter to reduce glare and screen the light. Roc resembles a shining block of ice, with an irregular texture that begs you to touch it.



Roc Mini

| Code | Finish | CCT |
|-----------------|--------------------|-----|
| A701-510-35-27K | ● White (RAL 9003) | 27K |
| A701-510-35-30K | ● White (RAL 9003) | 30K |
| A701-510-39-27K | ● Black (RAL 9005) | 27K |
| A701-510-39-30K | ● Black (RAL 9005) | 30K |


Materials
Structure: Aluminium
Shade: Pressed glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 2,9W CR190 291lm
Luminaire: (Power supply not included) 109lm

Weight: Net 0,52 kg – Gross 0,68 kg
Package: 12 x 12 x 13,5 cm – 0,68 kg Vol – 0,002 m³
LED included

Wire installation: Hardwired
Accessory: Filter to reduce glare (Included)



Dimmable

CE

ERAC




UK

IP65

Power supply Dimmable

| Code | Description | Dimming | Class |
|------------|-------------|---------|-------|
| 968-360 | 6W - 24V | On/off | II |
| 968-223-23 | 20W - 24V | Triac | II |
| 968-262 | 50W - 24V | Triac | II |
| 968-227 | 35W - 24V | DALI-2 | II |
| 968-206 | 60W - 24V | DALI-2 | II |




info@marset.com
www.marset.com

Roc Plus

| Code | Finish | CCT |
|-----------------|--------------------|-----|
| A701-502-35-27K | ● White (RAL 9003) | 27K |
| A701-502-35-30K | ● White (RAL 9003) | 30K |
| A701-502-39-27K | ● Black (RAL 9005) | 27K |
| A701-502-39-30K | ● Black (RAL 9005) | 30K |

| | |
|----------------------|--------------------------------------|
| Materials | Dimmable: Yes |
| Structure: Aluminium | Integrated dimmer: No |
| Shade: Pressed glass | Dimming protocols: Phase cut (Triac) |



Dimmable



IP65

Product type: Wall / Ceiling
Light source: LED SMD 500mA 8,3W CRI90 1115lm
Luminaire: 220-240 VAC TRIAC 10,8W 540lm

Weight: Net 2,40 kg – Gross 2,86 kg
Package: 22,5 x 22,5 x 19 cm – 2,86 kg Vol – 0,01 m³
LED included

Product notes: DALI-2 available upon request. Upcharge of 90 €
Wire installation: Hardwired
Accessory: Filter to reduce glare (Included)



info@marset.com
www.marset.com