Soho
Joan Gaspar

The striking, industrial shapes in the Soho collection are reminiscent of the lamps that were traditionally used in markets and taverns, but they contrast through the use of thoroughly contemporary materials and textures.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.

Soho 38 IP44 LED

Code
A631-245
A631-246
A631-247

Finish
○ White
● Stone grey
● Black

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut ELV

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

LED included

Electrical
Electrical Rating: 100-120VAC 50-60Hz 16W
Luminaire: 1051lm
CCT: 2700K
CRI: 80

ø4.3''
1.8"
6.6 ft
8.03"
ø14.96

Suitable for wet locations

(Dimmable)   c(UL)us

Soho 57 IP44 LED

Code	Finish
A631-362	○ White
A631-363	● Stone grey
A631-364	● Black

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut ELV or 0-10V

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

LED included

Suitable for wet locations

(Dimmable) ᶜ(UL)ᵤₛ

Electrical
Dual dimming
ELV: 120VAC 50-60Hz 36W
0-10V: 120-277VAC 50-60Hz 36W

Luminaire: 2086lm
CCT: 2700K
CRI: 80

ø4.3''
1.8''
6.6 ft
12''
ø22.44''

Soho 112 IP44 LED

Code	Finish
A631-377	○ White
A631-378	● Stone grey
A631-379	● Black

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

LED included

Suitable for wet locations

(Dimmable) ᶜ(UL)ᵤₛ

Electrical
Electrical Rating: 120-277VAC 95W
Luminaire: 8085lm
CCT: 2700K
CRI: 90

ø4.3''
1.4''
9.8 ft
23.9''
ø44.3''

marsetusa@marset.com
www.marset.com

Download   Photometric data file (LDT or IES)
2D, 3D, Photometric Data
Assembly instructions

Collection