




# Ambrosia Pro Ciszak Dalmas

**marsset**

This collection has been extended with a version designed specifically for workspaces that require more controlled lighting. It includes a cell structure with independent lenses that project more directional lighting.

It is available in a horizontal suspension version in three finishes – matt gold, aluminium and black – with a structure in black only.



### Ambrosia Pro 120

Code	Finish	Electrical Rating	Luminaire	CCT	CRI
A704-225-1516-30K	● Matt Gold	1050mA 36.6W	3201lm	3000K	CRI90
A704-225-1516-40K	● Matt Gold	1050mA 36.6W	3386lm	4000K	CRI90
A704-225-1716-30K	● Aluminium	1050mA 36.6W	3201lm	3000K	CRI90
A704-225-1716-40K	● Aluminium	1050mA 36.6W	3386lm	4000K	CRI90
A704-225-1616-30K	● Black	1050mA 36.6W	3201lm	3000K	CRI90
A704-225-1616-40K	● Black	1050mA 36.6W	3386lm	4000K	CRI90

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: 0-10V

#### Materials

Structure: Black anodized aluminium

LED tube: Anodized aluminium

Canopy: Aluminium / Steel

Suitable for Damp Locations



Product Notes: Canopy and power supply included.

The height can be increased by means of the 16" or 24" poles (max. 3 units).

They can be combined.

LED included. Beam angle: 60°.

Wire installation: Hardwired



**Ambrosia Pro 180**

Code	Finish	Electrical Rating	Luminaire	CCT	CRI
A704-227-1516-30K	● Matt Gold	1050mA 55W	5177lm	3000K	CRI90
A704-227-1516-40K	● Matt Gold	1050mA 55W	5476lm	4000K	CRI90
A704-227-1716-30K	● Matt Gold	1050mA 55W	5177lm	3000K	CRI90
A704-227-1716-40K	● Black	1050mA 55W	5476lm	4000K	CRI90
A704-227-1616-30K	● Aluminium	1050mA 55W	5177lm	3000K	CRI90
A704-227-1616-40K	● Aluminium	1050mA 55W	5476lm	4000K	CRI90

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: 0-10V

## Materials

Structure: Black anodized aluminium

LED tube: Anodized aluminium

Canopy: Aluminium / Steel

## Suitable for Damp Locations

Product Notes: Canopy and power supply included.

The height can be increased by means

of the 16" or 24" poles (max. 3 units).


They can be combined.

LED included. Opening degrees: 60°.

Wire installation: Hardwired



Dimmable

**Accessories guide**

The Ambrosia offers extension poles to increase the fixture drop. If chosen, the items below should be selected at time of specification.

The Ambrosia 120 and 180 have a rigid stem on one end, so can accommodate a maximum of three height extension poles of either size. Default drop length for all Ambrosia fixtures, without extension poles, is 10 1/2 inches.

**Height extension pole 16**

Code	Finish
A704-005-16	● Black

## Materials

Structure: Metal

**Height extension pole 24**

Code	Finish
A704-006-16	● Black

## Materials

Structure: Metal



**⚠ WARNING.** California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

[masetusa@maset.com](mailto:masetusa@maset.com)  
[www.maset.com](http://www.maset.com)

Download [Photometric data file \(LDT or IES\)](#)  
[2D, 3D, Photometric Data](#)  
[Assembly instructions](#)