



# Djembé

## Joan Gaspar

**marset**


The Djembé collection is designed for repetition, creating musical compositions of light. A bell-shaped ceiling fixture with an exposed interior, Djembé is available in a numerous sizes and bright, airy colors that can be used individually or

combined to create a brilliant statement piece. The pendant version is notable for its intense visual impact, combining beauty and strength as it projects large amounts of indirect light.



**Djembé C42.13**

Code	Finish	Dimming	Electrical
A681-136	● White (Ral 1013)	ELV	Electrical Rating: 120VAC 50-60Hz 19W
A681-137	● Grey (Ral 7022)	ELV	Luminaire: 846lm
A681-138	● Red (Ral 3011)	ELV	CCT: 2700K
A681-139	● Sky Blue (PANTONE 7542C)	ELV	CRI: 90
A681-312	● White (Ral 1013)	0-10V	Electrical Rating: 120-277VAC 50-60Hz 19W
A681-313	● Grey (Ral 7022)	0-10V	Luminaire: 846lm
A681-314	● Red (Ral 3011)	0-10V	CCT: 2700K
A681-315	● Sky Blue (PANTONE 7542C)	0-10V	CRI: 90



Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (ELV), 0-10V


Materials  
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)  
 Diffuser: Aluminum

Dry locations only  
 Ceiling mount only  
 LED included



**Djembé C42.21**

Code	Finish	Dimming	Electrical
A681-140	White (Ral 1013)	ELV	Electrical Rating: 120VAC 50-60Hz 19W
A681-141	Grey (Ral 7022)	ELV	Luminaire: 955lm
A681-142	Red (Ral 3011)	ELV	CCT: 2700K
A681-143	Sky Blue (PANTONE 7542C)	ELV	CRI: 90
A681-316	White (Ral 1013)	0-10V	Electrical Rating: 120-277VAC 50-60Hz 19W
A681-317	Grey (Ral 7022)	0-10V	Luminaire: 955lm
A681-318	Red (Ral 3011)	0-10V	CCT: 2700K
A681-319	Sky Blue (PANTONE 7542C)	0-10V	CRI: 90



Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (ELV), 0-10V

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)  
 Diffuser: Aluminum

Dry locations only


Ceiling mount only

LED included



**Djembé C42.28**

Code	Finish	Dimming	Electrical
A681-144	White (Ral 1013)	ELV	Electrical Rating: 120VAC 50-60Hz 19W
A681-145	Grey (Ral 7022)	ELV	Luminaire: 925lm
A681-146	Red (Ral 3011)	ELV	CCT: 2700K
A681-147	Sky Blue (PANTONE 7542C)	ELV	CRI: 90
A681-320	White (Ral 1013)	0-10V	Electrical Rating: 120-277VAC 50-60Hz 19W
A681-321	Grey (Ral 7022)	0-10V	Luminaire: 925lm
A681-322	Red (Ral 3011)	0-10V	CCT: 2700K
A681-323	Sky Blue (PANTONE 7542C)	0-10V	CRI: 90



Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (ELV), 0-10V

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)  
 Diffuser: Aluminum

Dry locations only


Ceiling mount only

LED included



**Djembé C65.23**

Code	Finish	Electrical
A681-324	White (Ral 1013)	Dual dimming
A681-325	Grey (Ral 7022)	ELV: 120VAC 50-60Hz 26W
A681-326	Red (Ral 3011)	0-10V: 120-277VAC 50-60Hz 26W
A681-327	Sky Blue (PANTONE 7542C)	Luminaire: 1843lm




Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Dual Dimming Driver  
 Dual ELV +0-10V Dimming

Materials  
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)  
 Diffuser: Aluminum

Dry locations only

Ceiling mount only

LED included




**Djembé C65.35**

Code	Finish
A681-328	● White (Ral 1013)
A681-329	● Grey (Ral 7022)
A681-330	● Red (Ral 3011)
A681-331	● Sky Blue (PANTONE 7542C)

Electrical  
 Dual dimming  
 ELV: 120VAC 50-60Hz 26W  
 0-10V: 120-277VAC 50-60Hz 26W

Luminaire: 1845lm  
 CCT: 2700K  
 CRI: 90



Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Dual Dimming Driver  
 Dual ELV +0-10V Dimming

Materials  
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)  
 Diffuser: Aluminum

Dry locations only

Ceiling mount only

LED included




**Djembé C65.45**

Code	Finish
A681-332	● White (Ral 1013)
A681-333	● Grey (Ral 7022)
A681-334	● Red (Ral 3011)
A681-335	● Sky Blue (PANTONE 7542C)

Electrical  
 Dual dimming  
 ELV: 120VAC 50-60Hz 26W  
 0-10V: 120-277VAC 50-60Hz 26W

Luminaire: 1770lm  
 CCT: 2700K  
 CRI: 90



Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Dual Dimming Driver  
 Dual ELV +0-10V Dimming

Materials  
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)  
 Diffuser: Aluminum

Dry locations only

Ceiling mount only

LED included




**Djembé C100.38**

Code	Finish
A681-514	● White (Ral 1013)
A681-515	● Grey (Ral 7022)
A681-516	● Red (Ral 3011)
A681-517	● Sky Blue (PANTONE 7542C)

Electrical  
 Dual dimming  
 ELV: 120VAC 50-60Hz 42W  
 0-10V: 120-277VAC 50-60Hz 42W

Luminaire: 2519lm  
 CCT: 2700K  
 CRI: 90



Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Dual Dimming Driver  
 Dual ELV +0-10V Dimming

Materials  
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)  
 Diffuser: Aluminum

Dry locations only

Ceiling mount only


LED included



**Accessory C2 Djembé 42**

Code A681-424 Finish ● Black (RAL 9005)


Materials Structure: Painted iron



**Accessory C3 Djembé 42**

Code A681-425 Finish ● Black (RAL 9005)


Materials Structure: Painted iron



**Accessory C2 Djembé 65**

Code A681-426 Finish ● Black (RAL 9005)


Materials Structure: Painted iron



**Accessory C3 Djembé 65**

Code A681-427 Finish ● Black (RAL 9005)

Materials Structure: Painted iron



**⚠ WARNING.** California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

[marsetusa@marset.com](mailto:marsetusa@marset.com)  
[www.marset.com](http://www.marset.com)

**Download** Photometric data file (LDT or IES)  
 2D, 3D, Photometric Data  
 Assembly instructions

**Collection**

