

Tam Tam Fabien Dumas

marset

Tam Tam Fabien Dumas marset

Imaginative and playful, Tam Tam is dynamic in its configuration and expressive in its colors. The extensive collection, which comes in pendant, wall and floor lamps, has harnessed color since its inception to create volume and accentuate

spaces. Besides color and texture, Tam Tam has also evolved to offer the possibility of including more powerful light sources. The Tam Tam is moving forward in every way possible.





Tam Tam P

Product notes: To create a complete fixture, select one (1) Stem and one (1) Shade.

Code Fi

Black semi-matt (RAL 9011)

Shade A633-130 39 A633-130 35 A633-130 37 A633-130 38

A633-130 42

A633-18239

- Black semi-matt (RAL 9011)
 Off-white semi-matt (RAL 1013)
 Sand semi-matt (RAL 7032)
- Silver Grey semi-matt (RAL 7001)
 Olive Yellow semi-matt (RAL 1020)
- A633-130 46 Orange semi-matt (RAL 2000)
 A633-130 47 Brown Grey semi-matt (RAL 7013)

Dimmable: Based on specified lamping

Integrated dimmer: No

Dimming protocols: Based on specified lamping

Supply voltage: 120V

Materials Shade: Aluminum


Diffuser: Opalescent methacrylate

Structure: Metal

Dry locations only



Socket: E26 Suggested lamping: LED TYPE A, 11W max Lamping not included



Tam Tam Fabien Dumas marset

Tam Tam P2

Product notes: To create a complete fixture, select one (1) Stem and two (2) Shades.

Code Stem

Finish

A633-183 39 ● Black semi-matt (RAL 9011)

Shade

A633-130 39 A633-130 35 Black semi-matt (RAL 9011) Off-white semi-matt (RAL 1013)

A633-130 37 Sand semi-matt (RAL 7032) A633-130 38 Silver Grey semi-matt (RAL 7001) A633-130 42 Olive Yellow semi-matt (RAL 1020) A633-130 46 Orange semi-matt (RAL 2000)

A633-130 47 Brown Grey semi-matt (RAL 7013) Dimmable: Based on specified lamping

Integrated dimmer: No Dimming protocols: Based on specified lamping

Supply voltage: 120V

Materials Shade: Aluminum

Diffuser: Opalescent methacrylate

Structure: Metal

Dry locations only



Tam Tam P3

Product notes: To create a complete fixture, select one (1) Stem and three (3) Shades.

Code Stem Finish

A633-18439

Black semi-matt (RAL 9011)

Shade

A633-130 39 A633-130 35 A633-130 37

 Black semi-matt (RAL 9011) Off-white semi-matt (RAL 1013)

Sand semi-matt (RAL 7032)

A633-130 38 Silver Grey semi-matt (RAL 7001) A633-130 42 Olive Yellow semi-matt (RAL 1020) A633-130 46

Orange semi-matt (RAL 2000) A633-130 47 Brown Grey semi-matt (RAL 7013)

Dimmable: Based on specified lamping Integrated dimmer: No

Dimming protocols: Based on specified lamping

Supply voltage: 120V

Materials Shade: Aluminum Diffuser: Opalescent methacrylate Structure: Metal

Dry locations only



▲ WARNING. California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

marsetusa@marset.com www.marset.com

Download

Photometric data file (LDT or IES) 2D, 3D, Photometric Data Assembly instructions

Socket: 2x E26 Suggested lamping: LED TYPE A, 11W max Lamping not included



Socket: 3x F26 Suggested lamping: LED TYPE A, 11W max Lamping not included

