


Fragile


Jaume Ramírez

marset

Fragile Jaume Ramírez

In its form, we find remnants of the past; in the material, we find emotion. The glass not only reveals the light source; it also speaks of purity, lightness and how this design blends in with its surroundings.

Its structure seems to stand effortlessly, a very serious feat in which everything is in plain sight. The cylinder shades its warm, diffused and gradual light.





Fragile 16

Code	Finish	CCT
Structure		
A724-002-17-22K	Aluminium	2200K
A724-002-17-27K	Aluminium	2700K
A724-002-39-22K	Black (RAL 9005)	2200K
A724-002-39-27K	Black (RAL 9005)	2700K
A724-002-35-22K	White (RAL 9010)	2200K
A724-002-35-27K	White (RAL 9010)	2700K
Shade		
Cone		
A724-040-50	Transparent	
Sphere		
A724-041-50	Transparent	

Materials
Diffuser: Blown glass
Base: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Table
Light source: LED SMD 350mA 3W 2700K CRI90 380lm
LED SMD 350mA 4W 2200K CRI80 380lm
Luminaire: 220 - 240 VAC TRIAC 4,6W
LED included

Structure
Weight: Net 0,57 kg – Gross 1 kg
Package: 33 x 22 x 9,5 cm - 1 kg – VOL - 0,007 m^3

Cone
Weight: Net 0,26 kg – Gross 0,48 kg
Package: 20 x 20 x 13 cm - 0,48 kg – VOL - 0,005 m^3

Sphere
Weight: Net 0,21 kg – Gross 0,46 kg
Package: 17 x 14,5 x 16,5 cm - 0,46 kg – VOL - 0,004 m^3

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black


Dimmable

Fragile 16 compositions

Structure
A724-002-XX-XXK 1 unit


Cone shade
A724-040-XX 1 unit

Sphere shade
A724-041-XX 1 unit




Structure
A724-002-XX-XXK 1 unit

Cone shade
A724-040-XX 1 unit



Structure
A724-002-XX-XXK 1 unit

Sphere shade
A724-041-XX 1 unit



Cluster Fragile

Take into account the total power in watts, the power of the driver, and the wire entry points of the canopy. The total wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Finally, the number of lamps installed in a single canopy cannot exceed the number of wire entry points of that canopy.
Customize your space with our Dipping Light cluster configutaror at: configurator.marset.com/dipping-light

Circular Canopy 20W

Code	Finish
A693-008	● Black
A693-009	● Black
A693-022	● Black


Dimming	Class
Triac	II
DALI-2 (max. 16W)	II
Casambi (max. 16W)	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2
Casambi

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 20W (max.)
220 - 240 VAC DALI-2/Casambi 16W (max.)
Weight: Net 0,78 kg – Gross 1 kg
Package: 23 x 21 x 9 cm - 1 kg – VOL - 0,004 m^3
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3



Dimmable

Circular Canopy 50W

Code	Finish
A693-010	● Black
A693-011	● Black
A693-023	● Black


Dimming	Class
Triac	II
DALI-2 (max. 35W)	II
Casambi (max. 35W)	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2
Casambi

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI-2/Casambi 35W (max.)
Weight: Net 1,15 kg – Gross 1,4 kg
Package: 23 x 21 x 9 cm - 1,4 kg – VOL - 0,004 m^3
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5



Dimmable

Rectangular Canopy 50W

Code	Finish
A693-001	● Black
A693-002	● Black
A693-024	● Black


Dimming	Class
Triac	II
DALI-2	II
Casambi	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2
Casambi

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI-2/Casambi 60W (max.)
Weight: Net 2,11 kg – Gross 2,5 kg
Package: 41,5 x 21 x 7 cm - 2,5 kg – VOL - 0,006 m^3
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 9



Dimmable

Circular Canopy 50W

Code	Finish
A693-003	● Black
A693-004	● Black
A693-025	● Black


Dimming	Class
Triac	II
DALI-2	II
Casambi	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2
Casambi

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI-2/Casambi 60W (max.)
Weight: Net 1,15 kg – Gross 1,36 kg
Package: 41 x 40 x 8 cm - 1,36 kg – VOL - 0,01 m³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 9



Dimmable

Circular Canopy 100W

Code	Finish
A693-005	● Black
A693-006	● Black
A693-026	● Black


Dimming	Class
Triac	II
DALI-2	II
Casambi	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI-2
Casambi

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 100W (max.)
220 - 240 VAC DALI-2/Casambi 100W (max.)
Weight: Net 3,33 kg – Gross 3,8 kg
Package: 42 x 42 x 8 cm - 3,8 kg – VOL - 0,013 m³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 19




Dimmable

Hook Accessory

Code	Finish
A693-007	● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0,01 kg – Gross 0,01 kg
Package: 2 x 2 x 5 cm - 0,01 kg – VOL - 0,002 m³



Fragile 16 - 24V

Code	Finish	CCT
Structure		
A724-009-17-22K	Aluminium	2200K
A724-009-17-27K	Aluminium	2700K
A724-009-39-22K	Black (RAL 9005)	2200K
A724-009-39-27K	Black (RAL 9005)	2700K
A724-009-35-22K	White (RAL 9010)	2200K
A724-009-35-27K	White (RAL 9010)	2700K
Shade		
Cone		
A724-040-50	Transparent	
Sphere		
A724-041-50	Transparent	

Materials
Diffuser: Blown glass
Base: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Suspension
Light source: LED SMD 24Vdc 3,7W 2700K CRI90 380lm
LED SMD 24Vdc 4,8W 2200K CRI80 380lm
Luminaire: (Power supply not included)
Product notes: Use with Cluster. 1pc. hook accessory included.
LED included

Structure
Weight: Net 0,29 kg – Gross 0,73 kg
Package: 33 x 22 x 9,5 cm - 0,73 kg – VOL - 0,007 m^3

Cone
Weight: Net 0,26 kg – Gross 0,48 kg
Package: 20 x 20 x 13 cm - 0,48 kg – VOL - 0,005 m^3

Sphere
Weight: Net 0,21 kg – Gross 0,46 kg
Package: 17 x 14,5 x 16,5 cm - 0,46 kg – VOL - 0,004 m^3

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black

Dimmable

Power supply


Code	Description	Dimming	Class
968-360	6W - 24V	On/off	II
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI-2	II
968-206	60W - 24V	DALI-2	II

Fragile 16 compositions

Structure
A724-009-XX-XXK 1 unit


Cone shade
A724-040-XX 1 unit

Sphere shade
A724-041-XX 1 unit




Structure
A724-009-XX-XXK 1 unit

Cone shade
A724-040-XX 1 unit




Structure
A724-009-XX-XXK 1 unit

Sphere shade
A724-041-XX 1 unit



Collection



info@marset.com
www.marset.com