



Djembé

Joan Gaspar

marset

The Djembé collection is designed for repetition, creating musical compositions of light. A bell-shaped ceiling fixture with an exposed interior, Djembé is available in a numerous sizes and bright, airy colors that can be used individually or

combined to create a brilliant statement piece. The pendant version is notable for its intense visual impact, combining beauty and strength as it projects large amounts of indirect light.



Djembé C42.13

Code
A681-312
A681-313
A681-314
A681-315

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V Dimming

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dry locations only


Ceiling mount only

LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 19W
0-10V: 120-277VAC 50-60Hz 19W

Luminaire: 846lm
CCT: 2700K
CRI: 90



Djembé C42.21

Code
A681-316
A681-317
A681-318
A681-319

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V Dimming


Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dry locations only
Ceiling mount only
LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 19W
0-10V: 120-277VAC 50-60Hz 19W

Luminaire: 955lm
CCT: 2700K
CRI: 90



Djembé C42.28

Code
A681-320
A681-321
A681-322
A681-323

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V Dimming


Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dry locations only
Ceiling mount only
LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 19W
0-10V: 120-277VAC 50-60Hz 19W

Luminaire: 925lm
CCT: 2700K
CRI: 90



Djembé C65.23


Code
A681-324
A681-325
A681-326
A681-327

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V


Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dry locations only
Ceiling mount only
LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 26W
0-10V: 120-277VAC 50-60Hz 26W

Luminaire: 1843lm
CCT: 2700K
CRI: 90



Djembé C65.35

Code
A681-328
A681-329
A681-330
A681-331

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual Dimming Driver
Dual ELV +0-10V Dimming


Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dry locations only
Ceiling mount only
LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 26W
0-10V: 120-277VAC 50-60Hz 26W

Luminaire: 1845lm
CCT: 2700K
CRI: 90



Djembé C65.45

Code
A681-332
A681-333
A681-334
A681-335

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual Dimming Driver
Dual ELV +0-10V Dimming


Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dry locations only
Ceiling mount only
LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 26W
0-10V: 120-277VAC 50-60Hz 26W

Luminaire: 1770lm
CCT: 2700K
CRI: 90



Djembé C100.38

Code
A681-514
A681-515
A681-516
A681-517

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual Dimming Driver
Dual ELV +0-10V Dimming


Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dry locations only
Ceiling mount only
LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 42W
0-10V: 120-277VAC 50-60Hz 42W


Luminaire: 2519lm
CCT: 2700K
CRI: 90



Accessory C2 Djembé 42

Code A681-424
Finish ● Black (RAL 9005)


Materials
Structure: Painted iron



Accessory C3 Djembé 42

Code A681-425
Finish ● Black (RAL 9005)


Materials
Structure: Painted iron



Accessory C2 Djembé 65

Code A681-426
Finish ● Black (RAL 9005)


Materials
Structure: Painted iron



Accessory C3 Djembé 65

Code A681-427
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron



⚠ WARNING. California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Download

marsetusa@marset.com
www.marset.com
Photometric data file (LDT or IES)
2D, 3D, Photometric Data
Assembly instructions

Collection

