



Djembé

Joan Gaspar

marset

The Djembé collection is designed for repetition, creating musical compositions of light. A bell-shaped ceiling fixture with an exposed interior, Djembé is available in a numerous sizes and bright, airy colors that can be used individually or

combined to create a brilliant statement piece. The pendant version is notable for its intense visual impact, combining beauty and strength as it projects large amounts of indirect light.



Djembé 42.21


Code	Finish	Dimming	Electrical
A681-291	● White (Ral 1013)	ELV	Electrical Rating: 90-135VAC 50-60Hz 19W
A681-292	● Grey (Ral 7022)	ELV	Luminaire: 955lm
A681-293	● Red (Ral 3011)	ELV	CCT: 2700K
A681-294	● Sky Blue (PANTONE 7542C)	ELV	CRI: 90
A681-380	● White (Ral 1013)	0-10V	Electrical Rating: 120-277VAC 50-60Hz 19W
A681-381	● Grey (Ral 7022)	0-10V	Luminaire: 955lm
A681-382	● Red (Ral 3011)	0-10V	CCT: 2700K
A681-383	● Sky Blue (PANTONE 7542C)	0-10V	CRI: 90

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV), 0-10V

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dry locations only

LED included



Djembé 42.28


Code	Finish	Dimming	Electrical
A681-295	● White (Ral 1013)	ELV	Electrical Rating: 90-135VAC 50-60Hz 19W
A681-296	● Grey (Ral 7022)	ELV	Luminaire: 925lm
A681-297	● Red (Ral 3011)	ELV	CCT: 2700K
A681-298	● Sky Blue (PANTONE 7542C)	ELV	CRI: 90
A681-384	● White (Ral 1013)	0-10V	Electrical Rating: 120-277VAC 50-60Hz 19W
A681-385	● Grey (Ral 7022)	0-10V	Luminaire: 925lm
A681-386	● Red (Ral 3011)	0-10V	CCT: 2700K
A681-387	● Sky Blue (PANTONE 7542C)	0-10V	CRI: 90

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV), 0-10V

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dry locations only

LED included



Djembé 65.23



Code	Finish	Electrical
A681-388	● White (Ral 1013)	Dual dimming
A681-389	● Grey (Ral 7022)	ELV: 120VAC 50-60Hz 26W
A681-390	● Red (Ral 3011)	0-10V: 120-277VAC 50-60Hz 26W
A681-391	● Sky Blue (PANTONE 7542C)	

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual Dimming Driver
 Dual ELV +0-10V Dimming

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dry locations only

LED included



Djembé 65.35


Code	Finish	Electrical
A681-392	● White (Ral 1013)	Dual dimming
A681-393	● Grey (Ral 7022)	ELV: 120VAC 50-60Hz 26W
A681-394	● Red (Ral 3011)	0-10V: 120-277VAC 50-60Hz 26W
A681-395	● Sky Blue (PANTONE 7542C)	

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual Dimming Driver
 Dual ELV +0-10V Dimming

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dry locations only

LED included



Djembé 65.45

Code	Finish
A681-396	White (Ral 1013)
A681-397	Grey (Ral 7022)
A681-398	Red (Ral 3011)
A681-399	Sky Blue (PANTONE 7542C)

Electrical
 Dual dimming
 ELV: 120VAC 50-60Hz 26W
 0-10V: 120-277VAC 50-60Hz 26W



Luminaire: 1770lm
 CCT: 2700K
 CRI: 90

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual Dimming Driver
 Dual ELV +0-10V Dimming

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dry locations only

LED included



Djembé 100.38

Code	Finish
A681-506	White (Ral 1013)
A681-507	Grey (Ral 7022)
A681-508	Red (Ral 3011)
A681-509	Sky Blue (PANTONE 7542C)

Electrical
 Dual dimming
 ELV: 120VAC 50-60Hz 42W
 0-10V: 120-277VAC 50-60Hz 42W


Luminaire: 2519lm
 CCT: 2700K
 CRI: 90

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual Dimming Driver
 Dual ELV +0-10V Dimming

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dry locations only

LED included



WARNING. California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

marsetusa@marset.com
www.marset.com

Download Photometric data file (LDT or IES)
 2D, 3D, Photometric Data
 Assembly instructions

Collection

