



Djembé

Joan Gaspar

marset

The Djembé collection is designed for repetition, creating musical compositions of light. A bell-shaped ceiling fixture with an exposed interior, Djembé is available in a numerous sizes and bright, airy colors that can be used individually or

combined to create a brilliant statement piece. The pendant version is notable for its intense visual impact, combining beauty and strength as it projects large amounts of indirect light.



Djembé 42.21

Code
A681-380
A681-381
A681-382
A681-383

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V Dimming

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dry locations only


LED included



Dimmable

Electrical
Dual dimming
ELV: 90-135VAC 50-60Hz 19W
0-10V: 120-277VAC 50-60Hz 19W

Luminaire: 955lm
CCT: 2700K
CRI: 90



Djembé 42.28

Code
A681-384
A681-385
A681-386
A681-387

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V Dimming

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum


Dry locations only

LED included



Electrical
Dual dimming
ELV: 90-135VAC 50-60Hz 19W
0-10V: 120-277VAC 50-60Hz 19W

Luminaire: 925lm
CCT: 2700K
CRI: 90



Djembé 65.23

Code
A681-388
A681-389
A681-390
A681-391

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum


Dry locations only

LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 26W
0-10V: 120-277VAC 50-60Hz 26W

Luminaire: 1843lm
CCT: 2700K
CRI: 90



Djembé 65.35

Code
A681-392
A681-393
A681-394
A681-395

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum


Dry locations only

LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 26W
0-10V: 120-277VAC 50-60Hz 26W

Luminaire: 1845lm
CCT: 2700K
CRI: 90



Djembé 65.45

Code
A681-396
A681-397
A681-398
A681-399

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V Dimming

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum


Dry locations only

LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 26W
0-10V: 120-277VAC 50-60Hz 26W

Luminaire: 1770lm
CCT: 2700K
CRI: 90



Djembé 100.38

Code
A681-506
A681-507
A681-508
A681-509

Finish
● White (Ral 1013)
● Grey (Ral 7022)
● Red (Ral 3011)
● Sky Blue (PANTONE 7542C)

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V Dimming

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum


Dry locations only

LED included



Electrical
Dual dimming
ELV: 120VAC 50-60Hz 42W
0-10V: 120-277VAC 50-60Hz 42W

Luminaire: 2519lm
CCT: 2700K
CRI: 90



⚠ WARNING. California Proposition 65 Warning for California Consumers. This product can expose you to chemicals including wood dust and lead which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

marsetusa@marset.com
www.marset.com

Download

Photometric data file (LDT or IES)
2D, 3D, Photometric Data
Assembly instructions

Collection

