




Fragile

Jaume Ramírez

marset

Fragile Jaime Ramirez

In its form, we find remnants of the past; in the material, we find emotion. The glass not only reveals the light source; it also speaks of purity, lightness and how this design blends in with its surroundings.



Its structure seems to stand effortlessly, a very serious feat in which everything is in plain sight. The cylinder shades its warm, diffused and gradual light.



Fragile 16

Code	Finish	CCT
Structure		
A724-002-17-22K	● Aluminium	2200K
A724-002-17-27K	● Aluminium	2700K
A724-002-39-22K	● Black (RAL 9005)	2200K
A724-002-39-27K	● Black (RAL 9005)	2700K
A724-002-35-22K	○ White (RAL 9010)	2200K
A724-002-35-27K	○ White (RAL 9010)	2700K

Shade	
Cone	
A724-040-50	○ Transparent
Sphere	
A724-041-50	○ Transparent

Materials	Dimmable: Yes
Diffuser: Blown glass	Integrated dimmer: No
Base: Aluminium	Dimming protocols: Phase cut (Triac)

Product type: Table
Light source: LED SMD 350mA 3W 2700K CRI90 380lm
LED SMD 350mA 4W 2200K CRI80 380lm
Luminaire: 220 - 240 VAC TRIAC 4,6W
LED included

Structure
Weight: Net 0,57 kg – Gross 1 kg
Package: 33 x 22 x 9,5 cm - 1 kg – VOL - 0,007 m³

Cone
Weight: Net 0,26 kg – Gross 0,48 kg
Package: 20 x 20 x 13 cm - 0,48 kg – VOL - 0,005 m³

Sphere
Weight: Net 0,21 kg – Gross 0,46 kg
Package: 17 x 14,5 x 16,5 cm - 0,46 kg – VOL - 0,004 m³


Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Dimmable




Fragile 16 compositions


Structure	
A724-002-XX-XXK	1 unit
Cone shade	
A724-040-XX	1 unit
Sphere shade	
A724-041-XX	1 unit



Structure	
A724-002-XX-XXK	1 unit
Cone shade	
A724-040-XX	1 unit



Structure	
A724-002-XX-XXK	1 unit
Sphere shade	
A724-041-XX	1 unit




Cluster Fragile


Take into account the total power in watts, the power of the driver, and the wire entry points of the canopy. The total wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Finally, the number of lamps installed in a single canopy cannot exceed the number of wire entry points of that canopy.
Customize your space with our Dipping Light cluster configurator at: configurator.marset.com/dipping-light


Circular Canopy 20W

Code	Finish	Dimming	Class		Dimmable CE ENEC UKCA
A693-008	● Black	Triac	II		
A693-009	● Black	DALI-2 (max. 16W)	II		
A693-022	● Black	Casambi (max. 16W)	II		
Materials		Dimmable: Yes			
Structure: Painted iron		Integrated dimmer: No			
Product type: Accessory		Dimming protocols: Phase cut (Triac)			
Luminaire: 220 - 240 VAC TRIAC 20W (max.)		DALI-2			
220 - 240 VAC DALI-2/Casambi 16W (max.)		Casambi			
Weight: Net 0,78 kg – Gross 1 kg					
Package: 23 x 21 x 9 cm - 1 kg – VOL - 0,004 m³					
Product notes: Canopy for 24V luminaires.					
Wire installation: Hardwired					
Canopy color: Black - Entry points: 3					

Circular Canopy 50W


Code	Finish	Dimming	Class		Dimmable CE ENEC UKCA
A693-010	● Black	Triac	II		
A693-011	● Black	DALI-2 (max. 35W)	II		
A693-023	● Black	Casambi (max. 35W)	II		
Materials		Dimmable: Yes			
Structure: Painted iron		Integrated dimmer: No			
Product type: Accessory		Dimming protocols: Phase cut (Triac)			
Luminaire: 220 - 240 VAC TRIAC 50W (max.)		DALI-2			
220 - 240 VAC DALI-2/Casambi 35W (max.)		Casambi			
Weight: Net 1,15 kg – Gross 1,4 kg					
Package: 23 x 21 x 9 cm - 1,4 kg – VOL - 0,004 m³					
Product notes: Canopy for 24V luminaires.					
Wire installation: Hardwired					
Canopy color: Black - Entry points: 5					

Rectangular Canopy 50W

Code	Finish	Dimming	Class		Dimmable CE ENEC  UKCA
A693-001	● Black	Triac	II		
A693-002	● Black	DALI-2	II		
A693-024	● Black	Casambi	II		
Materials		Dimmable: Yes			
Structure: Painted iron		Integrated dimmer: No			
Product type: Accessory		Dimming protocols: Phase cut (Triac)			
Luminaire: 220 - 240 VAC TRIAC 50W (max.)		DALI-2			
220 - 240 VAC DALI-2/Casambi 60W (max.)		Casambi			
Weight: Net 2,11 kg – Gross 2,5 kg					
Package: 41,5 x 21 x 7 cm - 2,5 kg – VOL - 0,006 m³					
Product notes: Canopy for 24V luminaires.					
Wire installation: Hardwired					
Canopy color: Black - Entry points: 9					


Circular Canopy 50W

Code	Finish	Dimming	Class
A693-003	● Black	Triac	II
A693-004	● Black	DALI-2	II
A693-025	● Black	Casambi	II
Materials		Dimmable: Yes	
Structure: Painted iron		Integrated dimmer: No	
Product type: Accessory		Dimming protocols: Phase cut (Triac)	
Luminaire: 220 - 240 VAC TRIAC 50W (max.)		DALI-2	
220 - 240 VAC DALI-2/Casambi 60W (max.)		Casambi	
Weight: Net 1,15 kg – Gross 1,36 kg			
Package: 41 x 40 x 8 cm - 1,36 kg – VOL - 0,01 m³			
Product notes: Canopy for 24V luminaires.			
Wire installation: Hardwired			
Canopy color: Black - Entry points: 9			




Circular Canopy 100W

Code	Finish	Dimming	Class
A693-005	● Black	Triac	II
A693-006	● Black	DALI-2	II
A693-026	● Black	Casambi	II
Materials		Dimmable: Yes	
Structure: Painted iron		Integrated dimmer: No	
Product type: Accessory		Dimming protocols: Phase cut (Triac)	
Luminaire: 220 - 240 VAC TRIAC 100W (max.)		DALI-2	
220 - 240 VAC DALI-2/Casambi 100W (max.)		Casambi	
Weight: Net 3,33 kg – Gross 3,8 kg			
Package: 42 x 42 x 8 cm - 3,8 kg – VOL - 0,013 m³			
Product notes: Canopy for 24V luminaires.			
Wire installation: Hardwired			
Canopy color: Black - Entry points: 19			



Hook Accessory

Code	Finish
A693-007	● Black
Materials	
Structure: Painted iron	
Product type: Accessory	
Weight: Net 0,01 kg – Gross 0,01 kg	
Package: 2 x 2 x 5 cm - 0,01 kg – VOL - 0,002 m³	



Fragile 16 - 24V

Code	Finish	CCT
Structure		
A724-009-17-22K	● Aluminium	2200K
A724-009-17-27K	● Aluminium	2700K
A724-009-39-22K	● Black (RAL 9005)	2200K
A724-009-39-27K	● Black (RAL 9005)	2700K
A724-009-35-22K	○ White (RAL 9010)	2200K
A724-009-35-27K	○ White (RAL 9010)	2700K
Shade		
Cone		
A724-040-50	○ Transparent	
Sphere		
A724-041-50	○ Transparent	

Materials

Diffuser: Blown glass

Base: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: It depends on the purchased power supply.

Product type: Suspension

Light source: LED SMD 24Vdc 3,7W 2700K CRI90 380lm

LED SMD 24Vdc 4,8W 2200K CRI80 380lm

Luminaire: (Power supply not included)

Product notes: Use with Cluster. 1pc. hook accessory included.

LED included

Structure

Weight: Net 0,29 kg – Gross 0,73 kg

Package: 33 x 22 x 9,5 cm - 0,73 kg – VOL - 0,007 m³

Cone

Weight: Net 0,26 kg – Gross 0,48 kg

Package: 20 x 20 x 13 cm - 0,48 kg – VOL - 0,005 m³

Sphere

Weight: Net 0,21 kg – Gross 0,46 kg

Package: 17 x 14,5 x 16,5 cm - 0,46 kg – VOL - 0,004 m³


Cable length: 3 m

Wire installation: Hardwired


Color cord: Black

Fragile 16 compositions


Structure	
A724-009-XX-XXK	1 unit
Cone shade	
A724-040-XX	1 unit
Sphere shade	
A724-041-XX	1 unit



Structure	
A724-009-XX-XXK	1 unit
Cone shade	
A724-040-XX	1 unit



Structure	
A724-009-XX-XXK	1 unit
Sphere shade	
A724-041-XX	1 unit




Dimmable



info@marset.com

www.marset.com



Collection