



Fragile

Jaume Ramírez

marset

In its form, we find remnants of the past; in the material, we find emotion. The glass not only reveals the light source; it also speaks of purity, lightness and how this design blends in with its surroundings.



Its structure seems to stand effortlessly, a very serious feat in which everything is in plain sight. The cylinder shades its warm, diffused and gradual light.



Fragile A1

Code	Finish	CCT
Structure		
A724-003-17-22K	● Aluminium	2200K
A724-003-17-27K	● Aluminium	2700K
A724-003-39-22K	● Black (RAL 9005)	2200K
A724-003-39-27K	● Black (RAL 9005)	2700K
A724-003-35-22K	○ White (RAL 9010)	2200K
A724-003-35-27K	○ White (RAL 9010)	2700K
Shade		
Cone		
A724-040-50	○ Transparent	
Sphere		
A724-041-50	○ Transparent	

Materials	Dimmable: Yes
Diffuser: Blown glass	Integrated dimmer: No
Structure: Aluminium	Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED COB 150mA 3W 2700K CRI90 340lm
LED COB 150mA 3W 2200K CRI80 300lm
Luminaire: 220 - 240 VAC TRIAC 4,1W
LED included

Structure
Weight: Net 0,1 kg – Gross 0,19 kg
Package: 11 x 8,5 x 14,5 cm - 0,19 kg – VOL - 0,001 m³

Cone
Weight: Net 0,26 kg – Gross 0,48 kg
Package: 20 x 20 x 13 cm - 0,48 kg – VOL - 0,005 m³

Sphere
Weight: Net 0,21 kg – Gross 0,46 kg
Package: 17 x 14,5 x 16,5 cm - 0,46 kg – VOL - 0,004 m³


Wire installation: Hardwired

Dimmable




Fragile A1 compositions


Structure		
A724-003-XX-XXK	1 unit	
Cone shade		
A724-040-XX	1 unit	
Sphere shade		
A724-041-XX	1 unit	



Structure		
A724-003-XX-XXK	1 unit	
Cone shade		
A724-040-XX	1 unit	



Structure		
A724-003-XX-XXK	1 unit	
Sphere shade		
A724-041-XX	1 unit	



Fragile A1 - RSC

Code	Finish	CCT
Structure		
A724-008-17-22K	● Aluminium	2200K
A724-008-17-27K	● Aluminium	2700K
A724-008-39-22K	● Black (RAL 9005)	2200K
A724-008-39-27K	● Black (RAL 9005)	2700K
A724-008-35-22K	○ White (RAL 9010)	2200K
A724-008-35-27K	○ White (RAL 9010)	2700K
Shade		
Cone		
A724-040-50	○ Transparent	
Sphere		
A724-041-50	○ Transparent	
Materials		
Diffuser: Blown glass	Dimmable: Yes	
Structure: Aluminium	Integrated dimmer: No	
	Dimming protocols: It depends on the purchased power supply.	
Product type: Wall		
Light source: LED COB 24Vdc 3,5W 2700K CRI90 340lm		
LED COB 24Vdc 3,5W 2200K CRI80 300lm		
Luminaire: (Power supply not included)		
Product notes: 24V remote power supply to be ordered separately.		
LED included		
Structure		
Weight: Net 0,1 kg – Gross 0,19 kg		
Package: 11 x 8,5 x 14,5 cm - 0,19 kg – VOL - 0,001 m³		
Cone		
Weight: Net 0,26 kg – Gross 0,48 kg		
Package: 20 x 20 x 13 cm - 0,48 kg – VOL - 0,005 m³		
Sphere		
Weight: Net 0,21 kg – Gross 0,46 kg		
Package: 17 x 14,5 x 16,5 cm - 0,46 kg – VOL - 0,004 m³		
Wire installation: Hardwired		

Dimmable



Fragile A1 - RSC compositions		
Structure		
A724-008-XX-XXX	1 unit	
Cone shade		
A724-040-XX	1 unit	
Sphere shade		
A724-041-XX	1 unit	
Structure		
A724-008-XX-XXX	1 unit	
Cone shade		
A724-040-XX	1 unit	
Structure		
A724-008-XX-XXX	1 unit	
Sphere shade		
A724-041-XX	1 unit	

Power supply Dimmable

Code	Description	Dimming	Class
968-360	6W - 24V	On/off	II
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-369	35W - 24V	DALI-2	II
968-370	60W - 24V	DALI-2	II
Product type: Power supply			



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Fragile A2

Code	Finish	CCT
Structure		
A724-004-17-22K	● Aluminium	2200K
A724-004-17-27K	● Aluminium	2700K
A724-004-39-22K	● Black (RAL 9005)	2200K
A724-004-39-27K	● Black (RAL 9005)	2700K
A724-004-35-22K	○ White (RAL 9010)	2200K
A724-004-35-27K	○ White (RAL 9010)	2700K
Shade		
Cone		
A724-040-50	○ Transparent	
Sphere		
A724-041-50	○ Transparent	

Materials	Dimmable: Yes
Diffuser: Blown glass	Integrated dimmer: No
Structure: Aluminium	Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: (x2) LED COB 150mA 3W 2700K CRI90 340lm
(x2) LED COB 150mA 3W 2200K CRI80 300lm
Luminaire: 220 - 240 VAC TRIAC 7,4W
LED included

Structure
Weight: Net 0,1 kg – Gross 0,19 kg
Package: 11 x 8,5 x 14,5 cm - 0,19 kg – VOL - 0,001 m³

Cone
Weight: Net 0,26 kg – Gross 0,48 kg
Package: 20 x 20 x 13 cm - 0,48 kg – VOL - 0,005 m³

Sphere
Weight: Net 0,21 kg – Gross 0,46 kg
Package: 17 x 14,5 x 16,5 cm - 0,46 kg – VOL - 0,004 m³

Wire installation: Hardwired

Dimmable




Fragile A2 compositions	
Structure A724-004-XX-XXK	1 unit
Cone shade A724-040-XX	2 units
Sphere shade A724-041-XX	2 units

Structure A724-004-XX-XXK	1 unit
Cone shade A724-040-XX	2 units

Structure A724-004-XX-XXK	1 unit
Sphere shade A724-041-XX	2 units



info@marset.com
www.marset.com



Collection